














- ①  Substrate
- ②  **Proteus Pro-Prime® Bitumen**
- ③  **Proteus Hot-Melt® with Proteus Hot-Melt® Force and Proteus Hot-Melt® Capsheet**
- ④  **Proteus Pro-Therm Inverted Roof Insulation**
- ⑤  **Proteus Pro-Therm Low-K separation layer**
- ⑥  **Proteus Pro-Living® Drainage Trim**
- ⑦  **Proteus Pro-Living® Drainage Board**
- ⑧  **Proteus Pro-Living® Filter Fleece**
- ⑨  **Proteus Pro-Living® Substrate** (min. 80mm settled depth)
- ⑩  **Proteus Pro-Living® Pre-Grown vegetation blanket, plug plants or cuttings/seeds**
- ⑪  **Gravel ballast** (meeting 2000/553/EC)
- ⑫  **Paving slabs on pedestals** (by others - meeting 2000/553/EC)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared and installed in strict accordance with **Proteus Project Specification**

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.













For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.


© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No.:		Roof Type:
SD_HM_INVERTED_01		Inverted
Description:		
Horizontal Surface		
Scale:	Drawn:	Date:
1:20	W.Harding	18/07/2024

Proteus Hot Melt®



- ①  Substrate
- ②  **Proteus Pro-Prime® Bitumen**
- ③  **Proteus Hot-Melt® with Proteus Hot-Melt® Force and Proteus Hot-Melt® Capsheet**
- ④  **Proteus Pro-Therm Inverted Roof Insulation**
- ⑤  **Proteus Pro-Therm Low-K separation layer**
- ⑥  **Proteus Pro-Living® Drainage Trim**
- ⑦  **Proteus Pro-Living® Drainage Board**
- ⑧  **Proteus Pro-Living® Filter Fleece**
- ⑨  **Proteus Pro-Living® Substrate** (min. 80mm settled depth)
- ⑩  **Proteus Pro-Living® Pre-Grown vegetation blanket, plug plants or cuttings/seeds**
- ⑪  **Gravel ballast** (meeting 2000/553/EC)
- ⑫  **Paving slabs on pedestals** (by others - meeting 2000/553/EC)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared and installed in strict accordance with **Proteus Project Specification**

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.

















For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.


© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No.:		Roof Type:
SD_HM_INVERTED_02		Inverted
Description:		
Vertical Rainwater Outlet		
Scale:	Drawn:	Date:
1:20	W.Harding	18/07/2024

Proteus Hot Melt®



- ①  Substrate
- ②  Rooflight / Roof Access Hatch
- ③  **Proteus Pro-Prime® Bitumen**
- ④  Soaker Detail (**Proteus Hot Melt®** protection felt)
- ⑤  **Proteus Hot-Melt® with Proteus Hot-Melt® Force and Proteus Hot-Melt® Capsheet**
- ⑥  **Proteus Pro-Felt® Ultima Plus Capsheet** (on all exposed areas)
- ⑦  **Proteus Sealant**
- ⑧  **Proteus Pro-Therm Inverted Roof Insulation**
- ⑨  **Proteus Pro-Therm Low-K separation layer**
- ⑩  **Proteus Pro-Living® Drainage Trim**
- ⑪  **Proteus Pro-Living® Drainage Board**
- ⑫  **Proteus Pro-Living® Filter Fleece**
- ⑬  **Proteus Pro-Living® Substrate** (min. 80mm settled depth)
- ⑭  **Proteus Pro-Living® Pre-Grown vegetation blanket, plug plants or cuttings/seeds**
- ⑮  **Gravel ballast** (meeting 2000/553/EC)
- ⑯  **Paving slabs on pedestals** (by others - meeting 2000/553/EC)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared and installed in strict accordance with **Proteus Project Specification**

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.














For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.




© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No.:		Roof Type:
SD_HM_INVERTED_03		Inverted
Description:		
Rooflight / Access Hatch		
Scale:	Drawn:	Date:
1:20	W.Harding	18/07/2024

Proteus Hot Melt®



- ①  Substrate
- ②  **Proteus Pro-Prime® Bitumen**
- ③  Soaker Detail (**Proteus Hot Melt®** protection felt)
- ④  **Proteus Hot-Melt® with Proteus Hot-Melt® Force and Proteus Hot-Melt® Capsheet**
- ⑤  **Proteus Pro-Felt® Ultima Plus Capsheet** (on all exposed areas)
- ⑥  **Proteus Sealant**
- ⑦  **Proteus Pro-Therm Inverted Roof Insulation**
- ⑧  **Proteus Pro-Therm Low-K separation layer**
- ⑨  **Proteus Pro-Living® Drainage Board**
- ⑩  **Proteus Pro-Living® Filter Fleece**
- ⑪  **Proteus Pro-Living® Drainage Trim**
- ⑫  **Proteus Pro-Living® Substrate** (min. 80mm settled depth)
- ⑬  **Proteus Pro-Living® Pre-Grown vegetation blanket, plug plants or cuttings/seeds**
- ⑭  **Gravel ballast** (meeting 2000/553/EC)













Proteus Waterproofing Ltd.
 21a Sirdar Road,
 Brook Road Industrial Estate,
 Rayleigh, Essex, SS6 7XF
 Tel: +44 (0)1268 777871
 W: www.proteuswaterproofing.co.uk
 E: office@proteuswaterproofing.co.uk


All components are to be prepared and installed in strict accordance with **Proteus Project Specification**

Notes :
 This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.
 For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.
 © This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No.:		Roof Type:
SD_HM_INVERTED_04		Inverted
Description:		
Upstand Terminations		
Scale:	Drawn:	Date:
1:20	W.Harding	18/07/2024



- ①  Substrate
- ②  **Proteus Pro-Prime® Bitumen**
- ③  Soaker Detail (**Proteus Hot Melt®** protection felt)
- ④  **Proteus Hot-Melt®** with **Proteus Hot-Melt® Force** and **Proteus Hot-Melt® Capsheet**
- ⑤  **Proteus Pro-Therm Inverted Roof Insulation**
- ⑥  **Proteus Pro-Therm Upstand Board / Non-combustible Upstand Board**
- ⑦  **Proteus Pro-Therm Low-K** separation layer
- ⑧  **Proteus Pro-Living® Drainage Trim**
- ⑨  **Gravel ballast** (meeting 2000/553/EC)
- ⑩  Paving slabs on pedestals (by others - meeting 2000/553/EC)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared and installed in strict accordance with **Proteus Project Specification**

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.











For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.


© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No.:		Roof Type:
SD_HM_INVERTED_05		Inverted
Description:		
Insulated Parapet - Capping		
Scale:	Drawn:	Date:
1:20	W.Harding	18/07/2024

Proteus Hot Melt®



- ①  Substrate
- ②  **Proteus Pro-Prime® Bitumen**
- ③  Soaker Detail (**Proteus Hot Melt®** protection felt)
- ④  **Proteus Hot-Melt®** with **Proteus Hot-Melt® Force** and **Proteus Hot-Melt® Capsheet**
- ⑤  **Proteus Pro-Felt® Ultima Plus Capsheet** (on all exposed areas)
- ⑥  **Proteus Pro-Therm Inverted Roof Insulation**
- ⑦  **Proteus Pro-Therm Low-K** separation layer
- ⑧  **Proteus Pro-Living® Drainage Trim**
- ⑨  **Gravel ballast** (meeting 2000/553/EC)
- ⑩  Paving slabs on pedestals (by others - meeting 2000/553/EC)



Proteus Waterproofing Ltd.
 21a Sirdar Road,
 Brook Road Industrial Estate,
 Rayleigh, Essex, SS6 7XF
 Tel: +44 (0)1268 777871
 W: www.proteuswaterproofing.co.uk
 E: office@proteuswaterproofing.co.uk












All components are to be prepared and installed in strict accordance with Proteus Project Specification


Notes :
 This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.
 For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.
 © This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No.:		Roof Type:
SD_HM_INVERTED_06		Inverted
Description:		
Uninsulated Parapet - Capping		
Scale:	Drawn:	Date:
1:20	W.Harding	18/07/2024

Proteus Hot Melt®



- ①  Substrate
- ②  **Proteus Pro-Prime® Bitumen**
- ③  Soaker Detail (**Proteus Hot Melt®** protection felt)
- ④  **Proteus Hot-Melt®** with **Proteus Hot-Melt® Force** and **Proteus Hot-Melt® Capsheet**
- ⑤  **Proteus Pro-Felt® Ultima Plus Capsheet** (on all exposed areas)
- ⑥  **GRP Trim** (mechanically fixed) and **Proteus Sealant**
- ⑦  **Proteus Pro-Therm Inverted Roof Insulation**
- ⑧  **Proteus Pro-Therm Low-K** separation layer
- ⑨  **Proteus Pro-Living® Drainage Trim**
- ⑩  **Gravel ballast** (meeting 2000/553/EC)
- ⑪  Paving slabs on pedestals (by others - meeting 2000/553/EC)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared and installed in strict accordance with **Proteus Project Specification**

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.










© This drawing is the copyright of Proteus Waterproofing Ltd.


Drawing No.:	Roof Type:
SD_HM_INVERTED_07	Inverted

Description:
Parapet - GRP Trim

Scale:	Drawn:	Date:
1:20	W.Harding	18/07/2024



- ①  Substrate
- ②  **Proteus Pro-Prime® Bitumen**
- ③  Soaker Detail (**Proteus Hot Melt®** protection felt)
- ④  **Proteus Hot-Melt®** with **Proteus Hot-Melt® Force** and **Proteus Hot-Melt® Capsheet**
- ⑤  **Proteus Pro-Therm Inverted Roof Insulation**
- ⑥  **Proteus Pro-Therm Low-K** separation layer
- ⑦  **Proteus Bitumen Sealant**
- ⑧  Slot drain by others
- ⑨  Paving slabs on pedestals (by others - meeting 2000/553/EC)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared and installed in strict accordance with Proteus Project Specification

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.










For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.


© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No.:		Roof Type:
SD_HM_INVERTED_08		Inverted
Description:		
Level Threshold (Existing) - Sealant		
Scale:	Drawn:	Date:
1:20	W.Harding	18/07/2024

Proteus Hot Melt®



- ①  Substrate
- ②  **Proteus Pro-Prime® Bitumen**
- ③  Soaker Detail (**Proteus Hot Melt®** protection felt)
- ④  **Proteus Hot-Melt®** with **Proteus Hot-Melt® Force** and **Proteus Hot-Melt® Capsheet**
- ⑤  **Proteus Pro-Therm Inverted Roof Insulation**
- ⑥  EPDM membrane (min. 100mm lap onto waterproofing)
- ⑦  **Proteus Pro-Therm Low-K** separation layer
- ⑧  Paving slabs on pedestals (by others - meeting 2000/553/EC)
- ⑨  Slot drain by others



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared and installed in strict accordance with **Proteus Project Specification**

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.
















© This drawing is the copyright of Proteus Waterproofing Ltd.


Drawing No.:	Roof Type:
SD_HM_INVERTED_09	Inverted

Description:
Level Threshold (New) - EPDM

Scale:	Drawn:	Date:
1:20	W.Harding	18/07/2024



- ①  Substrate
- ②  Metal Angle
- ③  **Proteus Pro-Prime® Bitumen**
- ④  **Proteus Hot-Melt® with Proteus Hot-Melt® Force and Proteus Hot-Melt® Capsheet**
- ⑤  **Proteus Hot-Melt® Pitch Pocket Detail**
- ⑥  **Proteus Pro-Felt® Ultima Plus Capsheet**
- ⑦  **Proteus Pro-Therm Inverted Roof Insulation**
- ⑧  **Proteus Pro-Therm Low-K separation layer**
- ⑨  **Proteus Pro-Living® Drainage Board**
- ⑩  **Proteus Pro-Living® Drainage Trim**
- ⑪  **Proteus Pro-Living® Filter Fleece**
- ⑫  **Proteus Pro-Living® Substrate** (min. 80mm settled depth)
- ⑬  **Proteus Pro-Living® Pre-Grown vegetation blanket, plug plants or cuttings/seeds**
- ⑭  **Gravel ballast** (meeting 2000/553/EC)
- ⑮  **Paving slabs on pedestals** (by others - meeting 2000/553/EC)



Proteus Waterproofing Ltd.

21a Sirdar Road,
 Brook Road Industrial Estate,
 Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared and installed in strict accordance with Proteus Project Specification

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.










For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.


© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No.:		Roof Type:
SD_HM_INVERTED_10		Inverted
Description:		
Cold Pipe Penetration		
Scale:	Drawn:	Date:
1:20	W.Harding	18/07/2024

Proteus Hot Melt®



- ①  Substrate
- ②  **Proteus Pro-Prime® Bitumen**
- ③  **Proteus Hot-Melt® with Proteus Hot-Melt® Force and Proteus Hot-Melt® Capsheet**
- ④  **Proteus Pro-Therm Inverted Roof Insulation**
- ⑤  **Proteus Pro-Therm Upstand Board / Non-combustible Upstand Board**
- ⑥  **Proteus Pro-Therm Low-K separation layer**
- ⑦  **Proteus Pro-Living® Drainage Trim**
- ⑧  **Gravel ballast** (meeting 2000/553/EC)
- ⑨  Paving slabs on pedestals (by others - meeting 2000/553/EC)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared and installed in strict accordance with **Proteus Project Specification**

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.












For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.


© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No.:		Roof Type:
SD_HM_INVERTED_11		Inverted
Description:		
Insulated Parapet Gutter		
Scale:	Drawn:	Date:
1:20	W.Harding	18/07/2024

Proteus Hot Melt®



- ①  Substrate
- ②  **Proteus Pro-Prime® Bitumen**
- ③  **Proteus Hot-Melt® with Proteus Hot-Melt® Force and Proteus Hot-Melt® Capsheet**
- ④  **Proteus Pro-Felt® Ultima Plus Capsheet** (on all exposed areas)
- ⑤  **Proteus Pro-Therm Inverted Roof Insulation**
- ⑥  **Proteus Pro-Therm Low-K separation layer**
- ⑦  **Proteus Pro-Living® Drainage Trim**
- ⑧  **Proteus Pro-Living® Drainage Board**
- ⑨  **Proteus Pro-Living® Filter Fleece**
- ⑩  **Proteus Pro-Living® Substrate** (min. 80mm settled depth)
- ⑪  **Proteus Pro-Living® Pre-Grown vegetation blanket, plug plants or cuttings/seeds**



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared and installed in strict accordance with **Proteus Project Specification**

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.














For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.


© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No.:		Roof Type:
SD_HM_INVERTED_12		Inverted
Description:		
Uninsulated Parapet Gutter		
Scale:	Drawn:	Date:
1:20	W.Harding	18/07/2024

Proteus Hot Melt®



- ①  Substrate
- ②  **Proteus Pro-Prime® Bitumen**
- ③  Soaker Detail (**Proteus Hot Melt®** protection felt)
- ④  **Proteus Hot-Melt®** with **Proteus Hot-Melt® Force** and **Proteus Hot-Melt® Capsheet**
- ⑤  Metal angle (by others)
- ⑥  **Proteus Pro-Therm Inverted Roof Insulation**
- ⑦  **Proteus Pro-Therm Low-K** separation layer
- ⑧  **Proteus Pro-Living® Drainage Board**
- ⑨  **Proteus Pro-Living® Drainage Trim**
- ⑩  **Proteus Pro-Living® Filter Fleece**
- ⑪  **Proteus Pro-Living® Substrate** (min. 80mm settled depth)
- ⑫  **Proteus Pro-Living® Pre-Grown vegetation blanket, plug plants or cuttings/seeds**
- ⑬  **Gravel ballast** (meeting 2000/553/EC)



Proteus Waterproofing Ltd.

21a Sirdar Road,
Brook Road Industrial Estate,
Rayleigh, Essex, SS6 7XF

Tel: +44 (0)1268 777871

W: www.proteuswaterproofing.co.uk

E: office@proteuswaterproofing.co.uk

All components are to be prepared and installed in strict accordance with Proteus Project Specification

Notes :

This drawing is solely intended to illustrate the correct application of Proteus Waterproofing Ltd's products and systems. All other elements bearing reference to structural and/or thermal design within the detail are shown indicatively and should not be used in whole or part for any aspect of project design without consulting the relevant authorities.

For refurbishment projects, all aspects of the existing roof are deemed to be fully compliant with BS 6229 (Code of practice for flat roofs with continuously supported coverings) or improved upon for instances where these standards are not met.

© This drawing is the copyright of Proteus Waterproofing Ltd.

Drawing No.:		Roof Type:
SD_HM_INVERTED_13		Inverted
Description:		
Roof Transition		
Scale:	Drawn:	Date:
1:20	W.Harding	18/07/2024

