

EXISTING BRICK

MASTIC SEALANT JOINT AT JUNCTION OF LINTEL & FRAME

REBATED DRAUGHT STRIP IN SASH TOP RAIL AND TRICKLE AIR VENTILATION SLOT IN ACCORDANCE WITH B.REG.

MOULDED ARCHITRAVE TO MATCH EXISTING

DOUBLE GLAZED SEALED UNIT TO BE 12mm

TRANSOM GLAZING BEAD

HARDWOOD GLAZING BEAD BEDDED IN SILICONE AND COMPRESSION SEALS IN ACCORDANCE WITH MANUFACTURES SPECIFICATION.

TRANSOM GLAZING BEAD

PLANTED HARDWOOD GLAZING BEAD

MASTIC SEALANT


EXISTING STONE CILL, RETAINED AND MADE GOOD

NEW SILL TO MATCH EXISTING

90x45mm BOTTOM RAIL TO BOTTOM SASH WITH REBATED DRAUGHT STRIP

INTERNAL SILL, BULL NOSE PROFILE SUPPORTED BY 45X45mm MOULDING BELOW. SILL TO HAVE REBATED DRAUGHT STRIP

DETAIL SECTION TIMBER FRAMED SLIDING SASH WINDOW



SASH TAIL DETAIL

HARDWOOD GLAZING BEAD BEDDED IN SILICONE AND COMPRESSION SEALS IN ACCORDANCE WITH MANUFACTURES SPECIFICATION.

REBATED DRAUGHT STRIP TO SASH

MASTIC SEALANT JOINT BETWEEN RENDERED REVEAL AND OUTSIDE FACE OF WINDOW CASING

BOX FOR WEIGHTS SIZED TO SUIT

EXISTING MASONRY WALL; MAKE GOOD WHERE REQUIRED

25mm TIMBER FILLET BETWEEN INSIDE FACE OF FRAME AND FACE OF PLASTER

MOULDED ARCHITRAVE DETAIL TO MATCH EXISTING

DETAIL PLAN TIMBER FRAMED SLIDING SASH WINDOW

NOTES:

15/08/2024	NEW ROOF TO REPLACE EXISTING MATERIALS TO MATCH	B
DATE	REVISIONS	REV

THIS DRAWING IS THE COPYRIGHT OF THE ARCHITECT AND SHOULD NOT BE REPRODUCED WITHOUT WRITTEN CONSENT.

PROJECT
**66 HEATH STREET
LONDON
NW3 1DN**

DRAWING
TIMBER SASH DETAIL

DATE MARCH '24	studio-ec ARCHITECTS 11 HAWTHORNDENE CLOSE BR2 7DT TEL: 0786913400 e-mail: egle@studio-ec.co.uk	
DELT. EC		
COMPUTER 1220-01		
SCALE 1:5		
DWG. No. 11220-100	REV. No. A	