

St Katharine Precinct (No. of Trees: 6)

Tree No (old tag)	Vegetation type	Species	No. of stems	Height (m)	Crown spread	DBH (cm)	Life stage	Vitality	Physiological Condition	Structural Condition	Safe Life Expectancy	Access	CAVAT value (£)/ Crown area (m2)
T270 (n/a)	Tree	1 Crataegus laevigata 'Paul's Scarlet' Midland Hawthorn cv.	1	7.5	8.0	31	Mature	Low	Poor	Fair	<5 yrs	Good	£1739.74 / 50.27m2

Site Features	Targets	Conditions	Notes				Survey date/ Surveyor
	Footpath within crown spread. Main drive within or adjacent to canopy. Car parking below tree canopy. Wall or fence within crown spread.	Buttresses / buttress roots - Minor adaptive growth / moderate development. Decline - Suspected. Deadwood - Minor. Epicormic growth - Crown. Epicormic growth - Bole / principal stems. Fork - Weak with included bark. Leaning trunk - Minor. Pruning wounds - Decayed. Rubbing limbs. Reaction wood / Adaptive growth - Stem / stems.	Crown very low in vitality with weak growth. Monitor during future surveys. 29/08/23. Crown still very low in vitality with weak growth. 05/08/24.W3W: 270				2024-08-05. /Matthew Barker.
<b>Recommendation</b>	<p><b>- Fell - Ground level heavily declining Crataegus to facilitate replacement.</b></p> <p><b>- Plant replacement tree Cornus contraversa during the first planting season (September to April) following tree removal.</b></p>						
			<b>Purpose of works</b>	<p><b>- Landscape improvement</b></p> <p><b>- Landscape improvement</b></p>		<b>Safety Action Date</b>	
<b>Risk assessed</b>	Branch failure on to footpath		<b>Risk of harm range</b>	<1/1 000 000		<b>Risk category</b>	1

Tree No (old tag)	Vegetation type	Species	No. of stems	Height (m)	Crown spread	DBH (cm)	Life stage	Vitality	Physiological Condition	Structural Condition	Safe Life Expectancy	Access	CAVAT value (£)/ Crown area (m2)
T270 (n/a)	Tree	1 Crataegus laevigata 'Paul's Scarlet' Midland Hawthorn cv.	1	7.5	8.0	31	Mature	Low	Poor	Fair	<5 yrs	Good	£1739.74 / 50.27m2

St Katharine Precinct (No. of Trees: null)

Site Features	Targets	Conditions	Notes			Survey date/ Surveyor
	Footpath within crown spread. Main drive within or adjacent to canopy. Car parking below tree canopy. Wall or fence within crown spread.	Buttresses / buttress roots - Minor adaptive growth / moderate development. Decline - Suspected. Deadwood - Minor. Epicormic growth - Crown. Epicormic growth - Bole / principal stems. Fork - Weak with included bark. Leaning trunk - Minor. Pruning wounds - Decayed. Rubbing limbs. Reaction wood / Adaptive growth - Stem / stems.	Crown very low in vitality with weak growth. Monitor during future surveys. 29/08/23. Crown still very low in vitality with weak growth. 05/08/24.W3W: 270			2024-08-05. /Matthew Barker.
<b>Recommendation</b>	<p><b>- Fell - Ground level heavily declining Crataegus to facilitate replacement.</b></p> <p><b>- Plant replacement tree Cornus contraversa during the first planting season (September to April) following tree removal.</b></p>		<b>Purpose of works</b>	<p><b>- Landscape improvement</b></p> <p><b>- Landscape improvement</b></p>	<b>Safety Action Date</b>	
<b>Risk assessed</b>	Branch failure on to footpath		<b>Risk of harm range</b>	<1/1 000 000	<b>Risk category</b>	1