

MOOSECONSULTING

ISSUE STATUS
POST REVIEW

CLIENT
MR J KEMP

PROJECT
38 MURRAY MEWS

REV	DESCRIPTION	DATE
A	FOR COMMENT	08.7.24
B	POST REVIEW	18.7.24

Notes

1. Structural calculations, guidance or notes of any is for guidance only, not for construction. You must engage a structural engineer.
2. All documentation provided does not limit your liability in respect to the engagement and full compliance of Planning and/or Building Control.
3. The nominated Building Control officer has the right to supercede any and all of the information contained within this document. You are required by Law to comply with the explicit directions given by your Building Control officer.

PROJECT ID
2381296

DATE
07/08/24

SCALE (@ A3)
1 : 50

REV
B

TITLE
**PROPOSED
ELEVATIONS**

DWG No.

A202

©2024




1. Refurbish the existing roof by removing the existing tiles (for re-use), replacing membrane & batten, reinstalling the existing tiles supplemented with new where deteriorated or broken
2. Refurbish existng soffits & fascia. Remove existing paint finish, treat accordingly and repaint
3. Refurbish the existing dormer cheeks. Strip back the existing delaminated ply and replace
4. New door built into the existing garage doors. Final arrangement tbc by Client
5. Refurbish the existing window to maintain similar appearance to the garage door

1

PROPOSED SOUTH

1 : 50

1. Extended flat roof with a new EPDM, Sarnafil or other single ply membrane layer
2. Soft planting tbc by Client
3. Parapet wall with railings tbc by Client
4. New 1800w x 450m casement windows, with Catnic L1S (or quivalent) provided over. 150mm baring each side with weep vents provided at evry 900mm. Head height 2100. Possibly with obscure glazing (planning to advise)



2

PROPOSED NORTH

1 : 50

