
From:
Sent: 10 September 2024 10:32
To: Planning
Subject: 3rd Party Planning Application - 2024/3411/P - revised response

[EXTERNAL EMAIL] Beware – This email originated outside Camden Council and may be malicious Please take extra care with any links, attachments, requests to take action or for you to verify your password etc.

London Borough of Camden
Camden Town Hall
Argyle Street
Euston Road
London
WC1H 8EQ

Our DTS Ref: 73711
Your Ref: 2024/3411/P - revised response

10 September 2024

Dear Sir/Madam

Re: 100 & 88 , GRAY'S INN ROAD, 127 CLERKENWELL ROAD, LONDON, LONDON, WC1X 8AL

Waste Comments

Thank you for consulting Thames Water for the discharge of matters relating to PILING. Thames Water confirms the piling condition referenced, can be discharged based on the information submitted.

Water Comments

Supplementary Comments

Thames Water have reviewed the information provided and agree to discharge Condition 33. This is based on the understanding that piling/demolition works are carried out in accordance with. Drawing 100R. Proposed Piles Positions Vs Existing Sewer & Water Supply 22.7.2024. Please advise Thames Water if these plans change so that we can re-assess the risk to our assets. Please discharge Condition 33.

Demolition, piling, and excavation works all have the potential to adversely impact Thames Water assets. Please bear in mind that Thames Water will hold the developer and any relevant contractor/sub-contractor liable for any losses incurred or damage caused to Thames Water assets arising from construction works or subsequent use of the facility.

Plans of Thames Water apparatus can be obtained through our website at <https://eur03.safelinks.protection.outlook.com/?url=http%3A%2F%2Fwww.thameswater-propertysearches.co.uk%2F&data=05%7C02%7Cplanning%40camden.gov.uk%7Ca8738af922c240c179ac08dcd17b7a6e%7C5e8f4a342bdb4854bb42b4d0c7d0246c%7C0%7C0%7C638615575>

490784844%7CUnknown%7CTWFPbGZsb3d8eyJWljoIMC4wLjAwMDAiLCJQljoIV2luMzliLCJBTil6lk1haWwiLCJXVCI6Mn0%3D%7C0%7C%7C%7C&sdata=5f8lkZtrncoc%2F9pb9L7CL9hIFnG4rpm5vQ%2BGbmrEk%2BQ%3D&reserved=0. Please contact Developer Services if you wish to discuss further (0800 009 3921 or by email at developer.services@thameswater.co.uk with email subject FAO Asset Protection Team). Please use the following reference in all future correspondence: DTS .73711

Yours faithfully
Development Planning Department

Development Planning,
Thames Water,

This is an automated email, please do not reply to the sender. If you wish to reply to this email, send to devcon.team@thameswater.co.uk Visit us online <https://eur03.safelinks.protection.outlook.com/?url=http%3A%2F%2Fwww.thameswater.co.uk%2F&data=05%7C02%7Cplanning%40camden.gov.uk%7Ca8738af922c240c179ac08dcd17b7a6e%7C5e8f4a342bdb4854bb42b4d0c7d0246c%7C0%7C0%7C638615575490796153%7CUnknown%7CTWFPbGZsb3d8eyJWljoIMC4wLjAwMDAiLCJQljoIV2luMzliLCJBTil6lk1haWwiLCJXVCI6Mn0%3D%7C0%7C%7C%7C&sdata=jNnLfphAyrJwHWADV7kNkw99RR%2BjRE%2FZusnwD%2F2ld9A%3D&reserved=0> , follow us on twitter <https://eur03.safelinks.protection.outlook.com/?url=http%3A%2F%2Fwww.twitter.com%2Fthameswater&data=05%7C02%7Cplanning%40camden.gov.uk%7Ca8738af922c240c179ac08dcd17b7a6e%7C5e8f4a342bdb4854bb42b4d0c7d0246c%7C0%7C0%7C638615575490802380%7CUnknown%7CTWFPbGZsb3d8eyJWljoIMC4wLjAwMDAiLCJQljoIV2luMzliLCJBTil6lk1haWwiLCJXVCI6Mn0%3D%7C0%7C%7C%7C&sdata=z4hyvVhz9Bb%2B0JaWDOtxmmk3Z%2FiOcYjkZxoEBD54b%2Bg%3D&reserved=0> or find us on <https://eur03.safelinks.protection.outlook.com/?url=http%3A%2F%2Fwww.facebook.com%2Fthameswater&data=05%7C02%7Cplanning%40camden.gov.uk%7Ca8738af922c240c179ac08dcd17b7a6e%7C5e8f4a342bdb4854bb42b4d0c7d0246c%7C0%7C0%7C638615575490808621%7CUnknown%7CTWFPbGZsb3d8eyJWljoIMC4wLjAwMDAiLCJQljoIV2luMzliLCJBTil6lk1haWwiLCJXVCI6Mn0%3D%7C0%7C%7C%7C&sdata=2fBulehyRLeAT9e%2B09iStz%2BsuCZlcf4L9o2kueAqqZE%3D&reserved=0>. We're happy to help you 24/7.

Thames Water Limited (company number 2366623) and Thames Water Utilities Limited (company number 2366661) are companies registered in England and Wales, both are registered at Clearwater Court, Vastern Road, Reading, Berkshire RG1 8DB. This email is confidential and is intended only for the use of the person it was sent to. Any views or opinions in this email are those of the author and don't necessarily represent those of Thames Water Limited or its subsidiaries. If you aren't the intended recipient of this email, please don't copy, use, forward or disclose its contents to any other person – please destroy and delete the message and any attachments from your system.