

For Office Use: A_12683

URBAN OUTFITTERS

42-56 SEVEN DIALS
EARLHAM STREET
LONDON
WC2H 9LJ

CONSULTANT :

DRAWN BY:

ZR

ISSUE / DATE:

PLANNING 06.09.2024

REVISION :

A COMMENTS FROM COUNCIL 16/09/24

SHEET TITLE :
**ENLARGED FITTING
ROOM RCP**

SHEET NO. :

A203

KEY NOTES

- 201 EXISTING FIRE EXIT SIGN TO BE RELOCATED AND INSTALLED IN POSITION SHOWN.
- 202 EXISTING EMERGENCY LIGHTING TO BE RELOCATED AND INSTALLED IN POSITION SHOWN.
- 203 REFER TO DRAWING 2/A401 FOR FIRE STOPPING WHERE EXISTING BUILDING ELEMENTS PENETRATE FLOOR TO CEILING 60 MINUTE FIRE RATED WALL.
- 204 NEW TYPE H1 TRACK MOUNTED LED TRACKHEAD (26W) ON TSX LIGHTING TRACK, SUSPENDED AT 6" BELOW CEILING OBSTRUCTIONS (E.G. CONDUIT, DUCTS, STEEL STRUCTURE) TO BOTTOM OF TRACK.
- 205 SUPPLY AND INSTALL NEW SMOKE DETECTOR. ALLOW TO CONNECT TO EXISTING DETECTION SYSTEM.
- 206 3No. NEW TYPE S1 WALL MOUNTED SCONCE LIGHT FITTING SECURED TO WALL AT 2100MM ABOVE FFL.
- 207 NEW LED BATTEN LIGHTING FIXTURE MOUNTED TO THE UNDERSIDE OF SOFFIT.

