

2 LOWER GROUND FLOOR PROPOSED PLAN scale 1:100

LOWER GROUND FLOOR NOTES:

Dining Room
Non-original plasterboard ceiling with down lights and no cornicing. Ceiling to remain as is and down lights to be replaced with pendant and wall lights.

2. Hallway

Non-original plasterboard ceiling with down lights and no cornicing. Ceiling to remain as is. Fuse box to be removed from ceiling and relocated to storage cupboard. Down lights to be replaced with pendant and wall lights.

3. Kitchen

Non-original plasterboard ceiling with down lights and no cornicing. Ceiling to remain as is. Down lights to be replaced with newer and more energy efficient equivalent.

4. WC/Study Non-original plasterboard ceiling with down lights and no cornicing. Ceiling to be reinstated where non-original internal partitions have been removed. New pendant lights to replace existing down lights.

5. Utility Room

Non-original plasterboard ceiling with down lights and no cornicing. Down lights to be replaced with newer and more energy efficient equivalent.

LEGEND	
SYMBOL	DESCRIPTION
¢	EXISTING RECESSED DOWN LIGHT
¢	NEW RECESSED DOWN LIGHT
-0-	EXISTING PENDANT LIGHT
•	NEW PENDANT LIGHT
	EXISTING CORNICING
	EXISTING NON-ORIGINAL CORNICING
	NEW CORNICING
\odot	CEILING ROSES

This drawing is protected under Copyright and at no time should any portion of this drawing be reproduced or copied without the permission of the Architect. (Design Copyright Act 1968)

This drawing must not be used for purposes other than that for which it is provided. It is supplied without liability for any errors or omissions.


Drawings only to be scaled for planning application purposes, all dimensions to be checked on site. All drawings subject to Statutory Authority Approval.

Т

Notes		
A	PLANNING PLANNING	16.10.2024 11.09.2024
No	Rev	Date




A	RCHITECTS + IN	ITE	RIOR DESI	GΝ	ERS
Ĺ	1A - 91B H ONDON eI020	ſ	ATH ST NW 3 6363	6	ET SS 38
1 N	IFO WWW.TO	3 - S	TUDIO.C	0.	UK
Project	51 DOWNSI NW3 1PA	HIR	E HILL,		
Date	11.09.2024	Scale @ A3	1:50		
Drawing	RCP LOWER GRO EXISTING &				
Drawn by	RV	Checked by	TG		
Job No.	279	Dwg No.	P-400	Rev	А



GROUND FLOOR EXISTING PLAN

scale 1:100

1



GROUND FLOOR NOTES:

 Living Room & Sitting Room
Carefully remove the non-original plaster boarding to expose the original lath and plaster ceilings. Repair the original lath and plaster ceiling where possible by a specialist; if the lath and plaster ceilings are found to be beyond repair, replace with new lath and plaster ceiling b a specialist. Repair and make good original cornicing. If the cornicing is beyond repair, replace with new to match original. Replace non-original ceiling roses with new period-appropriate designs. Remove existing down lights, make good ceiling and replace with pendant and wall lights.

2. Entry Hall

Non-original plasterboard ceiling to remain in place. Non-original cornice to be replaced by new more appropriate cornice. Down lights to be replaced with pendant light.

3. WC

Non-original plasterboard ceiling with down lights and no cornicing. Ceiling and lighting to remain as is. Down lights to be replaced with newer and more energy efficient equivalent. .

4. Office/Powder Room

Non-original plasterboard sloped ceiling with down lights and no cornicing. Ceiling to remain as is. Down lights to be replaced with newer and more energy efficient equivalent.

LEGEND	
SYMBOL	DESCRIPTION
¢	EXISTING RECESSED DOWN LIGHT
¢	NEW RECESSED DOWN LIGHT
-0-	EXISTING PENDANT LIGHT
•	NEW PENDANT LIGHT
	EXISTING CORNICING
	EXISTING NON-ORIGINAL CORNICING
	NEW CORNICING
\odot	CEILING ROSES



This drawing is protected under Copyright and at no time should any portion of this drawing be reproduced or copied without the permission of the Architect. (Design Copyright Act 1968)

This drawing must not be used for purposes other than that for which it is provided. It is supplied without liability for any errors or omissions.

Drawings only to be scaled for planning application purposes, all dimensions to be checked on site. All drawings subject to Statutory Authority Approval.

Notes		
No '	PLANNING	11.09.2024





ARCHITECTS + INTERIOR DESIGNERS



Drawing	RCP GROUND FI EXISTING &				
Drawn by	RV	Checked by	TG		
Job No.	279	Dwg No.	P-401	Rev	-

эγ	
he	ł









 Bedroom 1, Bedroom 2 & Hallway Carefully remove both layers of non-original plasterboard to expose the original lath and plaster ceilings. Repair the original lath and plaster ceiling as required and where possible by a specialist; if the lath and plaster ceilings are found to be beyond repair, replace with new lath and plaster ceiling by a specialist. Repair and make good prioritical provision. If the carrying is how and there is the super-tion of the provision of the carrying is how and the provision. original cornicing. If the cornicing is beyond repair, replace with new to match original. Install ceiling rose and replace existing pendant and add wall lights. Remove existing non-original down lights, make good and replace with pendant light and ceiling rose in hallway. 2. Bathroom

FIRST FLOOR NOTES: 1. Bedroom 1, Bedroom 2 & Hallway

Non-original plasterboard ceiling with a contemporary skylight, down lights and no cornicing. Down lights to be replaced with newer and more energy efficient equivalent.

LEGEND	
SYMBOL	DESCRIPTION
¢	EXISTING RECESSED DOWN LIGHT
¢	NEW RECESSED DOWN LIGHT
-0-	EXISTING PENDANT LIGHT
-	NEW PENDANT LIGHT
	EXISTING CORNICING
	EXISTING NON-ORIGINAL CORNICING
	NEW CORNICING
\odot	CEILING ROSES





This drawing is protected under Copyright and at no time should any portion of this drawing be reproduced or copied without the permission of the Architect. (Design Copyright Act 1968)

This drawing must not be used for purposes other than that for which it is provided. It is supplied without liability for any errors or omissions.

Drawings only to be scaled for planning application purposes, all dimensions to be checked on site. All drawings subject to Statutory Authority Approval.

Notes		
_		
- 	PLANNING	11.09.2024




ARCHITECTS + INTERIOR DESIGNERS

_							
L	1 A - 91 B H O N D O N e I 020	I		3		S	
١N	IFO WWW.TO	6 - S	TUD	10.0	co	. U	K
Project	51 DOWNSI NW3 1PA	HIR	E HII	LL,			
Date	11.09.2024	Scale @ A3	1:50	C			
Drawing	RCP FIRST FLOC EXISTING &		ROPC	DSED	D		
by		l by					

Drawn	RV	Checked	TG	-	
Job No.	279	Dwg No.	P-402	Rev	-

	EH 2470 → 1. BEDROOM 4 + HALL ¢ 2. ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓
--	--







LEGEND			
SYMBOL	DESCRIPTION		
÷	EXISTING RECESSED DOWN LIGHT		
¢	NEW RECESSED DOWN LIGHT		
-0-	EXISTING PENDANT LIGHT		
-	NEW PENDANT LIGHT		
	EXISTING CORNICING		
	EXISTING NON-ORIGINAL CORNICING		
	NEW CORNICING		
\odot	CEILING ROSES		

SECOND FLOOR NOTES: 1. Bedroom 3 & Bedroom 4/Bathroom Non-original sloped plasterboard ceiling with pendant lights and no cornicing. Ceiling to remain as is with new wall lights introduced. Down lights to be replaced with newer and more energy efficient equivalent. .

2. Bathroom & Hallway Non-original sloped plasterboard ceiling with a contemporary skylight, down lights and no cornicing. Ceiling to be reinstated where non-original internal partitions have been removed. Down lights to be replaced with pendant and wall lights. This drawing is protected under Copyright and at no time should any portion of this drawing be reproduced or copied without the permission of the Architect. (Design Copyright Act 1968)

This drawing must not be used for purposes other than that for which it is provided. It is supplied without liability for any errors or omissions.

Drawings only to be scaled for planning application purposes, all dimensions to be checked on site. All drawings subject to Statutory Authority Approval.

Т

SS		
Notes		
_		
_	PLANNING	16.10.2024
A -	PLANNING	11.09.2024
No	Rev	Date

PLANNING



ARCHITECTS + INTERIOR DESIGNERS

91A - 91B HEATH STREET L O N D O N N W 3 6 S S T e I 0 2 0 7 6 3 6 3 8 3 8 INFO WWW.TG-STUDIO.CO.UK								
Project	51 DOWNSHIRE HILL, NW3 1PA							
Date	11.09.2024	Scale @ A3	1:50					
Drawing	RCP LOWER GROUND FLOOR EXISTING & PROPOSED							
Drawn by Drawing	RV	Checked by	TG					
Job No.	279	Dwg No.	P-403	Rev	A			