Page 1 of 3

Quotation No.: L14777 / Q2 Quotation Ref.: R1000 / 33 Sold by: Karen Tucker Surveyed by:

Customer name: Kul Luintel Installation / delivery address: 114b Camden Street, London, NW1 0HY Tel: 07912 626057 (Personal) Email: kluintel@hotmail.com (Personal)

## **Internal SOW**

Printed: Wed 9 Oct 2024, 2:23pm by Karen

All drawings are viewed from the outside. Based on sales data

Name      Network      Herings Doc Sale Window        Type of Work      New Pair of Saceties [Sapply A Install      Neu Pair of Saceties [Sapply A Install        Location      Fair Notion Constant Langua      Fair Notion To Saceties Langua      Fair Notion To Saceties Langua        Location      Fair Notion To Saceties Langua      Fair Notion To Saceties Langua      Fair Notion To Saceties Langua        Location      Fair Notion To Saceties Langua      July 1      July 1      July 1        Location      Fair Notion To Saceties Langua      July 1      July 1      Sacet Chernic        Duty 1      Salet Chernic      Sacet Chernic      Sacet Chernic      Sacet Chernic        Salet Chernic      Sacet Chernic      Sacet Chernic      Sacet Chernic      Sacet Chernic        Salet Chernic      Sacet Chernic      Sacet Chernic      Sacet Chernic      Sacet Chernic        Salet Chernic      Sacet Chernic      Sacet Chernic      Sacet Chernic      Sacet Chernic        Salet Chernic      Sacet Chernic      Sacet Chernic      Sacet Chernic      Sacet Chernic        Salet Chernic      Sacet Chernic      Sacet Chernic      Sacet Chernic      Sacet Chernic        Salet		ITEM 1	ITEM 2
Instability Location  Full Institution    Location  File Poor Fort Elevision Lounge  File Poor Fort Elevision Lounge    Image: State Description  File Poor Fort Elevision Lounge  File Poor Fort Elevision Lounge    Image: State Description  Image: State Description  Image: State Description    Image: State Description  State Description  State Description    Image: State Description  State Description  State Description    Frame Material  Accord  State Description    State Material  Accord  State Description    Frame Material  Accord  State Description    State Material  Accord  State Description    Frame Material  Accord  State Description    State Description  Whene (AL State)  Whene (AL State)    Construction  Type: A - Cogn. Return No to Material Description  Whene (AL State)    State Description  HERITAGE I Type	Item Type	heritage Box Sash Window	heritage Box Sash Window
Loadion    Fire Foor Foor Elevation Longe      Fire Foor Foor Elevation Longe    Image: Comparison Longe      Image: Comparison Longe    Image: Comparison Longe      Image: Comparison Longe    Image: Comparison Longe      Op: 1    Seles Details      Seles Details    Seles Details	Type of Work	New Pair of Sashes   Supply & Install	New Pair of Sashes   Supply & Install
Loadon      Fire Boor Foot Basedon Lange      Fire Boor Foot Basedon Lange        Image Boor Foot Basedon Lange      Image Boor Foot Basedon Lange      Image Boor Foot Basedon Lange        Image Boor Foot Basedon Lange      Image Boor Foot Basedon Lange      Image Boor Foot Basedon Lange        Image Boor Foot Basedon Lange      Image Boor Foot Basedon Lange      Image Boor Foot Basedon Lange        Image Boor Foot Basedon Lange      Image Boor Foot Basedon Lange      Image Boor Foot Basedon Lange        Image Boor Foot Basedon Lange      Image Boor Foot Basedon Lange      Image Boor Foot Basedon Lange        Image Boor Foot Basedon Lange      Image Boor Foot Basedon Lange      Image Boor Foot Basedon Lange        Image Boor Foot Basedon Langeo      Image Boor Foot Basedon Langeo      Image Boor Foot Basedon Langeo        Image Boor Foot Basedon Langeo      Image Boor Foot Basedon Langeo      Image Boor Foot Basedon Langeo        Image Boor Foot Basedon Langeo      Image Boor Foot Basedon Langeo      Image Boor Foot Basedon Langeo        Image Boor Foot Basedon Langeo      Image Boor Foot Basedon Langeo Content Foot Basedon Lan	Installation Level		
Frame Material  Accya    Gay: 1  Sales Details    Sale Material  Accya    Call Prane  White (KA Strift)    Call Prane  White (KA Strif			
City:  City:  City:  City:  City:  Sales Details    Frame Naterial  Accoya  Accoya  Accoya  Accoya    Cell Metrial  Sapele Hardwood  Sapele Hardwood  Sapele Hardwood    Cell Metrial  Sapele Hardwood  Sapele Hardwood  Sapele Hardwood    Cell Metrial  Sapele Hardwood  Sapele Hardwood  Sapele Hardwood    Cell Metrial  White (RAL 9016)  White (RAL 9016)  Metrial (RAL 9016)    Citer Tartish  White (RAL 9016)  White (RAL 9016)  Metrial (RAL 9016)    Saah Spain  Top: A- Ogee, Bottom: No horn  Top: A- Ogee, Bottom: No horn  Top: A- Ogee, Bottom: No horn    Saah Spain  112-12  Top: A- Ogee, Bottom: No horn  Top: A- Ogee, Bottom: No horn  Top: A- Ogee, Bottom: No horn    Saah Spain  112-12  Saah Spain  Top: A- Ogee, Bottom: No horn  Top: A- Ogee, Bottom: No horn    Saah Spain  112-12  Saah Spain  Saah Pastener Narrow Brighton, 2 x Saah Lift Curved Neck, 4 x Saah Pulley Wheel (Radius end), 2 x Saah Sastener Narrow Brighton, 2 x Saah Lift Curved Neck, 4 x Saah Pulley Wheel (Radius end), 2 x Saah Sastener Narrow Brighton, 2 x Saah Lift Curved Neck, 4 x Saah Pulley Wheel (Radius end), 2 x Saah Sastener Narrow Brighton, 2 x Saah Lift Curved Neck, 4 x Saah Pulley Metel (Radius end), 2 x Saah Sastener Narrow Brighton, 2 x Saah Lift Curved Neck, 4 x Saah Pulley Metel (Radius end), 2 x Saah Sastener Narow Brighton, 2 x S		Cord Hung LINZ 002 LINZ 002 LINZ 002 LINZ	Cord Hung LTR Cord Hung A2
Frame Material      Control        Sash Material      Accoya      Accoya        Glash Material      Sapele Hardwood      Sapele Hardwood        External Finish      White (RAL 9016)      White (RAL 9016)        Internal Finish      White (RAL 9016)      White (RAL 9016)        Could Base      White (RAL 9016)      White (RAL 9016)        Sash Hom      Top: A - Ogee, Bottom: No hom      Top: A - Ogee, Bottom: No hom        Sash Split      12 - 12      Coupling Deall      Top: A - Ogee, Bottom: No hom        Bay Window Angle      Iz - 12      Coupling Deall      Top: A - Ogee, Bottom: No hom        Iformongery      2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Sash Secure      2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Sash Secure      140        Sash Form      140      Sash Form      Sash Form        Sash Sash Pulley Wheel (Radius end)      Sash Secure      2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure      140        Sash Thickness      45      Sopin Polished Brass      140        Sash Form      Sash Form Sash Secure      Sore      <			
Sash Material  Sapele Hardwood  Sapele Hardwood    Cill Material  Sapele Hardwood  Sapele Hardwood    External Finish  White (RAL 9016)  White (RAL 9016)    Internal Finish  White (RAL 9016)  White (RAL 9016)    Cill Finish  White (RAL 9016)  White (RAL 9016)    Sash Spit  Vita (RAL 9016)  White (RAL 9016)    Sash Spit  1/2 - 1/2  1/2 - 1/2    Couping Detail  Bay Window Angle  1/2 - 1/2    Gliadrag  HERITAGE   Top: 4mm Low E (1.1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: 4  HERITAGE   Top: 4mm Low E (1.1) Clear - Float   Bottom: 4    formongery  2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure  2 x Sash Fastener Narrow Brighton, 2 x Sash Secure Stops in Polished Brass    Gill Depth  140  140  140    Sash Spit  140  140    Sash Spit  600 Ovolo, 22 mm Glazing Bar  Ovolo, 22 mm Glazing Bar    Frame Stop/ Bead  Small  Small    Repaice 1 cill  Small  Small    Surround  Shutler boxes installed.  Weil fit sashes or existing frames only with new cill & pulley stiles.    Production Notes  Curl Double Stops  Shutler boxes installed.	<b></b>	Sales Details	Sales Details
Cill Metrial  Sapele Hardwood    External Finish  White (RAL 9016)    Internal Finish  White (RAL 9016)    Oll Finish  White (RAL 9016)    Sash Hom  Top: A - Ogee, Bottom: No hom    Sash Split  1/2 - 1/2    Coupling Detail  1/2 - 1/2    Bay Window Angle  2    Glazing  HERITAKSE   Top: 4 mm Low E (1.1) Clear - Float - Krypton Filled, firm White spacer - 4mm Clear - Float   Bottom: 4    Floaring  2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure    Slops in Polished Brass  40    Sash Go Ovolo, 22 mm Glazing Bar  1/40    Sash Hom  1/40    Sash Hom  Ovolo, 22 mm Glazing Bar    Frame Stop / Bead  45    Guillong th  60    Frame Stop / Bead  5    Frame Stop / Bead  Small    Repair  Replace 1 cill    Storter Notes  Shutter boxes installed.    Production Notes  Shutter boxes installed.			
External Finish    White (RAL 9016)    White (RAL 9016)      Internal Finish    White (RAL 9016)    White (RAL 9016)      Coll Finish    White (RAL 9016)    White (RAL 9016)      Sash Fini    Top: A - Ogee, Bottom: No horn    Top: A - Ogee, Bottom: No horn      Sash Split    12 - 12    12 - 12      Coupling Detail    Bay    HERITAGE   Top: 4mm Low E (1.1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: 4      Bay Window Angle    -    2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass    2 x Sash Fastener Narrow Brighton, 2 x Sash Secure Stops in Polished Brass      Coll Depth    140    140    2 x Sash Fastener Narrow Brighton, 2 x Sash Secure Stops in Polished Brass      Glid Depth    140    140    500 sin Polished Brass    45      Mouding & G    Ovolo, 22 mm Glazing Bar    Ovolo, 22 mm Glazing Bar    5mail      Replace 1 cill    Smail    Replace 1 cill    Smail      Quote Notes    Shuter boxes installed.    We will fit sashes to existing frames only with new cill & pulley stiles.			
Internal Finish      White (RAL 9016)      White (RAL 9016)        Cill Finish      White (RAL 9016)      White (RAL 9016)        Sash Horn      Top: A - Ogee, Bottom: No horn      Top: A - Ogee, Bottom: No horn        Sash Split      1/2 - 1/2      1/2 - 1/2        Coupling Detail      1/2 - 1/2      1/2 - 1/2        Gazing      HERITAGE   Top: Amm Low E (1.1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: 4      HERITAGE   Top: Amm Low E (1.1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: 4        Formongery      2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass      2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass        Cill Depth      140      140        Sash Traickners      45        Moulding & GB      Oxolo, 22 mm Glazing Bar        Frame Stop / Bead      Small        Repair      Repaire 1 cill        Surround      Explane to all the space 1 cill        Quote Notes      Shutter boxes installed.        Production Notes      Shutter boxes installed.			· ·
Clill Finish  White (RAL 9016)  White (RAL 9016)    Sash Horn  Top: A - Ogee, Bottom: No horn  Top: A - Ogee, Bottom: No horn    Sash Spit  1/2 - 1/2    Couping Detail  International State S			
Sash Horm    Top: A - Ogee, Bottom: No horn    Top: A - Ogee, Bottom: No horn      Sash Spilt    1/2 - 1/2    1/2 - 1/2      Coupling Detail    1/2 - 1/2    1/2 - 1/2      Bay Window Angle			
Sash Split  1/2 - 1/2  1/2 - 1/2    Coupling Detail  Bay Window Angle    Glazing  HERITAGE   Top: 4mm Low E (1.1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: 4  HERITAGE   Top: 4mm Low E (1.1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: 4    Ironmongery  2 x Sash Fastemer Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass  2 x Sash Fastemer Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass    Cill Depth  140  140    Sash Thickness  45    Moulding & GB  Ovolo, 22 mm Glazing Bar    Frame Stop / Bead  Small    Repair  Replace 1 cill    Surround  Shutter boxes installed.    Quote Notes  Shutter boxes installed.    Production Notes  Shutter boxes installed.			
Coupling Detail    Image: Coupling Detail    Image: Coupling Detail      Bay Window Angle    Image: Coll Detail of Coll Detail Pottom: 4    HERITAGE   Top: 4mm Low E (1.1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: 4      If ronmongery    2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass    2 x Sash Fastener Narrow Brighton, 2 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass      Cill Depth    140    140      Sash Thickness    45      Moulding & GB    Ovolo, 22 mm Glazing Bar      Frame Stop / Bead    Small      Replace 1 clil    Small      Surround    Curve Notes      Quote Notes    Shutter boxes installed.      Production Notes    Child Detail Clin Detail C			· -
Bay Window Angle      HERITAGE   Top: 4mm Low E (1.1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: 4        Ironmongery      2x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass      2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass        Cill Depth      140      140        Sash Thickness      45      Ovolo, 22 mm Glazing Bar        Frame Stop / Bead      Small      Small        Repair      Replace 1 cill      Small        Surround      Shutter boxes installed, We will fit sashes to existing frames only with new cill & pulley stiles.        Production Notes      Production Notes      Shutter boxes installed, We will fit sashes to existing frames only with new cill & pulley stiles.		1/2 - 1/2	1/2 - 1/2
Glazing    HERITAGE   Top: 4mm Low E (1.1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: 4    HERITAGE   Top: 4mm Low E (1.1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: 4      Ironmongery    2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass    2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass      Cill Depth    140    140      Sash Thickness    45      Moulding & GB    Ovolo, 22 mm Glazing Bar      Frame Stop / Bead    Small      Replace 1 cill    Small      Guote Notes    Shutter boxes installed.      We will fit sashes to existing frames only with new cill & pulley stiles.			
Ironmongery    2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass    2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass      Cill Depth    140    140      Sash Thickness    45      Moulding & GB    Ovolo, 22 mm Glazing Bar    Ovolo, 22 mm Glazing Bar      Frame Stop / Bead    Small    Small      Repair    Replace 1 cill    Small      Surround    Shutter boxes installed.    We will fit sashes to existing frames only with new cill & pulley stiles.      Production Notes    Landown Stape Stop Still Still Still Stape Stap			
Cill Depth  140    Sash Thickness  45    Moulding & GB  Oxolo, 22 mm Glazing Bar    Moulding & GB  Small    Frame Stop / Bead  Small    Repair  Replace 1 cill    Surround  Image: Comparison of the state of the	Glazing	HERITAGE   Top: 4mm Low E (1.1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: 4	
Sash Thickness  45    Moulding & GB  Ovolo, 22 mm Glazing Bar    Frame Stop / Bead  Small    Repair  Replace 1 cill    Surround  Replace 1 cill    Quote Notes  Shutter boxes installed. We will fit sashes to existing frames only with new cill & pulley stiles.	Ironmongery	2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass	2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass
Moulding & GB    Ovolo, 22 mm Glazing Bar    Ovolo, 22 mm Glazing Bar      Frame Stop / Bead    Small    Small      Repair    Replace 1 cill    Replace 1 cill      Surround    Image: Shutter boxes installed. We will fit sashes to existing frames only with new cill & pulley stiles.      Production Notes    Image: Shutter boxes installed.    Image: Shutter boxes installed.      Production Notes    Image: Shutter boxes installed.    Image: Shutter boxes installed.	Cill Depth	140	140
Frame Stop / Bead  Small    Repair  Replace 1 cill    Surround  Replace 1 cill    Quote Notes  Shutter boxes installed. We will fit sashes to existing frames only with new cill & pulley stiles.    Production Notes  Image: State Sta	Sash Thickness	45	45
Repair  Replace 1 cill    Surround			Ovolo, 22 mm Glazing Bar
Surround    Quote Notes    Production Notes	Frame Stop / Bead	Small	Small
Quote Notes  Shutter boxes installed. We will fit sashes to existing frames only with new cill & pulley stiles.    Production Notes  Image: Constant of the pulley stiles installed.	Repair	Replace 1 cill	Replace 1 cill
Production Notes  We will fit sashes to existing frames only with new cill & pulley stiles.	Surround		
	Quote Notes		Shutter boxes installed. We will fit sashes to existing frames only with new cill & pulley stiles.
Installation Notes	Production Notes		
	Installation Notes		

Page 2 of 3

Quotation No.: L14777 / Q2 Quotation Ref.: R1000 / 33 Sold by: Karen Tucker Surveyed by: Customer name: Kul Luintel Installation / delivery address: 114b Camden Street, London, NW1 0HY Tel: 07912 626057 (Personal) Email: kluintel@hotmail.com (Personal)

## **Internal SOW**

Printed: Wed 9 Oct 2024, 2:23pm by Karen

All drawings are viewed from the outside. Based on sales data

Item Type  heritage Box Sash Window  heritage Box Sash Window    Type of Work  Complete New   Supply & Install  Complete New   Supply & Install    Installation Level  Full Install  Second Floor Front Elevation    Second Floor Front Elevation  Second Floor Front Elevation    Image Box Sash Window  Second Floor Floor Elevation    Image Box Sash Window  Image Box Sash Window    Image Box Sash Window  Second Floor Floor Elevation    Image Box Sash Window  Image Box Sash Window    Image Box Sash Window  Second Floor Floor Elevation    Image Box Sash Window  Image Box Sash Window    Image Box Sash Window  Image Box Sash Window    Image Box Sash Window  Second Floor Floor Elevation    Image Box Sash Window  Second Floor Floor Elevation    Image Box Sash Window  Red Grandis Hardwood    Sash Material  Second Floor Floor Elevation    Sash Material  Sash Spele Hindhoood <th></th> <th>ITEM 3</th> <th>ITEM 4</th>		ITEM 3	ITEM 4
Type of West  Complete New   Supply & Install  Complete New   Supply & Install    Installation.Level  Full Install  Pull Install    Loadion  Second Floor Fort Elevation  Second Floor Fort Elevation    Image of West  Image of West  Image of West  Image of West    Image of West  Image of West  Image of West  Image of West    Image of West  Image of West  Image of West  Image of West    Image of West  Image of West  Image of West  Image of West    Image of West  Image of West  Image of West  Image of West    Image of West  Image of West  Image of West  Image of West    Image of West  Image of West  Image of West  Image of West    Image of West  Image of West  Image of West  Image of West    Image of West  Image of West  Image of West  Image of West    Image of West  Image of West  Image of West  Image of West    Image of West  Image of West  Image of West  Image of West    Image of West  Image of West  Image of West  Image of West    Image of West  Image of West  Image of West  Image of West    Image of West  Image of West  Image of West  I	Item Type		
Install  Editability    Location  Second Flow From Elevation    Second Flow From Elevation  Second Flow From Elevation    Image: Second Flow From Elevation  Second Flow From Elevation    Image: Second Flow From Elevation  Image: Second Flow From Elevation    Image: Second Flow From Elevation  Image: Second Flow From Elevation    Image: Second Flow From Elevation  Image: Second Flow From Elevation    Image: Second Flow From Elevation  Second Flow From Elevation    Image: Second Flow From Elevation  Second Flow From Elevation    Image: Second Flow From Elevation  Second Flow From Elevation    Image: Second Flow From Elevation  Second Flow From Elevation    Image: Second Flow From Elevation  Second Flow From Elevation    Image: Second Flow From Elevation  Second Flow From Elevation    Image: Second Flow From Elevation  Second Flow From Elevation    Image: Second Flow From Elevation  Second Flow From Elevation    Image: Second Flow From Elevation  Second Flow From Elevation    Image: Second Flow From Elevation  Second Flow From Elevation    Image: Second Flow From Elevation  Second Flow From Elevation    Image: Second Flow From Elevation  Second Flow From Elevation    Image: Second Flow From Elevation  Second Flow From Elevation    Image: Second Flow From Elevation			
Louion      Second Floor Front Elevation      Bernof Floor Floor Elevation        Image: Second Floor Front Elevation      Image: Second Floor Floor Hung      Image: Second Floor Flo	Type of Work	Complete New   Supply & Install	Complete New   Supply & Install
Image: Second State	Installation Level	Full Install	Full Install
Image: Set	Location	Second Floor Front Elevation	Second Floor Front Elevation
Image: Seles Details  Oily: 1  Seles Details    Cill: 1000  Red Grandis Hardwood  Red Grandis Hardwood  Seles Details    Saarb Material  Accoya  Red Grandis Hardwood  Sapole Hardwood    Cill Material  Sapole Hardwood  Sapole Hardwood  Sapole Hardwood    Cill Material  Sapole Hardwood  Sapole Hardwood  Sapole Hardwood    Cill Material  Sapole Hardwood  Sapole Hardwood  Sapole Hardwood    Cill Finish  Whate (RAL Sol16)  Whate (RAL Sol16)  Whate (RAL Sol16)    Cill Finish  Whate (RAL Sol16)  Whate (RAL Sol16)  Whate (RAL Sol16)    Salesh Split  Top: A - Ogee, Bottom: No hom  Top: A - Ogee, Bottom: No hom  Salesh Split    Salesh Split  Top: A - Ogee, Bottom: No hom  Top: A - Ogee, Bottom: No hom  Salesh Split    Salesh Split  Top: A - Ogee, Bottom: No hom  Salesh Split  Top: A - Ogee, Bottom: No hom    Salesh Split  Top: A - Ogee, Bottom: No hom  Salesh Split  Top: A - Ogee, Bottom: No hom    Salesh Split  Top: A - Ogee, Bottom: No hom  Salesh Split  Salesh Split    Salesh Tokonesk  HERTIASE   Top: 4mm Low E (1:1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: 4  HERTIASE   Top: 4mm Low E (3:1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom -			Sel Cord Hung Sel Cord Hung Hert Cal
Frame Material  Red Grandis Hardwood  Red Grandis Hardwood    Sash Material  Accoya  Accoya    Sapele Hardwood  Sapele Hardwood    External Finish  White (RAL 9016)    Unternal Finish  White (RAL 9016)    Unternal Finish  White (RAL 9016)    Coupling Deal  Top: A Ogee, Bottom: No horn    Sash Hom  Top: A Ogee, Bottom: No horn    Gazing  HERITAGE   Top: Atmn Low E (1.1) Clear - Float + Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: 4.    Ifornmongery  z X Sash Fastener Narrow Birghton, 2 X Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure    Stops in Polished Brass  45    Moulding & GP  Ovolo, 22 mm Glazing Bar    Frame Stop / Bead <td< td=""><td></td><td><math display="block"> \begin{array}{c} F 1000 \\ F 1170 \end{array} </math></td><td><math display="block">\begin{array}{c c} &amp; &amp; &amp; &amp; \\ &amp; &amp; &amp; &amp; \\ \hline &amp; &amp; &amp; &amp; \\ \hline &amp; &amp; &amp; &amp;</math></td></td<>		$ \begin{array}{c} F 1000 \\ F 1170 \end{array} $	$\begin{array}{c c} & & & & \\ & & & & \\ \hline & & & & \\ \hline & & & &$
Sash Naterial      Accoya        Cill Material      Sapele Hardwood      Sapele Hardwood        External Finish      White (RAL 9016)      White (RAL 9016)        Internal Finish      White (RAL 9016)      White (RAL 9016)        Cill Finish      White (RAL 9016)      White (RAL 9016)        Sash Nam      Top: A - Ogee, Bottom: No horn      Top: A - Ogee, Bottom: No horn        Sash Split      1/2 - 1/2      1/2 - 1/2        Couping Detail      Bay Window Angle      1/2 - 1/2        Bay Window Angle      1/2 - 1/2      1/2 - 1/2        Couping Detail      1/2 - 1/2      1/2 - 1/2        Irormongery      2x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secures      2x Sash Fastener Narrow Brighton, 2 x Sash Pulley Wheel (Radius end), 2 x Sash Secures        Cill Depth      140      140      140        Samult      5      Ovolo, 22 mm Glazing Bar      Small        Repair      Curve Nock      Small      Small        Guid Depth      140      140      140        Sash Full Asset      Small      Small      Small        Frame Stop/ Bead      Small <td>-</td> <td></td> <td></td>	-		
Cill Matrial  Sapele Hardwood    Extrand Finish  White (RAL 9016)    Internal Finish  White (RAL 9016)    Cill Finish  White (RAL 9016)    Sash Hom  Top: A - Oge, Bottom: No hom    Sash Hom  Top: A - Oge, Bottom: No hom    Sash Spilt  1/2 - 1/2    Coupling Detail  1/2 - 1/2    Bay Window Angle  1/2 - 1/2    Cill Bogth  HERITAGE   Top: A more & f(1.1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: A    Herit TAGE  Top: A - Oge, Bottom: No hom    Cill Dogth  HERITAGE   Top: A mult be f(1.1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: A    Herit TAGE  Top: A - Oge, Bottom: No hom    Cill Dogth  140    Sash Hom  140    Sam Jose  45    Moulding & GO  Ovolo, 22 mm Glazing Bar    Frame Stop / Bead  Small    Repair  Small    Surround  Includes angled linings & architraves    Production Notes  Includes angled linings & architraves			
External Finish      White (RAL 9016)      White (RAL 9016)        Internal Finish      White (RAL 9016)      White (RAL 9016)        Oll Finish      White (RAL 9016)      White (RAL 9016)        Sash Fini      Top: A - Ogee, Bottom: No horn      Top: A - Ogee, Bottom: No horn        Sash Spit      12 - 1/2      12 - 1/2        Bay Window Ange          Glazing      HERITAGE   Top: 4rm Low E (1.1) Clear - Float - Krypton Filled, 6rm White spacer - 4rm Clear - Float   Bottom: 4        Itomongery      2: X Sash Fastener Narrow Brighton, 2: X Sash Lift Curved Neck, 4: X Sash Pulley Wheel (Radius end), 2: X Sash Sastener Narrow Brighton, 2: X Sash Secure Stops in Polished Brass        Cill Depth      140      140      2        Sash Thickness      45      45      45        Moulding & GB      Orolo, 22 rm Glazing Bar      Glazing      Small        Repair      Small      Small      Small        Repair      Includes angled linings & architraves      Includes angled linings & architraves			
Internal Finish      White (RAL 9016)      White (RAL 9016)        Cill Finish      White (RAL 9016)      White (RAL 9016)        Sash Horn      Top: A - Ogee, Bottom: No horn      Top: A - Ogee, Bottom: No horn        Sash Splitt      172 - 172      172 - 172        Coupling Detail      172 - 172        Bay Mindow Angle      172 - 172        Glazing      HERITAGE   Top: 4mm Low E (1.1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: 4        Glazing      HERITAGE   Top: 4mm Low E (1.1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: 4        Formongery      2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure      2 x Sash Fastener Narrow Brighton, 2 x Sash Pulley Wheel (Radius end), 2 x Sash Secure        Cill Depth      140      140        Sash Thickness      45        Moulding & GB      Ovolo, 22 mm Glazing Bar        Frame Stop / Bead      Small        Repair      Small        Surround      Includes angled linings & architraves        Production Notes      Includes angled linings & architraves			Sapele Hardwood
Clill Finish  White (RAL 9016)  White (RAL 9016)    Sash Horm  Top: A - Ogee, Bottom: No horm  Top: A - Ogee, Bottom: No horm    Sash Split  1/2 - 1/2  1/2 - 1/2    Coupling Detail  Bay Window Angle  1/2 - 1/2    Glazing  HERITAGE   Top: 4mm Low E (1.1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: 4  HERITAGE   Top: 4mm Low E (1.1) Clear - Float   Bottom: 4    Tronmongery  2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass  2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass  2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass    Cill Depth  140  140    Sash Thickness  45    Moulding & GB  Ovolo, 22 mm Glazing Bar    Frame Stop / Bead  Smail    Repair  Smail    Quote Notes  Includes angled linings & architraves    Includes angled linings & architraves  Includes angled linings & architraves			
Sash Horn    Top: A - Ogee, Bottom: No horn    Top: A - Ogee, Bottom: No horn      Sash Split    1/2 - 1/2    1/2 - 1/2      Coupling Detail    1/2 - 1/2    1/2 - 1/2      Bay Window Angle    -    -      Glazing    HERITAGE   Top: 4mm Low E (1.1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: 4    HERITAGE   Top: 4mm Low E (1.1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: 4      If oromongery    2x Sash Fastener Narrow Brighton, 2x Sash Lift Curved Neck, 4x Sash Pulley Wheel (Radius end), 2x Sash Secure Stops in Polished Brass    2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass    2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass    2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass    2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass    2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass    2 x Sash Fastener Narrow Brighton, 2 x Sash Secure Stops in Polished Brass      Glil Depth    140    -    -    -    -      Surround    Small    Small    -    -    -			
Sash Split  1/2 - 1/2    Coupling Detail  1/2 - 1/2    Gay Mindow Angle  HERITAGE   Top: 4mm Low E (1.1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: 4    Glazing  HERITAGE   Top: 4mm Low E (1.1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: 4    Ironmongery  2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure    Solution Xongle  140    Sash Thickness  45    Moulding & Sdo Ovolo, 22 mm Glazing Bar  Ovolo, 22 mm Glazing Bar    Frame Stop / Bead  Small    Repair  Small    Surround  Includes angled linings & architraves    Quote Notes  Includes angled linings & architraves			
Coupling Detail    Education      Bay Window Angle    Editarian      Glazing    HERITAGE   Top: 4mm Low E (1.1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: 4      Ironmongery    2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure    2 x Sash Fastener Narrow Brighton, 2 x Sash Pulley Wheel (Radius end), 2 x Sash Secure      Cill Depth    140    140      Sash Thickness    45    45      Moulding & GB    Ovolo, 22 mm Glazing Bar    Ovolo, 22 mm Glazing Bar      Frame Stop / Bead    Small    Small      Repair    Small    Small      Quote Notes    Includes angled linings & architraves    Includes angled linings & architraves      Production Notes    Clutoen Notes    Includes angled linings & architraves			
Bay Window Angle      France        Glazing      HERITAGE   Top: 4mm Low E (1.1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: 4      HERITAGE   Top: 4mm Low E (1.1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: 4        Ironmongery      2x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secue      2x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secue      2x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secue      2x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secue      2x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secue      2x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secue      2x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secue      3x Sash Fastener Narrow Brighton, 2 x Sash Fastener Narrow Stops in Polished Brass      140        Sash Thickness      45      Ovolo, 22 mm Glazing Bar      Ovolo, 22 mm Glazing Bar      Sash Thickness      Sash Easten		1/2 - 1/2	1/2 - 1/2
Glazing    HERITAGE   Top: 4mm Low E (1.1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: 4    HERITAGE   Top: 4mm Low E (1.1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: 4      Ironmongery    2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass    2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass      Cill Depth    140    140      Sash Thickness    45      Moulding & GB    Ovolo, 22 mm Glazing Bar      Frame Stop / Bead    Small      Repair    Small      Quote Notes    Includes angled linings & architraves    Includes angled linings & architraves      Production Notes    Includes angled linings & architraves    Includes angled linings & architraves			
Includes    2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass    2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass      Cill Depth    140    140      Sash Thickness    45      Moulding & GB    Ovolo, 22 mm Glazing Bar      Frame Stop / Bead    Small      Repair    Small      Quote Notes    Includes angled linings & architraves      Includes angled linings & architraves    Includes angled linings & architraves			
Cill Depth  140    Sash Thickness  45    Moulding & GB  Ovolo, 22 mm Glazing Bar    Frame Stop / Bead  Small    Repair  Small    Surround  Includes angled linings & architraves    Production Notes  Lander L			HERITAGE   Top: 4mm Low E (1.1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: 4
Sash Thickness  45  45    Moulding & GB  Ovolo, 22 mm Glazing Bar  Ovolo, 22 mm Glazing Bar    Frame Stop / Bead  Small  Small    Repair  Includes angled linings & architraves  Includes angled linings & architraves    Quote Notes  Includes angled linings & architraves  Includes angled linings & architraves	Ironmongery	2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass	2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure Stops in Polished Brass
Moulding & GB  Ovolo, 22 mm Glazing Bar    Frame Stop / Bead  Small    Repair  Small    Surround  Includes angled linings & architraves    Quote Notes  Includes angled linings & architraves    Production Notes  Landow Land			
Frame Stop / Bead  Small    Repair  Includes angled linings & architraves    Surround  Includes angled linings & architraves    Quote Notes  Includes angled linings & architraves    Production Notes  Includes angled linings & architraves			
Repair  Repair    Surround  Includes angled linings & architraves    Quote Notes  Includes angled linings & architraves    Production Notes  Includes angled linings & architraves			Ovolo, 22 mm Glazing Bar
Surround  Includes angled linings & architraves    Quote Notes  Includes angled linings & architraves    Production Notes  Includes angled linings & architraves		Small	Small
Includes angled linings & architraves  Includes angled linings & architraves    Production Notes  Includes angled linings & architraves	Repair		
Production Notes	Surround		
	Quote Notes	Includes angled linings & architraves	Includes angled linings & architraves
Installation Notes	Production Notes		
	Installation Notes		

Page 3 of 3

Quotation No.: L14777 / Q2 Quotation Ref.: R1000 / 33 Sold by: Karen Tucker Surveyed by: Customer name: Kul Luintel Installation / delivery address: 114b Camden Street, London, NW1 0HY Tel: 07912 626057 (Personal) Email: kluintel@hotmail.com (Personal)

## **Internal SOW**

Printed: Wed 9 Oct 2024, 2:23pm by Karen

All drawings are viewed from the outside. Based on sales data

	ITEM 5	ITEM 6
Item Type	heritage Box Sash Window	heritage Box Sash Window
Type of Work	Complete New   Supply & Install	Complete New   Supply & Install
Installation Level	Full Install	Full Install
Location	First Floor Rear Elevation	Second Floor Rear Elevation
	So Cord Hung 1001 100 100 100 100 100 100 1	SEP I SEP I
	Qty: 1 Sales Details	Qty: 1 Sales Details
Frame Material	Red Grandis Hardwood	Red Grandis Hardwood
Sash Material	Accoya	Accoya
Cill Material	Sapele Hardwood	Sapele Hardwood
External Finish	White (RAL 9016)	White (RAL 9016)
Internal Finish	White (RAL 9016)	White (RAL 9016)
Cill Finish	White (RAL 9016)	White (RAL 9016)
		Top: A - Ogee, Bottom: No horn
Sash Horn Sash Split	Top: A - Ogee, Bottom: No horn        1/2 - 1/2	1/2 - 1/2
Coupling Detail	1/2 - 1/2	1/2 - 1/2
Bay Window Angle		
Glazing	HERITAGE   Top: 4mm Low E (1.1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: 4	HERITAGE   Top: 4mm Low E (1.1) Clear - Float - Krypton Filled, 6mm White spacer - 4mm Clear - Float   Bottom: 4
Ironmongery	2 x Sash Fastener Narrow Brighton, 2 x Sash Lift Curved Neck, 4 x Sash Pulley Wheel (Radius end), 2 x Sash Secure	
nonmongery	Stops in Polished Brass	Stops in Polished Brass
Cill Depth	140	140
Sash Thickness	45	45
Moulding & GB	Ovolo, 22 mm Glazing Bar	Ovolo, 22 mm Glazing Bar
Frame Stop / Bead	Small	Small
Repair		
Surround		
Quote Notes	Price includes for wider linings and additional labour for works around worktop & sink	Price includes for angled linings & architraves
Production Notes		
Installation Notes		