

WHITE WING WINDOW SCHEDULE

Project: ECP Noise Mitigation
 Date: 19.11.2024
 Revision No: P07 Revised tender

* - exact dimensions TBC pending detailed survey

Red text - no secondary glazing required
 Blue text - information added post tender
 - information added post tender that will affect pricing of units

Window No.	Location	Proposed Window Type	Drawing Detail Ref.	Internal Structural Opening (w x h) mm *	Acoustic Rating (dBRW)	Enhanced glass / security	Existing Internal Sills	Existing Blinds (C.O.S)	Existing Window Arrangement Notes	Proposed Secondary Window Product	Proposed Secondary Window Finish	Work to Existing Window / main contractor scope of work	Luard conservation report notes
BASEMENT (WHITE WING)													
BW.12	B/1/095	B1	5107	1914 x 1980	35	N/A	1 no. painted timber sill	Yes (face fixed)	Vertical sliding sash window	SERIES 90 (x1 - Vertical sliding, face fixed bottom)	PPC - RAL 9010	Electric conduits, hung light and roller blinds to be removed/relocated further our on soffit to allow for SG installation. New subsill required to window base, as per existing BW.09 & BW.10 New timber curved head piece installed to window head - to provide flat grounds for S.G installation, to mimic existing condition. Blind refixed (see details). Make good and redecorate.	N/A - Windows not included in survey scope
BW.13	B/1/096	B1	5107	1914 x 1980	35	N/A	1 no. painted timber sill	Yes (face fixed)	Vertical sliding sash window	SERIES 90 (x1 - Vertical sliding, face fixed bottom)	PPC - RAL 9010	Shelving, electric conduits, hung light, heating pipes and roller blinds to be removed/relocated further our on soffit to allow for SG installation. Blind refixed (see details). Make good and redecorate.	N/A - Windows not included in survey scope
BW.14	B/1/096	B1	5107	1914 x 1980	35	N/A	1 no. painted timber sill	Yes (face fixed)	Vertical sliding sash window	SERIES 90 (x1 - Vertical sliding, face fixed bottom)	PPC - RAL 9010	Shelving, electric conduits, hung light, heating pipes and roller blinds to be removed/relocated further our on soffit to allow for SG installation. Blind refixed (see details). Make good and redecorate.	N/A - Windows not included in survey scope