



NOTE:
 This survey is of a preliminary nature. The trees were inspected from the ground only on the basis of the Visual Tree Assessment method. No samples were taken for analysis. No decay detection equipment was employed. The survey does not cover the arrangements that may be required in connection with the laying or removal of underground services.
 Branch spread in metres is taken at the four cardinal points to derive an accurate representation of the crown.
 Root Protection Areas (RPA) are derived from stem diameter measured at 1.5 m above adjacent ground level (taken on sloping ground on the upslope side of the tree base).

Landmark Trees
 Holden House, 4th Floor, 57 Rathbone Place, London W1T 4JU
 Tel: 0207 851 4544 Mobile: 07812 989928
 e-mail: info@landmarktrees.co.uk Web: www.landmarktrees.co.uk

Site: 19 North End
 Drawing Title: Tree Constraints Plan
 1:100@ A1
 October 2024

Key:

- Category A (Green circle)
- Category B (Blue circle)
- Category C (Red circle)
- Category U (Grey circle)
- Trees Unsuitable for Retention (Red circle with diagonal lines)

Root Protection Area (Red circle)
 Crown Spread (Green circle)
 Tree Number (Number)
 Species (Text)
 Category (Text)
 Tree Position Approximate (not shown on original survey) (Green circle with diagonal lines)

