



FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC (WINDOW)				VSC (ROOM)				NSL				APSH (WINDOW)				APSH (ROOM)								
					EX. %	PR. %	LOSS %	EX. %	PR. %	LOSS %	EX. %	PR. %	LOSS %	SOM	LOSS %	EX. %	PR. %	LOSS %	EX. %	PR. %	LOSS %	EX. %	PR. %	LOSS %	EX. %	PR. %	LOSS %		
					ANNUAL		WINTER		ANNUAL		WINTER		ANNUAL		WINTER		ANNUAL		WINTER		ANNUAL		WINTER		ANNUAL		WINTER		
4402	R6	RESIDENTIAL	LIVING ROOM	W21/4402	15.0	11.0	4.0	26.7	14.4	10.7	3.7	25.7	60.6	51.7	1.8	14.6													
				W22/4402	14.8	10.5	4.3	29.1																					
				W23/4402	9.8	4.5	5.3	54.1																					
				W24/4402	13.7	8.6	5.1	37.2	13.5	8.2	5.3	39.3	48.8	30.3	3.9	38													
				W25/4402	13.2	7.8	5.4	40.9																					
				W26/4402	10.1	10.0	0.1	1.0	10.1	10	0.1	1	75.3	75.3	0	0	22	1	22	1	0.0	0.0	22.0	1.0	22.0	1.0	0.0	0.0	0.0
				W1/4333	1.1	1.0	0.1	9.1	4.7	4.5	0.2	4.3	29.0	28.4	0.1	1.8													
				W2/4333	2.7	2.6	0.1	3.7																					
				W3/4333	2.9	2.6	0.3	10.3																					
				W4/4333	3.7	3.7	0.0	0.0																					
				W5/4333	8.7	8.5	0.2	2.3																					
				W3/4323	7.6	6.8	0.8	10.5	7.6	6.8	0.8	10.5	22.1	20.1	0.4	9.3													
				W34/4402	21.3	19.4	1.9	8.9	26.7	25.9	0.8	3	99.7	99.7	0	0	16	1	16	1	0.0	0.0	55.0	17.0	55.0	17.0	0.0	0.0	
				W35/4402	28.4	27.9	0.5	1.8																					
				W36/4402	30.4	30.4	0.0	0.0																					
W4/4403	23.8	22.6	1.2	5.0	19.7	16.5	3.2	16.2	80.0	76.4	0.8	4.4																	
W5/4403	20.4	17.4	3.0	14.7																									
W6/4403	19.9	16.7	3.2	16.1																									
W7/4403	19.4	16.0	3.4	17.5																									
W8/4403	13.1	8.6	4.5	34.4																									
W9/4403	24.7	23.3	1.4	5.7																									
W10/4403	21.5	18.1	3.4	15.8																									
W11/4403	21.0	17.4	3.6	17.1																									
W12/4403	20.5	16.8	3.7	18.0																									
W13/4403	14.1	9.2	4.9	34.8																									
W14/4403	21.1	18.9	2.2	10.4	17.1	12.4	4.7	27.5	68.7	54.1	2.9	21.3																	
W15/4403	17.4	12.9	4.5	25.9																									
W16/4403	17.1	12.4	4.7	27.5																									
W17/4403	16.9	11.9	5.0	29.6																									
W18/4403	11.3	5.3	6.0	53.1																									
W19/4403	22.0	19.6	2.4	10.9																									
W20/4403	18.2	13.4	4.8	26.4																									
W21/4403	18.0	12.8	5.2	28.9																									
W22/4403	17.8	12.3	5.5	30.9																									
W23/4403	12.3	5.8	6.5	52.8																									
W24/4403	16.5	10.1	6.4	38.8	16.2	9.6	6.6	40.7	59.5	32.9	5.6	44.8																	
W25/4403	16.0	9.2	6.8	42.5																									
W26/4403	14.5	14.3	0.2	1.4	14.5	14.3	0.2	1.4	87.3	87.1	0	0.2	34	3	34	3	0.0	0.0	34.0	3.0	34.0	3.0	0.0	0.0					
W38/4403	4.1	3.5	0.6	14.6	4.1	3.5	0.6	14.6	16.8	13.1	0.4	22.2																	
W37/4403	6.6	5.5	1.1	16.7	6.6	5.5	1.1	16.7	30.6	27.2	0.3	11.1																	
W3/4324	12.4	10.9	1.5	12.1	12.4	10.9	1.5	12.1	53.2	48.6	0.5	8.6																	
W34/4403	23.8	21.3	2.5	10.5	29.7	28.7	1	3.4	99.8	99.8	0	0.1	17	2	17	2	0.0	0.0	57.0	19.0	57.0	19.0	0.0	0.0					
W35/4403	31.3	30.7	0.6	1.9																									
W36/4403	33.8	33.8	0.0	0.0																									
W4/4404	26.1	24.4	1.7	6.5	24.1	20.4	3.7	15.4	60.8	47.3	1.7	22.2																	

TRENTISHOE MANSIONS (INC. SHOPS) - 88-94 CHARING CROSS ROAD - 3-5 CAXTON WALK (CONTINUED)

\* Inclined Windows. \*\* Rooms deeper than 5m. \*\*\* Kitchens less than 13sqm

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW			VSC (WINDOW)			VSC (ROOM)			NSL			APSH (WINDOW)			APSH (ROOM)					
				EX. %	PR. %	LOSS %	EX. %	LOSS %	PR. %	EX. %	LOSS %	PR. %	EX. %	LOSS %	PR. %	EX. %	LOSS %	PR. %	EX. %	LOSS %	PR. %	EX. %	LOSS %	PR. %
<b>TRENTISHOE MANSIONS (INC. SHOPS)- 88-94 CHARING CROSS ROAD - 3-5 CAXTON WALK (CONTINUED)</b>																								
4404	R5	RESIDENTIAL	BEDROOM	W5/4404	23.5	19.4	4.1	17.4	24.1	20.4	3.7	15.4	60.8	47.3	1.7	22.2								
				W6/4404	23.0	18.8	4.2	18.3																
				W9/4404	24.7	20.2	4.5	18.2																
				W10/4404	24.2	19.6	4.6	19.0																
R6	RESIDENTIAL		BEDROOM	W7/4404	22.5	18.1	4.4	19.6	20.5	15.5	5	24.4	64.8	60.0	0.4	7.4								
				W8/4404	15.9	10.2	5.7	35.8																
				W11/4404	23.8	18.9	4.9	20.6																
R7	RESIDENTIAL		LIVING ROOM	W12/4404	23.6	20.7	2.9	12.3	20.1	14.3	5.8	28.9	70.2	47.7	4.5	3.2								
				W13/4404	20.5	14.9	5.6	27.3																
				W14/4404	20.3	14.3	6.0	29.6																
				W15/4404	20.0	13.8	6.2	31.0																
				W16/4404	13.9	6.7	7.2	51.8																
				W17/4404	21.6	15.4	6.2	28.7																
				W18/4404	21.3	14.8	6.5	30.5																
				W19/4404	21.1	14.3	6.8	32.2																
R8	RESIDENTIAL		BEDROOM	W20/4404	19.4	11.5	7.9	40.7	19.2	11.1	8.1	42.2	63.2	29.0	7.2	54.2								
				W21/4404	19.3	11.2	8.1	42.0																
				W22/4404	19.0	10.8	8.2	43.2																
R9	RESIDENTIAL		BEDROOM	W26/4404	20.2	19.7	0.5	2.5	20.2	19.7	0.5	2.5	96.4	95.4	0.1	1	47	13	47	13	47	13	47	
				W38/4404	9.1	8.4	0.7	7.7	9.1	8.4	0.7	7.7	41.4	36.1	0.6	12.9								
R14	RESIDENTIAL		UNKNOWN	W37/4404	12.3	10.2	2.1	17.1	12.3	10.2	2.1	17.1	55.3	38.5	1.9	30.3								
				W4/4325	19.3	16.9	2.4	12.4	19.3	16.9	2.4	12.4	68.8	57.9	1.2	15.8								
				W1/4302	13.7	13.6	0.1	0.7	13.7	13.6	0.1	0.7	65.0	63.4	0.2	2.5								
R17	RESIDENTIAL		UNKNOWN	W1/4312	7.7	7.7	0.0	0.0	7.7	7.7	0.0	0.0	36.6	36.6	0.0	0								
R18	RESIDENTIAL		RECEPTION	W3/4404	26.8	23.5	3.3	12.3	32.4	3.1	1.4	4.3	99.8	99.7	0	0.1	17	2	17	2	17	2	17	
				W35/4404	33.7	32.9	0.8	2.4																
				W36/4404	36.6	36.6	0.0	0.0																
4405	R4	RESIDENTIAL	LIVING ROOM	W4/4405	27.2	21.8	5.4	19.9	27.2	21.5	5.7	2.1	91.5	76.8	3.4	16.1								
				W5/4405	26.9	21.2	5.7	21.2																
				W6/4405	26.5	20.6	5.9	22.3																
				W7/4405	28.6	22.8	5.8	20.3																
				W8/4405	28.3	22.2	6.1	21.6																
				W9/4405	27.9	21.6	6.3	22.6																
R5	RESIDENTIAL		LIVING ROOM	W10/4405	24.8	17.2	7.4	30.1	24.8	16.9	7.9	31.9	92.8	56.7	7.4	38.9								
				W11/4405	24.4	16.6	7.8	32.0																
				W12/4405	24.1	16.1	8.0	33.2																
				W13/4405	26.2	18.2	8.0	30.5																
				W14/4405	25.9	17.6	8.3	32.0																
				W15/4405	25.7	17.1	8.6	33.5																
R6	RESIDENTIAL		BEDROOM	W16/4405	23.5	13.6	9.9	42.1	23.5	13.6	9.9	42.1	68.0	24.0	9.5	64.7								
R7	RESIDENTIAL		BEDROOM	W17/4405	25.9	24.4	1.5	5.8	25.9	24.4	1.5	5.8	94.9	93.9	0.1	1	58	23	58	23	58	23	58	
				W28/4405	18.5	16.4	2.1	11.4	17.4	13.7	3.7	21.3	67.5	62.8	0.4	7.1								
				W29/4405	15.1	8.6	6.5	43.0																
R12	RESIDENTIAL		UNKNOWN	W30/4405	18.2	17.1	1.1	6.0	18.2	17.1	1.1	6.0	45.6	41.9	0.4	8.2								
R13	RESIDENTIAL		UNKNOWN	W31/4405*	51.0	45.5	5.5	10.8	51	45.5	5.5	10.8	47.1	41.6	0.5	11.7								

\* Inclined Windows. \*\* Rooms deeper than 5m. \*\*\* Kitchens less than 13sqm



FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC (WINDOW)				NSL				AFSH (WINDOW)				AFSH (ROOM)						
					EX. %	PR. %	LOSS %	EX. %	PR. %	LOSS %	EX. %	PR. %	LOSS %	SOM %	EX. %	PR. %	LOSS %	EX. %	PR. %	LOSS %	EX. %	PR. %	LOSS %
					ANNUAL		WINTER		ANNUAL		WINTER		ANNUAL		WINTER		ANNUAL		WINTER		ANNUAL		WINTER
<b>TRENTISHOE MANSIONS (INC. SHOPS) - 88-94 CHARING CROSS ROAD - 3-5 CAXTON WALK (CONTINUED)</b>																							
4405	R14	RESIDENTIAL	UNKNOWN	W1/4913	19.4	18.3	1.1	5.7	19.4	18.3	1.1	5.7	90.0	80.1	16	11							
	R15	RESIDENTIAL	UNKNOWN	W1/4903	24.3	21.5	2.8	11.5	24.3	21.5	2.8	11.5	95.8	77.2	2.3	19.4							
	R16	RESIDENTIAL	LKD	W25/4405	29.7	25.4	4.3	14.5	34.5	32.8	1.7	4.9	100.0	99.6	0.1	0.4	18	2	18	2	57.0	20.0	
				W26/4405	35.7	34.6	1.1	3.1									39	10	39	10	0.0	0.0	
				W27/4405	38.0	38.0	0.0	0.0									57	20	57	20	0.0	0.0	
4406	R3	RESIDENTIAL	UNKNOWN	W5/4406	35.7	33.5	2.2	6.2	35.6	33.8	1.8	5.1	98.3	98.1	0	0.1	74	25	72	25	76.0	26.0	
				W6/4406	35.5	34.2	1.3	3.7									72	24	71	24	0.0	0.0	
	R4	RESIDENTIAL	BEDROOM	W3/4406	30.3	23.5	6.8	22.4	30.3	23.5	6.8	22.4	80.6	63.5	3.5	21.2							
	R5	RESIDENTIAL	LIVING ROOM	W4/4406	28.6	19.3	9.3	32.5	28.6	19.3	9.3	32.5	84.7	47.1	6.9	44.4							
	R6	RESIDENTIAL	UNKNOWN	W7/4406	33.1	28.0	5.1	15.4	36.3	34.2	2.1	5.8	94.7	93.3	0.3	1.5	18	2	18	2	59.0	20.0	
				W8/4406	36.9	35.6	1.3	3.5									39	10	39	10	0.0	0.0	
				W9/4406	38.7	38.7	0.0	0.0									59	20	59	20	0.0	0.0	
F06	R1	RESIDENTIAL	UNKNOWN	W1/4314	31.8	27.5	4.3	13.5	28.6	24.7	3.9	13.6	99.1	92.1	11	7							
	R2	RESIDENTIAL	UNKNOWN	W1/4304	31.8	27.9	3.9	12.3	31.8	27.9	3.9	12.3	98.4	97.9	0.1	0.4							
<b>2 OLD COMPTON STREET (PH)</b>																							
3201	R1	RESIDENTIAL	UNKNOWN	W1/3201	18.1	16.1	2.0	11.0	17.4	16.4	1	5.7	80.7	75.3	0.9	6.7	21	6	21	6	48.0	12.0	
				W2/3201	16.8	16.7	0.1	0.6									41	9	41	9	0.0	0.0	
	R2	RESIDENTIAL	UNKNOWN	W3/3201	14.3	14.1	0.2	1.4	14.3	14.1	0.2	1.4	51.5	51.5	0	0	33	6	33	6	33.0	6.0	
3202	R1	RESIDENTIAL	UNKNOWN	W1/3202	20.4	18.1	2.3	11.3	20.1	18.9	1.2	6	86.5	83.4	0.5	3.6	26	6	26	6	54.0	12.0	
				W2/3202	19.8	19.7	0.1	0.5									48	9	48	9	0.0	0.0	
	R2	RESIDENTIAL	UNKNOWN	W3/3202	17.6	17.5	0.1	0.6	17.6	17.5	0.1	0.6	58.8	58.8	0	0	40	7	40	7	40.0	7.0	
3203	R1	RESIDENTIAL	UNKNOWN	W1/3203	23.3	20.5	2.8	12.0	22.9	21.3	1.6	7	46.4	44.9	0.5	3.3	28	6	28	6	54.0	15.0	
				W2/3203	22.4	22.2	0.2	0.9									46	9	46	9	0.0	0.0	
<b>107-109 CHARING CROSS ROAD</b>																							
2804	R1	RESIDENTIAL	LIVING ROOM	W1/2804	35.0	32.8	2.2	6.3	35.6	33.1	2.5	7	98.1	98.1	0	0							
				W2/2804	35.8	33.3	2.5	7.0															
				W3/2804	35.8	33.2	2.6	7.3															
				W4/2804	35.8	32.8	3.0	8.4															
	R2	RESIDENTIAL	UNKNOWN	W5/2804	35.6	32.4	3.2	9.0	35.5	32.2	3.3	9.3	98.6	98.6	0	0							
				W6/2804	35.4	32.0	3.4	9.6															
	R3	RESIDENTIAL	UNKNOWN	W7/2804	35.2	31.5	3.7	10.5	35.1	31.2	3.9	11.1	98.6	98.6	0	0							
				W8/2804	34.9	31.0	3.9	11.2															
	R4	RESIDENTIAL	LIVING ROOM	W9/2804	34.6	30.4	4.2	12.1	34.4	30.2	4.2	12.2	98.6	98.6	0	0							
				W10/2804	34.2	29.9	4.3	12.6															
	R5	RESIDENTIAL	UNKNOWN	W11/2804	33.8	29.4	4.4	13.0	33.7	29.2	4.5	13.4	98.6	98.6	0	0							
				W12/2804	33.5	29.0	4.5	13.4															
2805	R1*	RESIDENTIAL	BEDROOM	W1/2805	10.3	10.3	0.0	0.0	10.3	10.3	0	0	60.1	60.1	0	0	25	3	25	3	25.0	3.0	
2806	R1	RESIDENTIAL	LKD	W1/2806	33.3	31.4	1.9	5.7	35.9	33.7	2.2	6.1	99.3	99.3	0	0							
				W2/2806	36.7	34.6	2.1	5.7															
				W3/2806	37.1	34.7	2.4	6.5															
	R2	RESIDENTIAL	BEDROOM	W4/2806	37.2	34.5	2.7	7.3	37.2	34.5	2.7	7.3	99.9	99.9	0	0							
	R3	RESIDENTIAL	UNKNOWN	W5/2806	37.1	34.2	2.9	7.8	37.1	34.2	2.9	7.8	100.0	100.0	0	0							
	R4	RESIDENTIAL	BEDROOM	W6/2806	36.9	33.8	3.1	8.4	36.9	33.8	3.1	8.4	99.8	99.8	0	0							
	R5	RESIDENTIAL	BEDROOM	W7/2806	36.8	33.5	3.3	9.0	36.8	33.5	3.3	9	99.8	99.8	0	0							
	R6	RESIDENTIAL	UNKNOWN	W8/2806	36.6	33.1	3.5	9.6	36.6	33.1	3.5	9.6	99.9	99.9	0	0							

\* Inclined Windows, \*\* Rooms deeper than 5m, \*\*\* Kitchens less than 13sqm







FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC (WINDOW)			VSC (ROOM)			NSL			AFSH (WINDOW)			AFSH (ROOM)												
					EX. %	PR. %	LOSS %	LOSS %	EX. %	PR. %	LOSS %	LOSS %	EX. %	PR. %	LOSS %	LOSS %	EX. %	PR. %	LOSS %	LOSS %	EX. %	PR. %	LOSS %						
<b>1-8 THE ALCAZAR- 7-10 STACY STREET (CONTINUED)</b>																													
1802	R2	RESIDENTIAL	UNKNOWN	W3/1802	21.6	17.6	4.0	18.5	26.2	24.4	1.8	6.9	97.2	97.2	0	0	45	4	32	3	289	250	470	5.0	340	4.0	277	20.0	
				W4/1802	30.5	30.5	0.0	0.0									16	0	16	0	0.0	0.0							
				W5/1802	28.7	28.7	0.0	0.0									17	0	17	0	0.0	0.0							
				W6/1802	31.1	31.1	0.0	0.0									24	3	24	3	0.0	0.0							
				W7/1802	29.2	29.2	0.0	0.0									22	4	22	4	0.0	0.0							
1803	R1	RESIDENTIAL	UNKNOWN	W1/1803	13.6	10.7	2.9	21.3	13.8	11	2.8	20.3	97.5	94.9	0.4	2.7	38	6	33	4	132	38.0	380	6.0	340	5.0	10.5	16.7	
	R2	RESIDENTIAL	UNKNOWN	W2/1803	14.0	11.2	2.8	20.0			1.4	7.2	97.1	97.1	0	0	35	5	31	4	11.4	20.0	350	5.0	310	4.0	11.4	20.0	
				W3/1803	14.8	12.2	2.6	17.6	19.5	18.1							18	1	18	1	0.0	0.0							
				W4/1803	29.3	29.3	0.0	0.0									12	1	12	1	0.0	0.0							
				W5/1803	19.7	19.7	0.0	0.0									21	4	21	4	0.0	0.0							
				W6/1803	29.6	29.6	0.0	0.0									13	1	13	1	0.0	0.0							
				W7/1803	20.2	20.2	0.0	0.0																					
<b>3-5 EARLHAM STREET</b>																													
1101	R1	RESIDENTIAL	UNKNOWN	W1/1101	9.5	9.5	0.0	0.0	8.9	8.9	0	0	41.2	41.2	0	0													
				W2/1101	9.2	9.2	0.0	0.0																					
				W3/1101	8.3	8.3	0.0	0.0																					
	R2	RESIDENTIAL	UNKNOWN	W4/1101	5.1	4.9	0.2	3.9	5.1	4.9	0.2	3.9	32.3	30.8	0.1	4.5													
1102	R1	RESIDENTIAL	UNKNOWN	W1/1102	14.8	14.8	0.0	0.0	13.4	13.4	0	0	57.4	57.4	0	0													
				W2/1102	13.8	13.8	0.0	0.0																					
				W3/1102	12.1	12.1	0.0	0.0																					
	R2	RESIDENTIAL	UNKNOWN	W4/1102	9.8	9.2	0.6	6.1	9.8	9.2	0.6	6.1	44.1	44.1	0	0.1													
1103	R1	RESIDENTIAL	UNKNOWN	W1/1103	22.7	21.9	0.8	3.5	22.5	21.5	1	4.4	86.6	84.9	0.2	1.9													
				W2/1103	22.8	21.8	1.0	4.4																					
				W3/1103	22.0	21.0	1.0	4.5																					
	R4	RESIDENTIAL	UNKNOWN	W4/1103	19.9	18.4	1.5	7.5	19.9	18.4	1.5	7.5	47.2	37.5	0.9	20.4													
1112	R1	RESIDENTIAL	UNKNOWN	W1/1112	4.4	4.1	0.3	6.8	4.4	4.1	0.3	6.8	26.2	26.0	0	0.6													
1113	R1	RESIDENTIAL	UNKNOWN	W1/1113	7.5	7.0	0.5	6.7	7.5	7	0.5	6.7	45.9	44.1	0	4													
1201	R2	RESIDENTIAL	UNKNOWN	W2/1201	10.3	10.3	0.0	0.0	10.3	10.3	0	0	32.2	32.2	0	0													
				W3/1201	10.2	10.2	0.0	0.0																					
	R3	RESIDENTIAL	UNKNOWN	W4/1201	6.1	6.1	0.0	0.0	7	7	0	0	39.5	39.5	0	0													
				W5/1201	8.6	8.6	0.0	0.0																					
1202	R2	RESIDENTIAL	UNKNOWN	W2/1202	16.1	15.7	0.4	2.5	16.1	15.7	0.4	2.5	56.5	53.8	0.2	4.7													
	R3	RESIDENTIAL	UNKNOWN	W3/1202	10.5	10.2	0.3	2.9	11.9	11.7	0.2	1.7	58.1	58.1	0	0													
				W4/1202	14.4	14.3	0.1	0.7																					
1203	R2	RESIDENTIAL	UNKNOWN	W3/1203	25.1	23.8	1.3	5.2	25.1	23.8	1.3	5.2	73.6	69.3	0.7	5.9													
				W4/1203	25.5	24.1	1.4	5.5																					
				W5/1203	24.8	23.6	1.2	4.8																					
<b>148-150 SHAFESBURY AVENUE</b>																													
801	R1	RESIDENTIAL	UNKNOWN	W2/801	16.7	13.9	2.8	16.8	16.6	13.9	2.7	16.3	82.5	81.9	0.1	0.8													
				W3/801	16.6	13.9	2.7	16.3																					
	R2	RESIDENTIAL	UNKNOWN	W1/801	16.6	13.9	2.7	16.3	16.6	13.9	2.7	16.3	52.8	41.3	1	21.8													
802	R1	RESIDENTIAL	UNKNOWN	W4/802	19.2	15.9	3.3	17.2	19.2	15.9	3.3	17.2	88.6	87.1	0.2	1.7													
				W6/802	19.2	15.8	3.4	17.7																					
	R2	RESIDENTIAL	UNKNOWN	W5/802	19.3	16.0	3.3	17.1	19.3	16	3.3	17.1	58.0	42.6	1.4	26.5													
803	R1	RESIDENTIAL	UNKNOWN	W4/803	21.8	17.9	3.9	17.9	21.8	17.8	4	18.3	88.0	86.2	0.3	2.1													

\* Inclined Windows. \*\* Rooms deeper than 5m. \*\*\* Kitchens less than 13sqm



FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	VSC (WINDOW)			VSC (ROOM)			NSL (WINDOW)			NSL (ROOM)			APSH (WINDOW)			APSH (ROOM)			
					EX. %	PR. %	LOSS %	LOSS %	EX. %	PR. %	LOSS %	LOSS %	EX. %	PR. %	LOSS %	LOSS %	EX. %	PR. %	LOSS %	LOSS %	EX. %	PR. %	LOSS %
<b>148-150 SHAFESBURY AVENUE (CONTINUED)</b>																							
803	R1	RESIDENTIAL	UNKNOWN	W15/803	21.8	17.7	4.1	18.8	21.8	17.8	4	18.3	88.0	86.2	0.3	2.1							
	R2	RESIDENTIAL	UNKNOWN	W13/803	21.9	18.1	3.8	17.4	21.9	18.1	3.8	17.4	53.2	39.9	1.2	2.5							
<b>152-156 SHAFESBURY AVENUE</b>																							
701	R1	RESIDENTIAL	UNKNOWN	W1/701	19.3	16.4	2.9	15.0	19.1	16.3	2.8	14.7	82.8	76.8	0.8	7.2							
				W2/701	19.1	16.2	2.9	15.2															
				W3/701	18.9	16.1	2.8	14.8															
	R2	RESIDENTIAL	UNKNOWN	W4/701	18.4	15.8	2.6	14.1	18.1	15.6	2.5	13.8	75.5	72.6	0.4	3.9							
				W5/701	18.1	15.6	2.5	13.8															
				W6/701	17.8	15.2	2.6	14.6															
	R3	RESIDENTIAL	UNKNOWN	W7/701	17.3	14.7	2.6	15.0	17.2	14.4	2.8	16.3	70.6	68.5	0.3	3							
				W8/701	17.1	14.4	2.7	15.8															
				W9/701	17.0	14.2	2.8	16.5															
702	R1	RESIDENTIAL	LKD	W1/702	21.7	18.3	3.4	15.7	21.4	18.2	3.2	15	74.7	67.3	1.2	9.9							
				W2/702	21.4	18.2	3.2	15.0															
				W3/702	21.2	18.0	3.2	15.1															
	R2	RESIDENTIAL	LKD	W4/702	20.7	17.6	3.1	15.0	20	16.8	3.2	16	95.1	94.9	0.1	0.2							
				W5/702	20.5	17.4	3.1	15.1															
				W6/702	20.2	17.0	3.2	15.8															
				W7/702	19.7	16.5	3.2	16.2															
				W8/702	19.6	16.3	3.3	16.8															
				W9/702	19.4	16.1	3.3	17.0															
703	R1	RESIDENTIAL	LIVING ROOM	W1/703	24.1	20.3	3.8	15.8	23.9	20.1	3.8	15.9	85.8	79.5	0.9	7.4							
				W2/703	23.9	20.1	3.8	15.9															
				W3/703	23.7	19.9	3.8	16.0															
	R2	RESIDENTIAL	BEDROOM	W4/703	23.2	19.4	3.8	16.4	22.9	19.2	3.7	16.2	89.9	84.7	0.5	5.8							
				W5/703	22.9	19.3	3.6	15.7															
				W6/703	22.7	18.9	3.8	16.7															
	R3	RESIDENTIAL	BEDROOM	W7/703	22.2	18.3	3.9	17.6	22.1	18.1	4	18.1	82.2	77.4	0.5	5.8							
				W8/703	22.1	18.1	4.0	18.1															
				W9/703	22.0	18.0	4.0	18.2															
704	R1	RESIDENTIAL	UNKNOWN	W1/704	26.4	22.1	4.3	16.3	26.4	22.1	4.3	16.3	88.8	72.0	1.4	18.9							
	R2	RESIDENTIAL	UNKNOWN	W2/704	25.8	21.6	4.2	16.3	25.8	21.6	4.2	16.3	83.3	68.9	1.4	17.3							
	R3	RESIDENTIAL	UNKNOWN	W3/704	25.1	20.7	4.4	17.5	25.1	20.7	4.4	17.5	86.4	71.0	1.3	17.8							
<b>140 SHAFESBURY AVENUE</b>																							
5001	R1	RESIDENTIAL	LD	W1/5001	17.4	17.2	0.2	1.1	22.4	22.1	0.3	1.3	91.7	90.8	0.2	0.9							
				W2/5001	17.5	17.1	0.4	2.3															
				W3/5001	17.7	17.2	0.5	2.8															
				W4/5001	30.3	30.2	0.1	0.3															
				W5/5001	30.1	30.0	0.1	0.3															
	R2	RESIDENTIAL	KITCHEN***	W6/5001	29.8	29.7	0.1	0.3	29.8	29.7	0.1	0.3	79.3	79.2	0	0.1							
	R3	RESIDENTIAL	BEDROOM	W7/5001	30.0	29.7	0.3	1.0	30	29.7	0.3	1	89.8	89.5	0	0.3							
	R4	RESIDENTIAL	LKD	W8/5001	29.5	29.0	0.5	1.7	28.6	28.2	0.4	1.4	99.3	99.1	0	0.2							
				W9/5001	29.7	29.1	0.6	2.0															
				W10/5001	29.8	29.3	0.5	1.7															
				W11/5001	25.9	25.9	0.0	0.0															

\* Inclined Windows. \*\* Rooms deeper than 5m. \*\*\* Kitchens less than 13sqm

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	VSC (WINDOW)			VSC (ROOM)			NSL			APSH (WINDOW)			APSH (ROOM)						
				EX. %	PR. %	LOSS %	LOSS %	EX. %	PR. %	LOSS %	LOSS %	EX. %	PR. %	LOSS %	LOSS %	EX. %	PR. %	LOSS %	LOSS %	EX. %	PR. %	LOSS %
				WINDOW	PR. %	LOSS %	LOSS %	EX. %	PR. %	LOSS %	LOSS %	EX. %	PR. %	LOSS %	LOSS %	EX. %	PR. %	LOSS %	LOSS %	EX. %	PR. %	LOSS %
<b>140 SHAFTESBURY AVENUE (CONTINUED)</b>																						
5002	R1	RESIDENTIAL	LD	25.4	248	0.6	2.4	281	276	0.5	1.8	94.1	92.0	0.5	2.2							
				W1/5002																		
				W2/5002	25.3	247	0.6	2.4														
				W3/5002	25.2	245	0.7	2.8														
				W4/5002	32.6	324	0.2	0.6														
				W5/5002	32.4	321	0.3	0.9														
R2	RESIDENTIAL		KITCHEN**	32.0	318	0.2	0.6	32	31.8	0.2	0.6	80.4	79.6	0.1	0.9							
R3	RESIDENTIAL		BEDROOM	32.0	315	0.5	1.6	32	31.5	0.5	1.6	90.7	90.5	0	0.2							
R4	RESIDENTIAL		LKD	31.6	309	0.7	2.2	31	30.6	0.4	1.3	99.3	99.0	0.1	0.3	19	1	19	1	19	1	
				W9/5002	31.8	311	0.7	2.2								19	1	19	1	19	1	
				W10/5002	31.9	312	0.7	2.2								19	1	19	1	19	1	
				W11/5002	29.2	292	0.0	0.0								49	13	49	13	49	13	
5003	R1	RESIDENTIAL	LD	32.1	311	1.0	3.1	32.7	31.9	0.8	2.4	98.4	96.1	0.5	2.4							
				W2/5003	31.7	305	1.2	3.8														
				W3/5003	32.1	309	1.2	3.7														
				W4/5003	34.0	337	0.3	0.9														
				W5/5003	33.8	335	0.3	0.9														
R2	RESIDENTIAL		KITCHEN***	33.7	334	0.3	0.9	33.7	33.4	0.3	0.9	80.9	79.7	0.1	1.5							
R3	RESIDENTIAL		BEDROOM	33.0	324	0.6	1.8	33	32.4	0.6	1.8	90.7	90.5	0	0.2							
R4	RESIDENTIAL		LKD	33.2	324	0.8	2.4	32.9	32.3	0.6	1.8	99.2	99.1	0	0.2	22	3	22	3	22	3	
				W9/5003	33.2	324	0.8	2.4								23	3	23	3	23	3	
				W10/5003	33.7	329	0.8	2.4								23	3	23	3	23	3	
				W11/5003	31.6	316	0.0	0.0								53	18	53	18	53	18	
5004	R1	RESIDENTIAL	LD	34.5	333	1.2	3.5	34.6	33.7	0.9	2.6	98.3	95.8	0.5	2.5							
				W2/5004	34.2	330	1.2	3.5														
				W3/5004	34.2	329	1.3	3.8														
				W4/5004	35.2	348	0.4	1.1														
				W5/5004	35.0	346	0.4	1.1														
R2	RESIDENTIAL		KITCHEN***	34.5	342	0.3	0.9	34.5	34.2	0.3	0.9	79.8	79.6	0	0.2							
R3	RESIDENTIAL		BEDROOM	34.2	336	0.6	1.8	34.2	33.6	0.6	1.8	89.0	88.9	0	0.1							
R4	RESIDENTIAL		LKD	34.0	332	0.8	2.4	34.1	33.6	0.5	1.5	99.3	99.2	0	0.2	19	2	19	2	19	2	
				W9/5004	34.3	334	0.9	2.6								20	2	20	2	20	2	
				W10/5004	34.4	336	0.8	2.3								20	3	20	3	20	3	
				W11/5004	33.9	339	0.0	0.0								54	19	54	19	54	19	
5005	R1	RESIDENTIAL	UNKNOWN	36.6	353	1.3	3.6	36.4	35.5	0.9	2.5	99.5	99.5	0	0							
				W2/5005	36.1	358	0.3	0.8														
R2	RESIDENTIAL		UNKNOWN	36.8	361	0.7	1.9	36.8	36.1	0.7	1.9	97.6	97.6	0	0							
R3	RESIDENTIAL		UNKNOWN	34.8	340	0.8	2.3	36	35.6	0.4	1.1	96.7	96.7	0	0	20	2	20	2	20	2	
				W5/5005	37.2	372	0.0	0.0								54	16	54	16	54	16	
<b>138 SHAFTESBURY AVENUE</b>																						
5101	R1	RESIDENTIAL	UNKNOWN	22.1	220	0.1	0.5	21.7	21.3	0.4	1.8	93.0	93.0	0	0	26	7	26	7	26	7	
				W2/5101	21.6	212	0.4	1.9								27	7	27	7	27	7	
				W3/5101	21.4	207	0.7	3.3								14	2	14	2	14	2	
				W4/5101	21.8	214	0.4	1.8								20	3	20	3	20	3	
R3	RESIDENTIAL		UNKNOWN	25.3	247	0.6	2.4	24.5	24.1	0.4	1.6	97.9	97.9	0	0							
				W11/5101	24.9	245	0.4	1.6														

\* Inclined Windows. \*\* Rooms deeper than 5m. \*\*\* Kitchens less than 13sqm



FLOOR	ROOM	PROPERTY TYPE	ROOM USE	VSC (WINDOW)				VSC (ROOM)				NSL				AFSH (WINDOW)				AFSH (ROOM)								
				EX. %		PR. %		LOSS %		EX. %		PR. %		LOSS %		EX. %		PR. %		LOSS %		EX. %		PR. %		LOSS %		
				EX. %	PR. %	LOSS %	EX. %	PR. %	LOSS %	EX. %	PR. %	LOSS %	EX. %	PR. %	LOSS %	EX. %	PR. %	LOSS %	EX. %	PR. %	LOSS %	EX. %	PR. %	LOSS %	EX. %	PR. %	LOSS %	
<b>142 SHAFESBURY AVENUE (PH) (CONTINUED)</b>																												
1401	R2	RESIDENTIAL	UNKNOWN	29.3	29.2	0.1	0.3	25	24.8	0.2	0.8	97.9	97.9	0	0	35	6	35	6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
				28.6	28.3	0.3	1.0								31	6	31	6	0.0	0.0								
				28.7	28.4	0.3	1.0								31	6	31	6	0.0	0.0								
				29.1	29.1	0.0	0.0								34	6	34	6	0.0	0.0								
				29.3	29.3	0.0	0.0								35	6	35	6	0.0	0.0								
				25.8	25.8	0.0	0.0								38	5	38	5	0.0	0.0								
				29.2	29.2	0.0	0.0								33	6	33	6	0.0	0.0								
				18.1	18.1	0.0	0.0								35	4	35	4	0.0	0.0								
1402	R1	RESIDENTIAL	UNKNOWN	26.9	25.0	1.9	7.1	27.5	25.9	1.6	5.8	99.4	99.4	0	0													
				26.9	25.2	1.7	6.3																					
				28.6	27.6	1.0	3.5																					
				29.2	28.2	1.0	3.4	27.3	27	0.3	1.1	96.4	96.3	0	0.1	23	3	23	3	0.0	0.0	53.0	10.0	53.0	10.0	53.0	10.0	0.0
				31.3	31.2	0.1	0.3								38	6	38	6	0.0	0.0								
				31.2	31.2	0.0	0.0								36	6	36	6	0.0	0.0								
				21.2	21.2	0.0	0.0								46	8	46	8	0.0	0.0								
1403	R1	RESIDENTIAL	BEDROOM	30.4	28.3	2.1	6.9	30.4	28.3	2.1	6.9	89.0	82.3	0.7	7.5													
				30.4	28.3	2.1	6.9																					
				32.0	30.7	1.3	4.1	32.1	30.8	1.3	4	78.3	78.2	0	0.2													
				32.2	30.9	1.3	4.0																					
				0.1	0.1	0.0	0.0	0	0	0	0	48.4	48.4	0	0	0	0	0	0	0.0	0.0	10.0	1.0	10.0	1.0	10.0	1.0	0.0
				0.0	0.0	0.0	0.0								10	1	10	1	0.0	0.0								
<b>2-8 EARLHAM STREET</b>																												
1302	R3	RESIDENTIAL	UNKNOWN	20.9	20.5	0.4	1.9	20.9	20.5	0.4	1.9	65.9	59.4	0.5	9.9													
				21.2	20.5	0.7	3.3	21.2	20.5	0.7	3.3	59.1	54.9	0.3	7													
				22.0	20.7	1.3	5.9	22	20.7	1.3	5.9	76.6	68.2	0.5	11													
				24.9	23.2	1.7	6.8	25	23.2	1.8	7.2	95.4	95.4	0	0													
				25.0	23.2	1.8	7.2																					
1303	R1	RESIDENTIAL	UNKNOWN	21.0	19.8	1.2	5.7	23.1	21.9	1.2	5.2	78.8	75.4	0.3	4.4													
				25.2	23.9	1.3	5.2																					
				25.2	23.7	1.5	6.0	25.2	23.7	1.5	6	77.7	71.4	0.3	8.2													
				25.2	23.6	1.6	6.3	25.2	23.6	1.6	6.3	77.7	70.4	0.4	9.4													
				25.8	24.2	1.6	6.2	25.8	24.2	1.6	6.2	81.7	77.3	0.5	5.3													
				25.8	24.1	1.7	6.6																					
				25.4	23.7	1.7	6.7	25.7	23.9	1.8	7	87.9	84.4	0.4	4.1													
				26.0	24.2	1.8	6.9																					
				27.6	25.5	2.1	7.6	27.6	25.5	2.1	7.6	95.7	95.7	0	0													
				27.6	25.6	2.0	7.2																					
1304	R1	RESIDENTIAL	UNKNOWN	44.6	42.6	2.0	4.5	62.1	61	1.1	1.8	100.0	100.0	0	0	0	0	0	0.0	0.0	67.0	20.0	67.0	20.0	67.0	20.0	0.0	
				47.2	45.2	2.0	4.2								1	0	1	0	0.0	0.0								
				81.0	80.9	0.1	0.1								66	20	66	20	0.0	0.0								
				47.9	45.8	2.1	4.4	70.3	69.3	1	1.4	100.0	100.0	0	0	5	0	5	0.0	0.0	84.0	23.0	84.0	23.0	84.0	23.0	0.0	0.0
				91.2	91.1	0.1	0.1								80	23	80	23	0.0	0.0								
				47.6	45.3	2.3	4.8	66.3	65	1.3	2	100.0	100.0	0	0	3	0	3	0.0	0.0	90.0	26.0	90.0	26.0	90.0	26.0	0.0	0.0
				92.1	92.0	0.1	0.1								82	26	82	26	0.0	0.0								
				45.4	43.1	2.3	5.1								0	0	0	0	0.0	0.0								

\* Inclined Windows. \*\* Rooms deeper than 5m. \*\*\* Kitchens less than 13sqm