

Customer Drawing

Position	Qty	Description
1 A1-W2	1	Group: EdgeGLIDE+ - Dual Track
2 A1-W3	1	Group: 58BW HI PAS24 TBT Window
3 A1 - W4	1	Group: 58BW HI TBT Window
4 A1 - W5	1	Group: 58BW HI TBT Window
5 A1 - W6	1	Group: 58BW HI TBT Window
6 A1 - W8	1	Group: 58BW HI TBT Window
7 A2 - W2	1	Group: 58BW HI TBT Window
8 A2 - W3	1	Group: EdgeGLIDE+ - Dual Track
9 A2 - W4	1	Group: EdgeGLIDE+ - Dual Track
10 A2 - W5	1	Group: 58BW HI TBT Window
11 A2 - W6	1	Group: 58BW HI TBT Window
12 A2 - W8	1	Group: 58BW HI TBT Window
13 A3-W2	8	Group: EdgeGLIDE+ - Dual Track
14 A3-W3	8	Group: 58BW HI TBT Window
15 A3-W4	8	Group: 58BW HI TBT Window
16 A3 - W5	8	Group: 58BW HI TBT Window
17 A3 - W7	8	Group: 58BW HI TBT Window
18 A4 - W1	3	Group: 58BW HI PAS24 TBT Window
19 A4 - W2	3	Group: EdgeGLIDE+ - Dual Track
20 A4 - W4	3	Group: 58BW HI PAS24 TBT Window
21 A4 - W5	3	Group: 58BW HI PAS24 TBT Window
22 A4 - W6	3	Group: 58BW HI PAS24 TBT Window
23 A5 - W1	1	Group: EdgeGLIDE+ - Dual Track
24 A5 - W2	1	Group: EdgeGLIDE+ - Dual Track
25 A5 - W3	1	Group: 58BW HI TBT Window

Position	Qty	Description
26 A5 - W4	1	Group: 58BW HI TBT Window
27 A5 - W6	1	Group: 58BW HI TBT Window
28 A5 - W7	1	Group: 58BW HI TBT Window
29 A5 - W8	1	Group: 58BW HI TBT Window
30 A5 - W9	1	Group: 58BW ST HI PAS24 Casement Window
31 A6 - W2	1	Group: 58BW HI TBT Window
32 A6 - W3	1	Group: 58BW HI TBT Window
33 W6 - W4	1	Group: 58BW HI TBT Window
34 A6 - W5	1	Group: 58BW HI TBT Window
35 A6 - W6	1	Group: EdgeGLIDE+ - Dual Track
36 A6 - W10	1	Group: 58BW ST HI Casement Window
37 A6 - W11	1	Group: 58BW HI TBT Window
38 A6 - W12	1	Group: 58BW ST HI Casement Window
39 A6 - W13	1	Group: 58BW HI TBT Window
40 A6 - W14	1	Group: 58BW ST HI Casement Window
41 A6 - W15	1	Group: 58BW ST HI Casement Window
42 A6 - W16	1	Group: 58BW HI TBT Window
43 A1-W1	1	Group: 58BW HI TBT Window
44 A2-W1	1	Group: 58BW HI TBT Window
45 A3-W1	8	Group: 58BW HI TBT Window
46 A4-W3	3	Group: 58BW HI TBT Window
47 A5-W5	1	Group: 58BW ST HI Casement Window
48 A6-W1	1	Group: 58BW ST HI Casement Window
General Extras 1	1	EDGEGLIDE+
General Extras 2	1	Louvre SINGLE RAL Charge

Position	Quantity	Description
1 A1-W2	1	Group: EdgeGLIDE+ - Dual Track System: EdgeGLIDE+ PAS24?: No Finish: 9016G Traffic White - Gloss Main Handles: White Window Handle Level Threshold Finishing Profile: No Threshold profile Cill: 150mm Drop Nose Cill (COR-3735) Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 4/12/4/12/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Glass Size: 1 1040mm X 1328mm 2 1040mm X 1328mm 2280w x 1520h (Basic Frame Size) 2280w x 1580h (Viewed Outside) 2-Rail. All Panes Slide. Left-Hand Pane on Inside Track VFO This Product Is Supplied In Kit Form
2 A1-W3	1	Group: 58BW HI PAS24 TBT Window System: Aluk 58BW HI & 58BD PAS24?: Yes Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 6.8/14/4/14/4 Clear LAM/TUF (LAM EXT) (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Glass Size: 1 751mm X 1156mm 920w x 1345h (Basic Frame Size) 920w x 1370h (Viewed Outside) Out Of Scope - PAS24 Hardware Used But Cannot Be Certified Handle Height - Centre of Sash

Position	Quantity	Description
3 A1 - W4	1	Group: 58BW HI TBT Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Transom/Mullion: U44047 Wide Flat Mull/Tran HI Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 4/16/4/16/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Handle Height - Centre of Sash 2260w x 1195h (Basic Frame Size) 2260w x 1220h (Viewed Outside) Glass Size: 1 980mm X 1006mm 2 980mm X 1006mm
4 A1 - W5	1	Group: 58BW HI TBT Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 4/16/4/16/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Handle Height - Centre of Sash 790w x 1155h (Basic Frame Size) 790w x 1180h (Viewed Outside) Glass Size: 1 621mm X 966mm

Position	Quantity	Description
5 A1 - W6	1	790w x 1155h (Basic Frame Size) 790w x 1180h (Viewed Outside) Glass Size: 1 621mm X 966mm Group: 58BW HI TBT Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 4/16/4/16/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Handle Height - Centre of Sash
6 A1 - W8	1	1382w x 816h (Basic Frame Size) 1382w x 841h (Viewed Outside) Glass Size: 1 541mm X 627mm 2 541mm X 627mm Group: 58BW HI TBT Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Transom/Mullion: U44047 Wide Flat Mull/Tran HI Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 4/16/4/16/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Handle Height - Centre of Sash

Position	Quantity	Description
7 A2 - W2	1	Group: 58BW HI TBT Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Transom/Mullion: U44047 Wide Flat Mull/Tran HI Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 4/16/4/16/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Glass Size: 1 990mm X 1146mm 2 990mm X 1146mm Handle Height - Centre of Sash
8 A2 - W3	1	Group: EdgeGLIDE+ - Dual Track System: EdgeGLIDE+ PAS24?: No Finish: 9016G Traffic White - Gloss Main Handles: White Window Handle Level Threshold Finishing Profile: No Threshold profile Cill: 150mm Drop Nose Cill (COR-3735) Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 4/12/4/12/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Glass Size: 1 1040mm X 1328mm 2 1040mm X 1328mm 2-Rail. All Panes Slide. Left-Hand Pane on Inside Track VFO This Product Is Supplied In Kit Form

Position	Quantity	Description
9 A2 - W4	1	Group: EdgeGLIDE+ - Dual Track System: EdgeGLIDE+ PAS24?: No Finish: 9016G Traffic White - Gloss Main Handles: White Window Handle Level Threshold Finishing Profile: No Threshold profile Cill: 150mm Drop Nose Cill (COR-3735) Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 6.8/10/4/10/4 Clear LAM/TUF (LAM EXT) (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal 2-Rail. All Panes Slide. Left-Hand Pane on Inside Track VFO This Product Is Supplied In Kit Form
10 A2 - W5	1	Group: 58BW HI TBT Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 4/16/4/16/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Handle Height - Centre of Sash

Position	Quantity	Description
11 A2 - W6	1	Group: 58BW HI TBT Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 4/16/4/16/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Handle Height - Centre of Sash
12 A2 - W8	1	Group: 58BW HI TBT Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Transom/Mullion: U44047 Wide Flat Mull/Tran HI Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 4/16/4/16/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Handle Height - Centre of Sash

Position	Quantity	Description
13 A3-W2	8	Group: EdgeGLIDE+ - Dual Track System: EdgeGLIDE+ PAS24?: No Finish: 9016G Traffic White - Gloss Main Handles: White Window Handle Level Threshold Finishing Profile: No Threshold profile Cill: 150mm Drop Nose Cill (COR-3735) Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 4/12/4/12/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Glass Size: 1 963mm X 1280mm 2 964mm X 1280mm 2-Rail. All Panes Slide. Left-Hand Pane on Inside Track VFO This Product Is Supplied In Kit Form
14 A3-W3	8	Group: 58BW HI TBT Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Transom/Mullion: U44047 Wide Flat Mull/Tran HI Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 4/16/4/16/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Glass Size: 1 990mm X 917mm 2 991mm X 917mm Handle Height - Centre of Sash

Position	Quantity	Description
15 A3-W4	8	Diagram of window 15 A3-W4. The diagram shows a rectangular window frame with a central handle. The width is labeled as 845 and the height as 1141. Below the frame, the dimensions 845 x 1166 are given. The text 'CLEAR TUF' is written across the center of the window, and 'A1' is written in the bottom left corner. 845w x 1141h (Basic Frame Size) 845w x 1166h (Viewed Outside) Glass Size: 1 676mm X 952mm Group: 58BW HI TBT Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 4/16/4/16/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Handle Height - Centre of Sash
16 A3 - W5	8	Diagram of window 16 A3 - W5. The diagram shows a rectangular window frame with a central handle. The width is labeled as 800 and the height as 1095. Below the frame, the dimensions 800 x 1120 are given. The text 'CLEAR TUF' is written across the center of the window, and 'A1' is written in the bottom left corner. 800w x 1095h (Basic Frame Size) 800w x 1120h (Viewed Outside) Glass Size: 1 631mm X 906mm Group: 58BW HI TBT Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 4/16/4/16/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Handle Height - Centre of Sash

Position	Quantity	Description
17 A3 - W7	8	1382w x 816h (Basic Frame Size) 1382w x 841h (Viewed Outside) Glass Size: 1 541mm X 627mm 2 541mm X 627mm Group: 58BW HI TBT Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Transom/Mullion: U44047 Wide Flat Mull/Tran HI Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 4/16/4/16/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Handle Height - Centre of Sash
18 A4 - W1	3	1130w x 1275h (Basic Frame Size) 1130w x 1300h (Viewed Outside) Glass Size: 1 961mm X 1086mm Group: 58BW HI PAS24 TBT Window System: Aluk 58BW HI & 58BD PAS24?: Yes Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 6.8/14/4/14/4 Clear LAM/TUF (LAM EXT) (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Out Of Scope - PAS24 Hardware Used But Cannot Be Certified Handle Height - Centre of Sash

Position	Quantity	Description
19 A4 - W2	3	Group: EdgeGLIDE+ - Dual Track System: EdgeGLIDE+ PAS24?: No Finish: 9016G Traffic White - Gloss Main Handles: White Window Handle Level Threshold Finishing Profile: No Threshold profile Cill: 150mm Drop Nose Cill (COR-3735) Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 6.8/10/4/10/4 Clear LAM/TUF (LAM EXT) (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Glass Size: 1 1040mm X 1278mm 2 1040mm X 1278mm 2280w x 1470h (Basic Frame Size) 2280w x 1530h (Viewed Outside) 2-Rail. All Panes Slide. Left-Hand Pane on Inside Track VFO This Product Is Supplied In Kit Form
20 A4 - W4	3	Group: 58BW HI PAS24 TBT Window System: Aluk 58BW HI & 58BD PAS24?: Yes Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 6.8/14/4/14/4 Clear LAM/TUF (LAM EXT) (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Glass Size: 1 1014mm X 1236mm 1183w x 1425h (Basic Frame Size) 1183w x 1450h (Viewed Outside) Out Of Scope - PAS24 Hardware Used But Cannot Be Certified Handle Height - Centre of Sash

Position	Quantity	Description
21 A4 - W5	3	Group: 58BW HI PAS24 TBT Window System: Aluk 58BW HI & 58BD PAS24?: Yes Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 6.8/14/4/14/4 Clear LAM/TUF (LAM EXT) (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Out Of Scope - PAS24 Hardware Used But Cannot Be Certified Handle Height - Centre of Sash
22 A4 - W6	3	Group: 58BW HI PAS24 TBT Window System: Aluk 58BW HI & 58BD PAS24?: Yes Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 6.8/14/4/14/4 Clear LAM/TUF (LAM EXT) (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Out Of Scope - PAS24 Hardware Used But Cannot Be Certified Handle Height - Centre of Sash

Position	Quantity	Description
23 A5 - W1	1	Group: EdgeGLIDE+ - Dual Track System: EdgeGLIDE+ PAS24?: No Finish: 9016G Traffic White - Gloss Main Handles: White Window Handle Level Threshold Finishing Profile: No Threshold profile Cill: 150mm Drop Nose Cill (COR-3735) Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 6.8/10/4/10/4 Clear LAM/TUF (LAM EXT) (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal 2318w x 1252h (Basic Frame Size) 2318w x 1312h (Viewed Outside) Glass Size: 1 1059mm X 1060mm 2 1059mm X 1060mm 2-Rail. All Panes Slide. Left-Hand Pane on Inside Track VFO This Product Is Supplied In Kit Form
24 A5 - W2	1	Group: EdgeGLIDE+ - Dual Track System: EdgeGLIDE+ PAS24?: No Finish: 9016G Traffic White - Gloss Main Handles: White Window Handle Level Threshold Finishing Profile: No Threshold profile Cill: 150mm Drop Nose Cill (COR-3735) Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 6.8/10/4/10/4 Clear LAM/TUF (LAM EXT) (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal 2313w x 1253h (Basic Frame Size) 2313w x 1313h (Viewed Outside) Glass Size: 1 1056mm X 1061mm 2 1057mm X 1061mm 2-Rail. All Panes Slide. Left-Hand Pane on Inside Track VFO This Product Is Supplied In Kit Form

Position	Quantity	Description
25 A5 - W3	1	508w x 1109h (Basic Frame Size) 508w x 1134h (Viewed Outside) Glass Size: 1 339mm X 920mm Group: 58BW HI TBT Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 4/16/4/16/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Handle Height - Centre of Sash
26 A5 - W4	1	979w x 1150h (Basic Frame Size) 979w x 1175h (Viewed Outside) Glass Size: 1 810mm X 961mm Group: 58BW HI TBT Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 4/16/4/16/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Handle Height - Centre of Sash

Position	Quantity	Description
27 A5 - W6	1	Diagram of window 27 A5 - W6. The window is square with dimensions 1181 (width) and 1447 (height). The text 'CLEAR TUFF' is written across the center. A small 'A5' label is in the bottom left corner of the frame. 1181w x 1447h (Basic Frame Size) 1181w x 1472h (Viewed Outside) Glass Size: 1 1012mm X 1258mm Group: 58BW HI TBT Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 4/16/4/16/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Handle Height - Centre of Sash
28 A5 - W7	1	Diagram of window 28 A5 - W7. The window is square with dimensions 1181 (width) and 1447 (height). The text 'CLEAR TUFF' is written across the center. A small 'A1' label is in the bottom left corner of the frame. 1181w x 1447h (Basic Frame Size) 1181w x 1472h (Viewed Outside) Glass Size: 1 1012mm X 1258mm Group: 58BW HI TBT Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 4/16/4/16/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Handle Height - Centre of Sash

Position	Quantity	Description
29 A5 - W8	1	1169w x 1618h (Basic Frame Size) 1169w x 1643h (Viewed Outside) Glass Size: 1 1000mm X 1429mm Group: 58BW HI TBT Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 4/16/4/16/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Handle Height - Centre of Sash
30 A5 - W9	1	450w x 1218h (Basic Frame Size) 450w x 1243h (Viewed Outside) Glass Size: 1 322mm X 1070mm Group: 58BW ST HI PAS24 Casement Window System: Aluk 58BW HI & 58BD PAS24?: Yes Finish: 9910HG Hipca White - Gloss Main Handles: White Espag Handle 9mm Spind Main Hinges: Standard Friction Stay (13mm) Hinge Claws/Bolts: With Hinge Claws Main Lock: ST PAS24 Offset Locks (5mm) Outer Frame: U44009 w/ U44012 Head - STD Casement Sash: AW685 IG Slim Flat Vent Bead Type: 32mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 2200ea Trickle Vent, Qty.1 Glass Type: 6.8/10/4/10/4 Clear LAM/TUF (LAM EXT) (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Comment: FRAME TOO NARROW FOR TBT WINDOW



Position	Quantity	Description
31 A6 - W2	1	Group: 58BW HI TBT Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 4/16/4/16/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Handle Height - Centre of Sash
32 A6 - W3	1	Group: 58BW HI TBT Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 4/16/4/16/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Handle Height - Centre of Sash

Position	Quantity	Description
33 W6 - W4	1	780w x 1123h (Basic Frame Size) 780w x 1148h (Viewed Outside) Glass Size: 1 611mm X 934mm Group: 58BW HI TBT Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 4/16/4/16/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Handle Height - Centre of Sash
34 A6 - W5	1	780w x 1103h (Basic Frame Size) 780w x 1128h (Viewed Outside) Glass Size: 1 611mm X 914mm Group: 58BW HI TBT Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 4/16/4/16/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Handle Height - Centre of Sash

Position	Quantity	Description
35 A6 - W6	1	Group: EdgeGLIDE+ - Dual Track System: EdgeGLIDE+ PAS24?: No Finish: 9016G Traffic White - Gloss Main Handles: White Window Handle Level Threshold Finishing Profile: No Threshold profile Cill: 150mm Drop Nose Cill (COR-3735) Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 6.8/10/4/10/4 Clear LAM/TUF (LAM EXT) (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Glass Size: 1 1040mm X 1328mm 2 1040mm X 1328mm 2280w x 1520h (Basic Frame Size) 2280w x 1580h (Viewed Outside) 2-Rail. All Panes Slide. Left-Hand Pane on Inside Track VFO This Product Is Supplied In Kit Form
36 A6 - W10	1	Group: 58BW ST HI Casement Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White Espag Handle 9mm Spind Main Hinges: Standard Friction Stay (13mm) Hinge Claws/Bolts: Without Hinge Claws Main Lock: ST Offset Locks (5mm) Outer Frame: U44009 w/ U44012 Head - STD Casement Sash: AW685 IG Slim Flat Vent Bead Type: 32mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 2200ea Trickle Vent, Qty.1 Glass Type: 4/12/4/12/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Glass Size: 1 337mm X 1047mm 465w x 1195h (Basic Frame Size) 465w x 1220h (Viewed Outside) Comment: FRAME TOO NARROW FOR TBT WINDOW



Position	Quantity	Description
37 A6 - W11	1	920w x 1195h (Basic Frame Size) 920w x 1220h (Viewed Outside) Glass Size: 1 751mm X 1006mm Group: 58BW HI TBT Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 4/16/4/16/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Handle Height - Centre of Sash
38 A6 - W12	1	460w x 1195h (Basic Frame Size) 460w x 1220h (Viewed Outside) Glass Size: 1 332mm X 1047mm Group: 58BW ST HI Casement Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White Espag Handle 9mm Spind Main Hinges: Standard Friction Stay (13mm) Hinge Claws/Bolts: Without Hinge Claws Main Lock: ST Offset Locks (5mm) Outer Frame: U44009 w/ U44012 Head - STD Casement Sash: AW685 IG Slim Flat Vent Bead Type: 32mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 2200ea Trickle Vent, Qty.1 Glass Type: 4/12/4/12/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Comment: FRAME TOO NARROW FOR TBT WINDOW

Position	Quantity	Description
39 A6 - W13	1	920w x 1195h (Basic Frame Size) 920w x 1220h (Viewed Outside) Glass Size: 1 751mm X 1006mm Group: 58BW HI TBT Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 4/16/4/16/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Handle Height - Centre of Sash
40 A6 - W14	1	450w x 1195h (Basic Frame Size) 450w x 1220h (Viewed Outside) Glass Size: 1 322mm X 1047mm Group: 58BW ST HI Casement Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White Espag Handle 9mm Spind Main Hinges: Standard Friction Stay (13mm) Hinge Claws/Bolts: Without Hinge Claws Main Lock: ST Offset Locks (5mm) Outer Frame: U44009 w/ U44012 Head - STD Casement Sash: AW685 IG Slim Flat Vent Bead Type: 32mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 2200ea Trickle Vent, Qty.1 Glass Type: 4/12/4/12/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Comment: FRAME TOO NARROW FOR TBT WINDOW

Position	Quantity	Description
41 A6 - W15  460w x 1195h (Basic Frame Size) 460w x 1220h (Viewed Outside) Glass Size: 1 332mm X 1047mm	1	Group: 58BW ST HI Casement Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White Espag Handle 9mm Spind Main Hinges: Standard Friction Stay (13mm) Hinge Claws/Bolts: Without Hinge Claws Main Lock: ST Offset Locks (5mm) Outer Frame: U44009 w/ U44012 Head - STD Casement Sash: AW685 IG Slim Flat Vent Bead Type: 32mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 2200ea Trickle Vent, Qty.1 Glass Type: 4/12/4/12/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Comment: FRAME TOO NARROW FOR TBT WINDOW
42 A6 - W16  920w x 1195h (Basic Frame Size) 920w x 1220h (Viewed Outside) Glass Size: 1 751mm X 1006mm	1	Group: 58BW HI TBT Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Before Turn - Central Handle Outer Frame: U44009 w/ U44012 Head - REV Bead Type: 40mm Flat Bead Cill: 150mm Drop Nose Cill Drainage: Concealed Trickle Vent: White 4000ea Trickle Vent, Qty.1 Glass Type: 4/16/4/16/4 Clear TUF/TUF (1.0 x2) Black Thermobar Argon Fill Polysulphide Seal Handle Height - Centre of Sash

Position	Quantity	Description
43 A1-W1	1	1030w x 1330h (Basic Frame Size) 1030w x 1330h (Viewed Outside) Glass Size: 1 861mm X 1161mm Group: 58BW HI TBT Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Only - 260mm Offset Handle Outer Frame: U44009 (58mm Med Flat) - REV Bead Type: 28mm Square Bead Cill: None Drainage: Face Trickle Vent: None Glass Type: 4/20/4 Clear TUF/TUF (1.0) Black Thermobar Argon Fill Polysulphide Seal Handle Height - Offset 260mm From Bottom of Sash
44 A2-W1	1	1030w x 1330h (Basic Frame Size) 1030w x 1330h (Viewed Outside) Glass Size: 1 861mm X 1161mm Group: 58BW HI TBT Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Only - 260mm Offset Handle Outer Frame: U44009 (58mm Med Flat) - REV Bead Type: 28mm Square Bead Cill: None Drainage: Face Trickle Vent: None Glass Type: 4/20/4 Clear TUF/TUF (1.0) Black Thermobar Argon Fill Polysulphide Seal Handle Height - Offset 260mm From Bottom of Sash

Position	Quantity	Description
45 A3-W1	8	Diagram of a single window unit (A3-W1) showing dimensions 1030x1330 and 'CLEAR TUFF' text. Group: 58BW HI TBT Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Only - 260mm Offset Handle Outer Frame: U44009 (58mm Med Flat) - REV Bead Type: 28mm Square Bead Cill: None Drainage: Face Trickle Vent: None Glass Type: 4/20/4 Clear TUF/TUF (1.0) Black Thermobar Argon Fill Polysulphide Seal Glass Size: 1 861mm X 1161mm Handle Height - Offset 260mm From Bottom of Sash
46 A4-W3	3	Diagram of a four-pane window unit (A4-W3) showing dimensions 3896x1176 and 'CLEAR TUFF' text. Group: 58BW HI TBT Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Main Handles: White TBT Handle Locking Push-Button Hinge Claws/Bolts: Not Applicable Opening Type: Tilt Only - 260mm Offset Handle Outer Frame: U44009 (58mm Med Flat) - REV Transom/Mullion: U44045 Slim Flat Mull/Tran HI Bead Type: 28mm Square Bead Cill: None Drainage: Face Trickle Vent: None Glass Type: 4/20/4 Clear TUF/TUF (1.0) Black Thermobar Argon Fill Polysulphide Seal Glass Size: 1 931mm X 1096mm 2 930mm X 1096mm 3 841mm X 1007mm 4 931mm X 1096mm Handle Height - Offset 260mm From Bottom of Sash

Position	Quantity	Description
47 A5-W5	1	Group: 58BW ST HI Casement Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Hinge Claws/Bolts: Without Hinge Claws Outer Frame: U44009 (58mm Med Flat) - STD Transom/Mullion: U44044 Slim Feature Mull/Tran HI Bead Type: 28mm Chamfered Bead Cill: None Drainage: Face Trickle Vent: None Glass Type: 4/20/4 Clear TUF/TUF (1.0) Black Thermobar Argon Fill Polysulphide Seal  1967w x 1184h (Basic Frame Size) 1967w x 1184h (Viewed Outside) Glass Size: 1 927mm X 1104mm 2 928mm X 1104mm
48 A6-W1	1	Group: 58BW ST HI Casement Window System: Aluk 58BW HI & 58BD PAS24?: No Finish: 9910HG Hipca White - Gloss Hinge Claws/Bolts: Without Hinge Claws Outer Frame: U44009 (58mm Med Flat) - STD Transom/Mullion: U44044 Slim Feature Mull/Tran HI Bead Type: 28mm Chamfered Bead Cill: None Drainage: Face Trickle Vent: None Glass Type: 4/20/4 Clear TUF/TUF (1.0) Black Thermobar Argon Fill Polysulphide Seal  2990w x 1276h (Basic Frame Size) 2990w x 1276h (Viewed Outside) Glass Size: 1 941mm X 1196mm 2 965mm X 1196mm 3 941mm X 1196mm
General Extras 1	1	EDGEGLIDE+ System IS NOT PAS-24 TESTED
General Extras 2	1	Louvre SINGLE RAL Charge

I would like to proceed with this quotation as an order, and I confirm I have checked that the above designs, sizes and specifications are to my satisfaction.

Name _____

Signed _____

Date _____