



















-  Natural stone flags to match existing. Allow for drop bolt sleeves to open and closed positions. Hatch is indicative. Lifting equipment to be used due to size of reused paving flags. Refer to detail 0501/D02
-  Pedestrian asphalt paving. Build-up to match existing. Refer to detail 0501/D03
-  Pedestrian asphalt over lay to match into existing asphalt path Q22.115A
-  New concrete hardstanding to bins and end fence panels. Refer to E10.110A
-  Conservation centre stone kerb 145x145mm Refer to 0501/D03
-  PCC flat top path edging unit 50x150mm Refer to 0501/D02
-  Existing manhole cover and level to be retained and protected
-  Existing signage to be lifted, stored and relocated to new position
-  Existing bins to be lifted, stored and relocated to new position
-  Existing gates to be lifted and extended to allow for new access levels. Note: Contractor to allow for retention of the mechanism that holds the gates open. Gate cleaning procedure to be confirmed. Gates to be painted to match existing fence line. Contractor to allow replacing/making good any elements damaged in removal, restoration and extension. Refer to 0501/D01 & D02
-  Existing fence panels to be lifted and extended to allow for new access levels. Fence panel cleaning procedure to be confirmed. Panels to be painted to match existing fence line. Contractor to allow replacing/making good any elements damaged in removal, restoration and extension. Refer to 0501/D01 & D02
-  Existing fence panels to be cleaned in situ. Fence panels to be sanded to remove rust and loose paint work. Contractor to inform client if sections of metal work need to be replaced. Panels to be painted to match existing fence line. Contractor to allow replacing/making good any elements damaged during restoration and cleaning.
-  Line markings to be repainted Q10.390
-  119.15m Existing level based on topographical information provided by others
- 119.41m Proposed level
- 1:80 Gradient and direction of fall

		Scale/North Point		Client London Borough of Camden		© Copyright wynne-williams associates <small>landscape architects & arboricultural consultants web: w-wa.co.uk tel: 01376 573050</small>
		Scale 1:50@A1		Job Title Waterlow Park Highgate House Gate Refurbishment		Drawing Title Masterplan
		Drawn MJB	Checked TJ	Issue PLANNING	Drg 2496-WWA-LS-ZZ-D-L-0101	
		Project ID 2496	Date 17/10/2024	Status S4	Rev P01	
		Revision Notes				
		Note: All Dimensions must be checked on site and not scaled from this drawing. All cross references are to the latest revision of the relevant drawing or specification being referenced.				