

PROPOSED DOOR NO	PROPOSED ROOM NAME	FIRE RATING	SO WIDTH	SO HEIGHT	VERTICAL OFFSET HEIGHT	DOOR TYPE	VISION PANEL	JAMB TYPE	NBS SPECIFICATION	NEW ACOUSTIC DOOR	DOOR LEAF	PULL FACE	PUSH FACE	IRONMONGERY SET	KICK PLATE	ACOUSTIC UPGRADE	CONSERVATION REPAIRS	FoH or BoH	NEW DOOR IN 2020	RE-USED DOOR ACCEPTABLE?	NOTES	RE-USED ELSEWHERE
BASEMENT PROPOSED NEW DOORS																						
DB.21-1	Kitchen	FD30S	1800	2200		5	Y	O	L20/413		44	RAL 9010	RAL 9010	5b	400			BoH		N		
DB.21-2	Kitchen	FD30S	1500	2200		5	Y	O	L20/413		44	RAL 9010	RAL 9010	5b	400			BoH		N		
DB.21-3	Kitchen	FD30S	1500	2200		5	Y	O	L20/413		44	RAL 9010	RAL 9010	5b	400			BoH		N		
DB.23-1	Corridor	FD30S	1800	2100	200	8	N	J	L20/417		44	RAL 9010	RAL 9010	3				BoH		N		
DB.23-2	Shared Corridor	FD30S	1500	2200		1	Y	C	L20/415		44	SP	SP	2	150			FoH		N		
DB.24-3	Bin Store	FD60S	1500	2200		5	Y	O	L20/415		44	HPL	HPL	5	400			BoH	Y		(no spare 1500mm wide door available from demo)	
DB.25-3	Corridor	FD30S	1500	2200		5	Y	O	L20/415		44	HPL	HPL	3	400			BoH	Y		(no spare 1500mm wide door available from demo)	
DB.26-2	Wash-up	FD30S	910	2200		13	Y	S	L20/413		44	RAL 9010	RAL 9010	5a	400			BoH		N		
DB.27-3	Cold store		830	2200					L20/416		60				400			BoH	N		Cold room door as NBS spec	
DB.27-5	WC's	NA	910	2200		4	N	C	L20/415		44	HPL	HPL	5a	150			FoH		N		
DB.28-1	WC's	FD30S	910	1930		4	N	C	L20/415		44	HPL	HPL	4	150			FoH		N		
DB.29-1	Corridor	FD30S	1010	2200		3	Y	C	L20/415		44	SP	SP	3	150			BoH		N		
DB.29-2	WC's	NA	910	2200		4	N	C	L20/415		44	HPL	HPL	3	150			FoH		N		
DB.30-2	Bike Store	FD30S	1010	2200		4	N	C	L20/415		44	SP	SP	2	150			BoH		N		
DB.45-1	Office	FD30S	910	2200		3	Y	C	L20/415		44	HPL	HPL	4	150			BoH		N		
DB.46-1	Staff WC's	NA	910	2200		4	N	C	L20/414		44	HPL	HPL	5a	150			BoH	Y		proposed re-use of DB.22-1	
DB.46-2	Staff WC's	NA	850	2200		4	N	C	L20:411		44	HPL	HPL	5a	150			BoH		N		
DB.46-3	Staff WC's	NA	850	2200		4	N	C	L20:411		44	HPL	HPL	5a	150			BoH		N		
DB.48-1	Alcohol Store	FD30S	910	2200		4	N	C	L20/415		44	HPL	HPL	1a	400			BoH		N		
DB.50-1	Corridor	FD30S	1800	2200		1	Y	C	L20/415		44	SP	SP	3	150			FoH		N		
DB.51-1	Cloaks	NA	810	2200		3	Y	C	L20/415		44	SP	SP	4	150			FoH		N		
DB.57-1	Bin Lobby	FD30S	1500	2200		1	Y	C	L20/415		44	HPL	HPL	3	400			BoH	Y			
RDB.23-1	Electrical cupboard	FD30S	1000	1900	200	8	N	J	L20/417		44	SP	-	6				BoH		N		
RDB.29-3	Cleaner Store	FD30S	810	2200		2	N	C	L20/415		44	SP	SP	5a	150			FoH		N		
RDB.29-4	Cleaner Store	FD30S	810	2200		2	N	C	L20/415		44	SP	SP	5	150			FoH		N		
BASEMENT PROPOSED SECURITY UPDATES TO EXISTING DOORS																						
DB.15-1	CC Hot Water													2								
DB.17-1	Building Services Corridor													2								
DB.19-1	Building Services													2								
DB.19-2	Building Services													2								
GROUND PROPOSED NEW DOORS																						
DG.44-2	Entrance Lobby	FD30S	810	2200		9	N	R	L20/415		44	Solid	Solid	3				FoH		N		

	PROPOSED DOOR NO	PROPOSED ROOM NAME	FIRE RATING	SO WIDTH	SO HEIGHT	VERTICAL OFFSET HEIGHT	DOOR TYPE	VISION PANEL	JAMB TYPE	NBS SPECIFICATION	NEW ACOUSTIC DOOR	DOOR LEAF	PULL FACE	PUSH FACE	IRONMONGERY SET	KICK PLATE	ACOUSTIC UPGRADE	CONSERVATION REPAIRS	FoH or BoH	NEW DOOR IN 2020	RE-USED DOOR ACCEPTABLE?	NOTES	RE-USED ELSEWHERE		
FIRST FLOOR	D1.38-2	Green Room																X							
	D1.39-1	Green Room													2										
	D1.40-1	Staff WC's																X							
	D1.42-1	Gallery													2										
	D1.42-2	Gallery													2										
	D1.41-1	F WC																X							
	D1.43.1	M WC																X							
	D1.44-3	Lobby													2										
	D1.45-1	Lobby																X							
PROPOSED NEW DOORS AT FIRST FLOOR																									
	RD1-SF-1		FD30S	1400	1900	200	8	N	J	L20/417	44	Painted	Painted	6b							N				