


All drawings are viewed from the outside

The opening sash symbol (or arrow head) points to the hinge position

### ITEM 1 - Second Floor Front Elevation Bedroom 1



#### Supply & Install a complete new Traditional Timber sash window in Engineered Redwood with Red Grandis Hardwood cill

##### Moulding and Glazing Bar

Ovolo, 17 mm Glazing Bar

##### Sash Horn

Top: Yes, Bottom: No horn

##### Double Glazing - Top

4mm Planitherm Total Plus Clear - Argon Filled, White Warm Edge spacer -

4mm Float Clear

##### Double Glazing - Bottom

4mm Planitherm Total Plus Clear Toughened - Argon Filled, White Warm

Edge spacer - 4mm Float Clear Toughened

##### Paint / Finish

Internal: RAL 9016 Traffic White, External: RAL 9016 Traffic White, Cill: RAL

9016 Traffic White

##### Ironmongery

2 x Angel Restrictor (Timber), 2 x Fitch Locks, 2 x Lift Hook (Timber) in

Polished Chrome and 1 x Trickle Vent Concealed In Frame 4600 in White

Item Weight: 65 Kg

Trickle Vent Concealed  
In Frame 4600



Angel Restrictor  
(Timber)



Fitch Locks




Lift Hook (Timber)



All drawings are viewed from the outside

The opening sash symbol (or arrow head) points to the hinge position

### ITEM 2 - Second Floor Front Elevation Bedroom 1



#### Supply & Install a complete new Traditional Timber sash window in Engineered Redwood with Red Grandis Hardwood cill

##### Moulding and Glazing Bar

Ovolo, 17 mm Glazing Bar

##### Sash Horn

Top: Yes, Bottom: No horn

##### Double Glazing - Top

4mm Planitherm Total Plus Clear - Argon Filled, White Warm Edge spacer -

4mm Float Clear

##### Double Glazing - Bottom

4mm Planitherm Total Plus Clear Toughened - Argon Filled, White Warm

Edge spacer - 4mm Float Clear Toughened

##### Paint / Finish

Internal: RAL 9016 Traffic White, External: RAL 9016 Traffic White, Cill: RAL

9016 Traffic White

##### Ironmongery

2 x Angel Restrictor (Timber), 2 x Fitch Locks, 2 x Lift Hook (Timber) in

Polished Chrome and 1 x Trickle Vent Concealed In Frame 4600 in White

Item Weight: 65 Kg

Trickle Vent Concealed  
In Frame 4600



Angel Restrictor  
(Timber)



Fitch Locks




Lift Hook (Timber)



All drawings are viewed from the outside

The opening sash symbol (or arrow head) points to the hinge position

### ITEM 5 - First Floor Front Elevation Bedroom 2



Item Weight: 71.9 Kg

### Supply & Install a complete new Traditional Timber sash window in Engineered Redwood with Red Grandis Hardwood cill

#### Moulding

Ovolo

#### Sash Horn

Top: Yes, Bottom: No horn

#### Double Glazing - Top

4mm Planitherm Total Plus Clear - Argon Filled, White Warm Edge spacer -

4mm Float Clear

#### Double Glazing - Bottom

4mm Planitherm Total Plus Clear Toughened - Argon Filled, White Warm

Edge spacer - 4mm Float Clear Toughened

#### Paint / Finish

Internal: RAL 9016 Traffic White, External: RAL 9016 Traffic White, Cill: RAL

9016 Traffic White

#### Ironmongery

2 x Angel Restrictor (Timber), 2 x Fitch Locks, 2 x Lift Hook (Timber) in

Polished Chrome and 1 x Trickle Vent Concealed In Frame 4600 in White

#### Notes

Cut back liners and fit new windows the trim internally, cut down the panelling below the window to allow the new window to sit on the concrete cill

Trickle Vent Concealed  
In Frame 4600



Angel Restrictor  
(Timber)



Fitch Locks




Lift Hook (Timber)



All drawings are viewed from the outside

The opening sash symbol (or arrow head) points to the hinge position

### ITEM 6 - First Floor Front Elevation Bedroom 2



Item Weight: 71.9 Kg

### Supply & Install a complete new Traditional Timber sash window in Engineered Redwood with Red Grandis Hardwood cill

#### Moulding

Ovolo

#### Sash Horn

Top: Yes, Bottom: No horn

#### Double Glazing - Top

4mm Planitherm Total Plus Clear - Argon Filled, White Warm Edge spacer -

4mm Float Clear

#### Double Glazing - Bottom

4mm Planitherm Total Plus Clear Toughened - Argon Filled, White Warm

Edge spacer - 4mm Float Clear Toughened

#### Paint / Finish

Internal: RAL 9016 Traffic White, External: RAL 9016 Traffic White, Cill: RAL

9016 Traffic White

#### Ironmongery

2 x Angel Restrictor (Timber), 2 x Fitch Locks, 2 x Lift Hook (Timber) in

Polished Chrome and 1 x Trickle Vent Concealed In Frame 4600 in White

#### Notes

Cut back liners and fit new windows the trim internally, cut down the panelling below the window to allow the new window to sit on the concrete cill

Trickle Vent Concealed  
In Frame 4600



Angel Restrictor  
(Timber)



Fitch Locks




Lift Hook (Timber)



All drawings are viewed from the outside

The opening sash symbol (or arrow head) points to the hinge position

### ITEM 8 - Ground Floor Front Elevation Lounge



#### Supply & Install a complete new Traditional Timber sash window bay in Engineered Redwood with Red Grandis Hardwood cill

##### Moulding and Glazing Bar

Ovolo, 17 mm Glazing Bar

##### Sash Horn

Top: Yes, Bottom: No horn

##### Double Glazing - Top

4mm Planitherm Total Plus Clear - Argon Filled, White Warm Edge spacer -

4mm Float Clear

##### Double Glazing - Bottom

4mm Planitherm Total Plus Clear Toughened - Argon Filled, White Warm

Edge spacer - 4mm Float Clear Toughened

##### Paint / Finish

Internal: RAL 9016 Traffic White, External: RAL 9016 Traffic White, Cill: RAL 9016 Traffic White

##### Ironmongery

6 x Angel Restrictor (Timber), 6 x Fitch Locks, 6 x Lift Hook (Timber) in Polished Chrome and 1 x Trickle Vent Concealed In Frame 4600 in White

Item Weight: 175.7 Kg

Trickle Vent Concealed  
In Frame 4600



Angel Restrictor  
(Timber)



Fitch Locks



Lift Hook (Timber)

