



Aftercare specification

Area	Scientific	common name	Aftercare detail & Notes
All areas	Perennials		All perennials left overwinter as stems/seedheads and then tidied/cut back in Spring
	Trees		Kept under observation but unpruned.
	Annuals		replant annually from seed (possibly grown under glass) or use plugs if available
Lawn and borders	Hydrangea pan. 'Limelight'	Cone hydrangea	Remove dead flowerherads in Spring, cutting back the stem to the first strong, healthy buds
	Hydrangea pan. 'Wim's Red'	Cone hydrangea	Remove dead flowerherads in Spring, cutting back the stem to the first strong, healthy buds
	Hydrangea 'Kyushu'	Cone hydrangea	Remove dead flowerherads in Spring, cutting back the stem to the first strong, healthy buds
	Thalictrum delavayi	Chinese meadow rue	Spent flowers should be removed to prevent over abundance of self sown-seedlings; cut down foliage in late winter or early spring
	Anenome hupehensis 'wild swan'	Japanese anenome	Remove dead foliage and flower stems at the base in early Spring
	Verbena bonariensis	Purpletop vervein	No pruning required; flowerheads retained over winter
	Foeniculum vulgare	Common fennel	No pruning required. Remove spent flower heads to prevent self-seeding

Nepeta 'walker's love	Catmint	Remove dead stems in Spring
Geranium 'azure rush'	Cranesbill	Remove dead flowered stems and old leaves to encourage the production of new flowers
Erigeron karvinskarkus	Mexican fleabane	Cut back new shoots close to ground in early Spring
Knautia macedonia	Macedonian scabious	Leave flower stems until Spring
Hemerocalis 'Gentle shepherd'	Day lilly	cut back flowering stems after flowering; remove dead foliage as required
Crocsmia 'Carmin Brilliant'	Montbretia	no pruning required; cut back dead stems in Spring; taller varieties might need some staking
Knautia macedonia	Macedonian scabious	leave flower stems until Spring
Jasminum officinalis	Jasmin	no pruning necessary; it against trellis as required
Akebia quinata cream-flowered	Chocolate vine	no pruning necessary; it against trellis as required
Rosa 'Cecile Brunner', Woolerton Old hall'	Rose	deadhead throughout flowering season; cut back in feb/March to shape and tie in
Ilex Crenata 'Caroline Upright'	Japanese holly	Trim to required shape in Spring
Ilex crenata - topiary balls	Japanese holly	Trim to required shape in Spring
Prunus lusitania Angustifolia topiary balls	Portuguese laurel	Trim to required shape in Spring
Adiantum venustum	Evergreen maidenhair	No pruning required

Kitchen garden	Salvia rosmarinus	Rosmary	Trim to required shape in Spring
	Thymus	Thyme	Trim to required shape in Spring
	Menta varietes	Mint	Trim to required shape in Spring

Trees	Malus 'Evereste'	Crab apple	No pruning required; watch for any dead branches
	Prunus 'Accolade'	Japanese cherry	No pruning required; watch for any dead branches
	Cornus kousa chinensis	Dogwood	No pruning required; watch for any dead branches
	Acer pal. 'Inaba-shidare'	Japanese maple	No pruning required; watch for any dead branches

Cercis can. Pink Pom Pom	Redbud	No pruning required; watch for any dead branches
Prunus incisa koto no ma	Fuji cherry	No pruning required; watch for any dead branches
Olea europea, loose crown	Olive	No pruning required; watch for any dead branches

Wareing Design Ltd, 17 Sutherland Square, London, SE17 3EQ ; +44 7958 956640
will@wareingdesign.co.uk; www.wareingdesign.co.uk