

Email: planning@camden.gov.uk

Phone: 020 7974 4444 Fax: 020 7974 1680 Development Management Camden Town Hall Extension Argyle Street London WC1H 8EQ

Application for Consent to Display an Advertisement(s)

Town and Country Planning (Control of Advertisement) (England) Regulations 2007 (as amended)

Publication of applications on planning authority websites

Please note that the information provided on this application form and in supporting documents may be published on the Authority's website. If you require any further clarification, please contact the Authority's planning department.

Site Location	no boood on the anguers given in the questions
Disclaimer: We can only make recommendation	ns based on the answers given in the questions.
If you cannot provide a postcode, the description help locate the site - for example "field to the No	n of site location must be completed. Please provide the most accurate site description you can, to orth of the Post Office".
Number	41
Suffix	
Property Name	
Donmar Warehouse	
Address Line 1	
Earlham Street	
Address Line 2	
Address Line 3	
Town/city	
London	
Postcode	
WC2H 9LX	
Description of site location must	be completed if postcode is not known:
Easting (x)	Northing (y)
530149	181109
Description	

Donmar Warehouse is a 251-seat, not-for-profit Off-West End theatre in Covent Garden, London, England.
Applicant Details
Name/Company
Title
Ms
First name
Abby
Surname
Corfan
Company Name
Donmar Warehouse
Address
Address line 1
3 Dryden Street
Address line 2
Covent Garden
Address line 3
Town/City
London
County
London
Country
United Kingdom
Postcode
WC2E 9NA
Are you an agent acting on behalf of the applicant?

Contact Details	
Primary number	
***** REDACTED *****	
Secondary number	
Fax number	
Email address	
**** REDACTED *****	
Agent Details	
Name/Company	
Title	
Mr	
First name	
Timothy	
Surname	
Groom	
Company Name	
Endpoint	
Address	
Address line 1	
Unit G	
Address line 2	
11 Bell Yard Mews	
Address line 3	
Address line 3	
T (0)	
Town/City	
London	
County	
Country	
United Kingdom	

SE1 3TN	
Contact Dataila	
Contact Details	
Primary number	
***** REDACTED *****	
Secondary number	
***** REDACTED *****	
Fax number	
Email address	
***** REDACTED *****	

Type of Proposed Advertisement(s)

Please describe the proposed advertisement(s)

Postcode

This planning application proposes the installation of three external signage elements designed to enhance the visibility of the Donmar Warehouse along the street and guide visitors to the entrance. Additionally, the proposed signage aims to strengthen Donmar's presence in a visually competitive environment, where various branding elements from other establishments line Earlham Street.

Signtype A3 – Donmar Warehouse Photography: This signage will showcase carefully selected images of the theatre's interior and ongoing plays, displayed within the bricked window portals. By externally presenting glimpses of the theatre's vibrant performances, the signage aims to generate intrigue and enhance the venue's presence.

Signtype A1 – Entrance Canopy: This signage will feature a projecting red canopy with internally illuminated 'Donmar' lettering, ensuring visibility from both directions along Earlham Street. Designed to provide a clear reference to the theatre entrance, this signage aligns with existing precedents in the area, such as the entrance canopy at Seven Dials Market.

Signtype A2 – Projecting Banner: This proposal seeks to replace the existing projecting banner with a long red blade featuring the Donmar brand against a red background. The lettering will be internally illuminated to ensure maximum visibility, even during evening hours. To promote energy efficiency, the illumination will be controlled by a timer, reducing power consumption during early morning hours.

Fascia Sign	
Height: 2.3 metres	
Width: 2.4 metres	
Depth: 0.5 metres	
What is the height from the gro 6.1 metres	aund to the base of the advertisement?:
What is the maximum projectio 0 metres	on of the advertisement from the face of the building?:
What is the maximum height of 0 centimetres	any of the individual letters and symbols?:
name suggests, consists of three The middle layer is LDPE, which	sement be made of?: nto Dibond panels (Dibond is made of a material called an aluminium sandwich board. Dibond®, as the layers. The outer sides are made up of two layers of 0.3 mm thick aluminium, which makes the sheet rigid. is very lightweight. This sandwich construction makes Dibond a rigid, yet lightweight material) using a UV ink imagery over time from sun lights.
The colour of text and background No text used - all panels are photo-please refer to the photo-visual and the colour statement of the photo-visual and the colour of text and background statement of the photo-visual statement of text and background statement of te	ography, images of the theatre environment, colour will range depending on the angle and view of the theatre
Will the advertisement be illum	inated?:
Advertisement Type: Projecting or Hanging Sign Height:	
4.35 metres Width:	
0.5 metres	
Depth: 0.245 metres	
What is the height from the gro 6.2 metres	aund to the base of the advertisement?:
What is the maximum projectio 0.1 metres	on of the advertisement from the face of the building?:
What is the maximum height of 26 centimetres	fany of the individual letters and symbols?:
	ecting identification sign fabricated from sheet aluminium to clad a mild steel structural frame. Opal white cut apertures on front & rear of cladding panels. Illumination - Front & rear opal white acrylic logos to be
The colour of text and background panels to match Don	und: mar banding red and 100% for the lettering
Will the advertisement be illum Yes	inated?:
	inated internally or externally?:
Will the advertisement be illum Internally	

Please specify the type(s) and details of each proposed advertisement

Signtype A1 – Entrance Canopy: This signage will feature a projecting red canopy with internally illuminated 'Donmar' lettering, ensuring visibility from both directions along Earlham Street. Designed to provide a clear reference to the theatre entrance, this signage aligns with existing precedents in the area, such as the entrance canopy at Seven Dials Market. Location of Advertisement(s) s the advertisement(s) you are applying for already in place? Yes No No Not Applicable	Will the illumination be static or intermittent?: Static
Width: 3.36 metres Depth: 0.1 metres What is the height from the ground to the base of the advertisement?: 4 metres What is the height from the ground to the base of the advertisement?: 4 metres What is the maximum projection of the advertisement from the face of the building?: 1.9 metres What is the maximum height of any of the Individual letters and symbols?: 4.5 centimetres What is the maximum height of any of the Individual letters and symbols?: 4.5 centimetres What is the maximum height of any of the Individual letters and symbols?: 4.5 centimetres What materials will the advertisement be made of?: Open top structural steel citled frame, projection dad in powder coated aluminium with 300mm high 32mm deep internally face illuminated lettering reading. "DoMMAR" and the internal face to have LED rope to provide halo illuminated effect to the lettering The colour of text and background: Partone RED 022 - with rope alarquitie to match 100% white. Will the advertisement be illuminated? Yes Will the advertisement be illuminated internally or externally?: Internally Illuminance levels: 300 odm? Will the illumination be static or intermittent?: Static Please describe each of the "Other type(s)" of advertising proposed Signitype A1 — Entrance Canopy. This signage will feature a projecting red canopy with internally illuminated 'Dommar' lettering, ensuring visibility from bid rections along Earthma Street. Designed to provide a clear reference to the theatre entrance, this signage aligns with existing precedents in the area, such as the entrance canopy at Seven Dials Market. Location of Advertisement(s) She advertisement(s) you are applying for already in place? Yes No No No No Not Applicable (Yes to either or both above, please show the existing sign(s) on an elevation drawing or photograph and state the references for the drawing(s) or	
Depth: O.1 metres What is the height from the ground to the base of the advertisement?: 4 metres What is the maximum projection of the advertisement from the face of the building?: 1.9 metres What is the maximum projection of the advertisement from the face of the building?: 1.9 metres What is the maximum height of any of the individual letters and symbols?: 45 centimetres What is the maximum height of any of the individual letters and symbols?: 45 centimetres What is the maximum height of any of the individual letters and symbols?: 45 centimetres What is the maximum height of any of the individual letters and symbols?: 45 centimetres What is the maximum height of any of the individual letters and symbols?: 45 centimetres What is the maximum height of any of the individual letters and symbols?: 46 centimetres What is the maximum height of any of the individual letters and symbols?: 47 metres What is the maximum height of any of the individual letters and symbols?: 48 metres What is the maximum height of any of the individual letters and symbols?: 49 Will the advertisement be illuminated?: 49 Will the advertisement be illuminated internally or externally?: 40 Illuminance levels: 50 Octor 90 Please describe each of the 'Other type(s)' of advertising proposed 91 Please describe each of the 'Other type(s)' of advertising proposed 92 Please describe each of the 'Other type(s)' of advertising proposed 93 Expreps A1 — Entrance Canopy: This signage will feature a projecting red canopy with internally illuminated 'Donmar' lettering, ensuring visibility from both directions along Eartham Street. Designed to provide a clear reference to the theatre entrance, this signage aligns with existing precedents in the area, such as the entrance canopy at Seven Dials Market. 10 Location of Advertisement(s) you are applying for already in place? 94 Yes 95 No. 96 No. 97 No. 98 No. 99	
Other teres What is the height from the ground to the base of the advertisement?: 4 metres What is the maximum projection of the advertisement from the face of the building?: 1.9 metres What is the maximum height of any of the individual letters and symbols?: 45 centimetres What is the maximum height of any of the individual letters and symbols?: 45 centimetres What is the maximum height of any of the individual letters and symbols?: 45 centimetres What is the maximum height of any of the individual letters and symbols?: 45 centimetres What is the maximum height of any of the individual letters and symbols?: 45 centimetres What is the maximum height of any of the individual letters and symbols?: 46 centimetres What is the maximum height of any of the individual letters and symbols?: 47 centimetres What is the maximum height of any of the individual letters and symbols?: 48 centimetres What is the maximum height of any of the individual letters and symbols?: 49 centimetres What is the maximum height of any of the individual letters and symbols?: 40 centimetres What is the maximum height of any of the individual letters and symbols?: 40 centimetres What is the maximum height of any of the individual letters and symbols?: 40 centimetres What is the maximum height of any of the individual letters and symbols?: 40 centimetres What is the maximum height of any of the individual letters and symbols?: 40 centimetres What is the maximum height of any of the individual letters and symbols?: 40 centimetres What is the advertisement be individual letters and symbols?: 40 centimetres What is the advertisement height of any of the individual letters and symbols?: 40 centimetres What is the advertisement height of any of the individual letters and symbols?: 40 centimetres What is the advertisement he individual letters and symbols?: 41 centimetres What is the advertisement height of any of the individual letters and symbols?: 42 centimetres What is the advertisement height of any of the individual lette	
What is the maximum projection of the advertisement from the face of the building?: 1.9. metres What is the maximum height of any of the individual letters and symbols?: 45 centimetres What materials will the advertisement be made of?: Open top structural steel rolled frame, projection clad in powder coated aluminium with 300mm high 32mm deep internally face illuminated lettering reading 'DONMAR' and the internal face to have LED rope to provide halo illuminated effect to the lettering The colour of text and background: Pantone RED 032C - with opal acrylic to match 100% white. Will the advertisement be illuminated?: Yes Will the advertisement be illuminated internally or externally?: Internally Illuminance levels: 300 cdm² Will the illumination be static or intermittent?: Static Please describe each of the 'Other type(s)' of advertising proposed Signtype A1 - Entrance Canopy: This signage will feature a projecting red canopy with internally illuminated 'Donmar' lettering, ensuring visibility from both directions along Eartham Street. Designed to provide a clear reference to the theatre entrance, this signage aligns with existing precedents in the area, such as the entrance canopy at Seven Dials Market. Location of Advertisement(s) s the advertisement(s) you are applying for already in place? Oka No Not Applicable If yes to either or both above, please show the existing sign(s) on an elevation drawing or photograph and state the references for the drawing(s) or internally provides and state the references for the drawing(s) or internal provides and state the references for the drawing(s) or internal provides and state the references for the drawing(s) or internal provides and state the references for the drawing(s) or internal provides and such as the provides and state the references for the drawing(s) or internal provides and state the references for the drawing(s) or internal provides and state the references for the drawing(s) or internal provides and state the references for the drawi	
1.9 metres What is the maximum height of any of the individual letters and symbols?: 45 centimetes What materials will the advertisement be made of?: Open top structural steel rolled frame, projection clad in powder coated aluminium with 300mm high 32mm deep internally face illuminated lettering reading "DONMAR" and the internal face to have LED rope to provide halo illuminated effect to the lettering. The colour of text and background: Partone RED 032C - with opal scrylic to match 100% white. Will the advertisement be illuminated?? Yes Will the advertisement be illuminated internally or externally?: Illuminance levels: 800 cd/m² Will the illumination be static or intermittent?: Static Please describe each of the 'Other type(s)' of advertising proposed Please describe each of the 'Other type(s)' of advertising proposed Signtype A1 — Entrance Canopy. This signage will feature a projecting red canopy with internally illuminated 'Donmar' lettering, ensuring visibility from both directions along Eartham Street. Designed to provide a clear reference to the theatre entrance, this signage aligns with existing precedents in the area, such as the entrance canopy at Seven Dials Market. Location of Advertisement(s) s the advertisement(s) you are applying for already in place? Yes No No No No No No No No No N	
What materials will the advertisement be made of?: Open top structural steel rolled frame, projection clad in powder coated aluminium with 300mm high 32mm deep internally face illuminated lettering reading "DONMAR" and the internal face to have LED rope to provide halo illuminated effect to the lettering The colour of text and background: Pantone RED 032C - with opal acrylic to match 100% white. Will the advertisement be illuminated?: Yes Will the advertisement be illuminated internally or externally?: Internally Illuminance levels: 800 cd/m² Will the illumination be static or intermittent?: Static Palease describe each of the 'Other type(s)' of advertising proposed Signtype A1 – Entrance Canopy: This signage will feature a projecting red canopy with internally illuminated 'Donmar' lettering, ensuring visibility from both directions along Earham Street. Designed to provide a clear reference to the theatre entrance, this signage aligns with existing precedents in the area, such as the entrance canopy at Seven Dials Market. Location of Advertisement(s) s the advertisement(s) you are applying for already in place? Yes No s an existing advertisement(s) to be removed and replaced by the advertisement(s) in this proposal? Yes No Not Applicable Yes to either or both above, please show the existing sign(s) on an elevation drawing or photograph and state the references for the drawing(s) or	
Open top structural steel rolled frame, projection clad in powder coated aluminium with 300mm high 32mm deep internally face illuminated lettering reading "DOMMAR" and the internal face to have LED rope to provide halo illuminated effect to the lettering The colour of text and background: Pantone RED 032C - with opal acrylic to match 100% white. Will the advertisement be illuminated?: Yes Will the advertisement be illuminated internally or externally?: Internally Illuminance levels: 800 cdm² Will the illumination be static or intermittent?: Static Please describe each of the 'Other type(s)' of advertising proposed Signtype A1 – Entrance Canopy: This signage will feature a projecting red canopy with internally illuminated 'Donmar' lettering, ensuring visibility from both directions along Eartham Street. Designed to provide a clear reference to the theatre entrance, this signage aligns with existing precedents in the area, such as the entrance canopy at Seven Dials Market. Location of Advertisement(s) s the advertisement(s) you are applying for already in place? Yes No Not Applicable Yes to either or both above, please show the existing sign(s) on an elevation drawing or photograph and state the references for the drawing(s) or	
Pantone RED 032C - with opal acrylic to match 100% white. Will the advertisement be illuminated?: Yes Will the advertisement be illuminated internally or externally?: Internally Illuminance levels: 800 cd/m² Will the illumination be static or intermittent?: Static Please describe each of the 'Other type(s)' of advertising proposed Signtype A1 – Entrance Canopy: This signage will feature a projecting red canopy with internally illuminated 'Donmar' lettering, ensuring visibility from both directions along Earlham Street. Designed to provide a clear reference to the theatre entrance, this signage aligns with existing precedents in the area, such as the entrance canopy at Seven Dials Market. Location of Advertisement(s) S the advertisement(s) you are applying for already in place? Yes No No Not Applicable Yes to either or both above, please show the existing sign(s) on an elevation drawing or photograph and state the references for the drawing(s) or	Open top structural steel rolled frame, projection clad in powder coated aluminium with 300mm high 32mm deep internally face illuminated
Will the advertisement be illuminated internally or externally?: Internally Illuminance levels: 800 cd/m² Will the illumination be static or intermittent?: Static Please describe each of the 'Other type(s)' of advertising proposed Signtype A1 – Entrance Canopy: This signage will feature a projecting red canopy with internally illuminated 'Donmar' lettering, ensuring visibility from both directions along Earlham Street. Designed to provide a clear reference to the theatre entrance, this signage aligns with existing precedents in the area, such as the entrance canopy at Seven Dials Market. Location of Advertisement(s) s the advertisement(s) you are applying for already in place? Yes No No Not Applicable Yes to either or both above, please show the existing sign(s) on an elevation drawing or photograph and state the references for the drawing(s) or	
Illuminance levels: 800 cd/m² Will the illumination be static or intermittent?: Static Please describe each of the 'Other type(s)' of advertising proposed Signtype A1 – Entrance Canopy: This signage will feature a projecting red canopy with internally illuminated 'Donmar' lettering, ensuring visibility from both directions along Earlham Street. Designed to provide a clear reference to the theatre entrance, this signage aligns with existing precedents in the area, such as the entrance canopy at Seven Dials Market. Location of Advertisement(s) s the advertisement(s) you are applying for already in place? Yes No No Not Applicable f Yes to either or both above, please show the existing sign(s) on an elevation drawing or photograph and state the references for the drawing(s) or	
Will the illumination be static or intermittent?: Static Please describe each of the 'Other type(s)' of advertising proposed Signtype A1 – Entrance Canopy: This signage will feature a projecting red canopy with internally illuminated 'Donmar' lettering, ensuring visibility from both directions along Eartham Street. Designed to provide a clear reference to the theatre entrance, this signage aligns with existing precedents in the area, such as the entrance canopy at Seven Dials Market. Location of Advertisement(s) s the advertisement(s) you are applying for already in place? Yes No No Not Applicable f Yes to either or both above, please show the existing sign(s) on an elevation drawing or photograph and state the references for the drawing(s) or	
Please describe each of the 'Other type(s)' of advertising proposed Signtype A1 – Entrance Canopy: This signage will feature a projecting red canopy with internally illuminated 'Donmar' lettering, ensuring visibility from both directions along Earlham Street. Designed to provide a clear reference to the theatre entrance, this signage aligns with existing precedents in the area, such as the entrance canopy at Seven Dials Market. Location of Advertisement(s) s the advertisement(s) you are applying for already in place? Yes No Not Applicable If yes to either or both above, please show the existing sign(s) on an elevation drawing or photograph and state the references for the drawing(s) or	
Signtype A1 – Entrance Canopy: This signage will feature a projecting red canopy with internally illuminated 'Donmar' lettering, ensuring visibility from both directions along Earlham Street. Designed to provide a clear reference to the theatre entrance, this signage aligns with existing precedents in the area, such as the entrance canopy at Seven Dials Market. Location of Advertisement(s) s the advertisement(s) you are applying for already in place? Yes No s an existing advertisement(s) to be removed and replaced by the advertisement(s) in this proposal? Yes No No Not Applicable f Yes to either or both above, please show the existing sign(s) on an elevation drawing or photograph and state the references for the drawing(s) or	
visibility from both directions along Earlham Street. Designed to provide a clear reference to the theatre entrance, this signage aligns with existing precedents in the area, such as the entrance canopy at Seven Dials Market. Location of Advertisement(s) s the advertisement(s) you are applying for already in place? Yes No s an existing advertisement(s) to be removed and replaced by the advertisement(s) in this proposal? Yes No No No Not Applicable If yes to either or both above, please show the existing sign(s) on an elevation drawing or photograph and state the references for the drawing(s) or	Please describe each of the 'Other type(s)' of advertising proposed
s the advertisement(s) you are applying for already in place? Yes No No s an existing advertisement(s) to be removed and replaced by the advertisement(s) in this proposal? Yes No No Not Applicable f Yes to either or both above, please show the existing sign(s) on an elevation drawing or photograph and state the references for the drawing(s) or	visibility from both directions along Earlham Street. Designed to provide a clear reference to the theatre entrance, this signage aligns with
s the advertisement(s) you are applying for already in place? Yes No No s an existing advertisement(s) to be removed and replaced by the advertisement(s) in this proposal? Yes No No Not Applicable f Yes to either or both above, please show the existing sign(s) on an elevation drawing or photograph and state the references for the drawing(s) or	
Yes No s an existing advertisement(s) to be removed and replaced by the advertisement(s) in this proposal? Yes No No No Not Applicable f Yes to either or both above, please show the existing sign(s) on an elevation drawing or photograph and state the references for the drawing(s) or	Location of Advertisement(s)
 No s an existing advertisement(s) to be removed and replaced by the advertisement(s) in this proposal? Yes No Not Applicable f Yes to either or both above, please show the existing sign(s) on an elevation drawing or photograph and state the references for the drawing(s) or 	Is the advertisement(s) you are applying for already in place?
Yes No Not Applicable f Yes to either or both above, please show the existing sign(s) on an elevation drawing or photograph and state the references for the drawing(s) or	⊙ No
○ No O Not Applicable f Yes to either or both above, please show the existing sign(s) on an elevation drawing or photograph and state the references for the drawing(s) or	Is an existing advertisement(s) to be removed and replaced by the advertisement(s) in this proposal?
f Yes to either or both above, please show the existing sign(s) on an elevation drawing or photograph and state the references for the drawing(s) or	○No
ontograph(o)	If Yes to either or both above, please show the existing sign(s) on an elevation drawing or photograph and state the references for the drawing(s) or
l e e e e e e e e e e e e e e e e e e e	priocographile)

Warehouse_Advertisement_Consent_Existing Sign for specific photograph reference.	
Will the proposed advertisement(s) project over a footpath or other public highway?	
	_
Advertisement(s) Period Please state the period of time for which consent is sought for the advertisement	
From Date	
31/03/2025	
To Date	
31/03/2030	
	=
Neighbour and Community Consultation	
Have you consulted your neighbours or the local community about the proposal? Or Yes	
⊙ No	
	=
Site Visit	
Can the site be seen from a public road, public footpath, bridleway or other public land?	
 ✓ Yes ◯ No If the planning authority needs to make an appointment to carry out a site visit, whom should they contact? ✓ The agent ◯ The applicant 	
 ✓ Yes ◯ No If the planning authority needs to make an appointment to carry out a site visit, whom should they contact? ✓ The agent 	
 ✓ Yes ◯ No If the planning authority needs to make an appointment to carry out a site visit, whom should they contact? ✓ The agent ◯ The applicant 	
 ✓ Yes ◯ No If the planning authority needs to make an appointment to carry out a site visit, whom should they contact? ✓ The agent ◯ The applicant ◯ Other person Pre-application Advice	
 ✓ Yes ◯ No If the planning authority needs to make an appointment to carry out a site visit, whom should they contact? ✓ The agent ◯ The applicant ◯ Other person 	
 ✓ Yes ◯ No If the planning authority needs to make an appointment to carry out a site visit, whom should they contact? ◯ The agent ◯ The applicant ◯ Other person Pre-application Advice Has assistance or prior advice been sought from the local authority about this application?	_
 ✓ Yes ◯ No If the planning authority needs to make an appointment to carry out a site visit, whom should they contact? ◯ The agent ◯ The applicant ◯ Other person Pre-application Advice Has assistance or prior advice been sought from the local authority about this application? ○ Yes	
 ✓ Yes ◯ No If the planning authority needs to make an appointment to carry out a site visit, whom should they contact? ◯ The agent ◯ The applicant ◯ Other person Pre-application Advice Has assistance or prior advice been sought from the local authority about this application? ○ Yes	
 ✓ Yes ○ No If the planning authority needs to make an appointment to carry out a site visit, whom should they contact? ✓ The agent ✓ The applicant ✓ Other person Pre-application Advice Has assistance or prior advice been sought from the local authority about this application? ✓ Yes ✓ No Interest In the Land Does the applicant own the land or buildings where the adverts are to be placed?	
 ✓ Yes ○ No If the planning authority needs to make an appointment to carry out a site visit, whom should they contact? ✓ The agent ○ The applicant ○ Other person Pre-application Advice Has assistance or prior advice been sought from the local authority about this application? ✓ Yes ✓ No Interest In the Land	

With respect to the Authority, is the applicant and/or agent one of the following:
(a) a member of staff
(b) an elected member
(c) related to a member of staff (d) related to an elected member
(d) related to an elected member
It is an important principle of decision-making that the process is open and transparent.
For the purposes of this question, "related to" means related, by birth or otherwise, closely enough that a fair-minded and informed observer, having considered the facts, would conclude that there was bias on the part of the decision-maker in the Local Planning Authority.
Do any of the above statements apply?
○Yes
⊗ No
Declaration
I/We hereby apply for Consent to display an advertisement as described in the questions answered, details provided, and the accompanying
plans/drawings and additional information.
I/We confirm that, to the best of my/our knowledge, any facts stated are true and accurate and any opinions given are the genuine opinions of
the person(s) giving them. I/We also accept that, in accordance with the Planning Portal's terms and conditions:
- Once submitted, this information will be made available to the Local Planning Authority and, once validated by them, be published as part of
a public register and on the authority's website;
- Our system will automatically generate and send you emails in regard to the submission of this application.
garant and approximation of the contract of th
✓ I / We agree to the outlined declaration
Signed
Timothy Groom
Date
23/02/2025

Authority Employee/Member