

CAMDEN GOODS YARD

A stylized graphic of a building facade, likely the Camden Goods Yard, featuring two rows of arches. The top row consists of five smaller arches, and the bottom row consists of five larger arches. The arches are rendered in a light red color against a darker red background. The text 'CAMDEN GOODS YARD' is written in a light red, sans-serif font, slanted upwards from left to right, positioned above the top row of arches.

CAMDEN GOODS YARD

EIL APPENDIX 5.2

DAYLIGHT AND SUNLIGHT RESULTS

March 2025

BASELINE v PROPOSED

						VSC(WINDOW)				NSL						APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	WINDOW NOTES	EX. %	PR. %	LOSS	LOSS %	EX. %	EX. SQM	PR. %	PR. SQM	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
																ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
61 CHALK FARM ROAD																					
F01	R1	Residential	Unknown	W1/F01		34.3	25.5	8.8	25.7	98.7	11.3	72	8.3	3.1	27	77	27	63	13	18.2	51.9
60 CHALK FARM ROAD																					
F01	R1	Residential	Unknown	W1/F01		35.9	25.9	10	27.9	98.7	11.3	60.8	7	4.3	38.4	79	27	64	12	19	55.6
59 CHALK FARM ROAD																					
F01	R1	Residential	Unknown	W1/F01		29.8	20.4	9.4	31.5	98.2	11.3	50.3	5.8	5.5	48.8	61	20	46	5	24.6	75
57A CHALK FARM ROAD																					
F01	R1	Residential	Unknown	W1/F01		36.8	25.4	11.4	31	96.6	24.9	71.1	18.3	6.6	26.4	84	28	68	12	19	57.1
				W2/F01		36.8	25.3	11.5	31.3							84	28	68	12	19	57.1
F02	R1	Residential	Unknown	W1/F02		37.6	27.4	10.2	27.1	99.2	25.6	87.4	22.5	3	11.9	86	30	73	17	15.1	43.3
				W2/F02		37.6	27.3	10.3	27.4							86	30	74	18	14	40
				W3/F02		37.6	27.1	10.5	27.9							86	30	74	18	14	40
55 CHALK FARM ROAD																					
F01	R1	Residential	Unknown	W1/F01		36	24.2	11.8	32.8	98.7	19.3	44.4	8.7	10.6	55	83	28	62	8	25.3	71.4
				W2/F01		35.8	24.2	11.6	32.4							83	28	61	7	26.5	75
	R2	Residential	Unknown	W3/F01		23.8	15.4	8.4	35.3	98.7	2.9	80	2.3	0.5	18.9	44	16	32	4	27.3	75
F02	R1	Residential	Unknown	W1/F02		37.4	26	11.4	30.5	98.6	19.3	46.9	9.2	10.1	52.5	85	29	69	13	18.8	55.2
				W2/F02		37.4	25.9	11.5	30.7							85	29	67	11	21.2	62.1
	R2	Residential	Unknown	W3/F02		27.1	19.3	7.8	28.8	99.4	2.9	91.8	2.7	0.2	7.7	49	16	40	7	18.4	56.2
52A CHALK FARM ROAD																					
F01	R1	Residential	Unknown	W1/F01		36.1	24.1	12	33.2	96	14.9	42.4	6.6	8.3	55.8	80	26	63	10	21.2	61.5
F02	R1	Residential	Unknown	W1/F02		37.1	25.8	11.3	30.5	95.8	14.8	48.7	7.5	7.3	49.2	82	28	67	13	18.3	53.6
52 CHALK FARM ROAD																					
F01	R1	Residential	Unknown	W1/F01		36	24.2	11.8	32.8	94.6	18	48.6	9.2	8.7	48.7	80	25	64	10	20	60
F02	R1	Residential	Unknown	W1/F02		37	26.1	10.9	29.5	94.8	18	54.5	10.3	7.7	42.6	83	28	69	14	16.9	50
51 CHALK FARM ROAD																					
F01	R1	Residential	Unknown	W1/F01		35	23.8	11.2	32	94.1	15.1	57.5	9.2	5.9	38.9	76	23	61	9	19.7	60.9
F02	R1	Residential	Unknown	W1/F02		36.4	26	10.4	28.6	95.7	15.4	64.6	10.4	5	32.5	82	26	68	12	17.1	53.8
66 GLOUCESTER AVENUE																					
F00	R1	Residential	Unknown	W1/F00		5.8	5.8	0	0	77.9	7	77.9	7	0	0						
	R2	Residential	Unknown	W2/F00		15.8	15.8	0	0	45.5	5.4	45.5	5.4	0	0						
F01	R1	Residential	Unknown	W1/F01		9.1	9.1	0	0	92.8	8.3	92.8	8.3	0	0						
	R2	Residential	Unknown	W2/F01		33.5	32.7	0.8	2.4	99.2	11.8	99.2	11.8	0	0						
F02	R1	Residential	Unknown	W1/F02		12.7	12.5	0.2	1.6	96.4	8.6	96.4	8.6	0	0						
	R2	Residential	Unknown	W2/F02		38.7	36.5	2.2	5.7	99.2	11.8	99.2	11.8	0	0						
F03	R1	Residential	Unknown	W1/F03		33.2	31.9	1.3	3.9	92.6	8.3	92.6	8.3	0	0						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	WINDOW NOTES	VSC(WINDOW)				NSL						APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	EX. SQM	PR. %	PR. SQM	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
																ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER

62 GLOUCESTER AVENUE																					
F00	R1	Residential	Unknown	W1/F00		15.8	15.8	0	0	45.3	5.4	45.3	5.4	0	0						
F01	R1	Residential	Unknown	W1/F01		33.4	32.6	0.8	2.4	99	11.8	99	11.8	0	0						
F02	R1	Residential	Unknown	W1/F02		38.7	36.4	2.3	5.9	99	11.8	99	11.8	0	0						

60 GLOUCESTER AVENUE																					
F00	R1	Residential	Unknown	W1/F00		8	8	0	0	80.2	7.2	80.2	7.2	0	0						
F01	R1	Residential	Unknown	W1/F01		15	14.2	0.8	5.3	96.7	8.7	96.7	8.7	0	0						
F02	R1	Residential	Unknown	W1/F02		36.4	34.1	2.3	6.3	87.8	17.3	87.8	17.3	0	0						
F03	R1	Residential	Unknown	W1/F03		37.8	35.6	2.2	5.8	87.6	17.5	87.6	17.5	0	0						

58 GLOUCESTER AVENUE																					
F00	R1	Residential	Unknown	W1/F00		15.3	15.3	0	0	82.9	7.4	82.9	7.4	0	0						
F01	R1	Residential	Unknown	W1/F01		23.3	22	1.3	5.6	98.6	8.8	98.6	8.8	0	0						
F02	R1	Residential	Unknown	W1/F02		37.9	35.5	2.4	6.3	99.2	8.9	99.2	8.9	0	0						
	R2	Residential	Unknown	W2/F02		37.9	35.5	2.4	6.3	98.2	11.6	98.2	11.6	0	0						
F03	R1	Residential	Unknown	W1/F03		38.7	36.4	2.3	5.9	99.2	8.9	99.2	8.9	0	0						
	R2	Residential	Unknown	W2/F03		38.8	36.5	2.3	5.9	98.2	11.6	98.2	11.6	0	0						

56 GLOUCESTER AVENUE																					
F00	R1	Residential	Unknown	W1/F00		19.4	19.4	0	0	82.5	17.9	82.3	17.9	0	0.2						
				W2/F00		20.8	20.8	0	0												
F01	R2	Residential	Unknown	W1/F01		28.2	27.1	1.1	3.9	98.1	21.3	98.1	21.3	0	0						
				W2/F01		31.4	30.2	1.2	3.8												
F02	R1	Residential	Unknown	W1/F02		33.1	30.7	2.4	7.3	98.4	21.4	98.4	21.4	0	0						
				W2/F02		37.5	34.9	2.6	6.9												
F03	R1	Residential	Unknown	W1/F03		38.6	36.2	2.4	6.2	98.2	21.3	98.2	21.3	0	0						
				W2/F03		38.9	36.5	2.4	6.2												

GILBEYS YARD (BLOCK B)																					
F00	R1	Residential	Unknown	W1/F00		32.8	13.6	19.2	58.5	97.1	11.2	47	5.4	5.8	51.6						
	R2	Residential	Unknown	W2/F00		31.1	12.6	18.5	59.5	100	11	37.1	4.1	6.9	62.9						
	R3	Residential	Unknown	W3/F00		31.2	13.6	17.6	56.4	99.9	11	54.5	6	5	45.5						
	R4	Residential	Unknown	W4/F00		35.4	14.8	20.6	58.2	97.1	6.8	64	4.5	2.3	34.1						
	R5	Residential	Unknown	W5/F00		35.3	14.4	20.9	59.2	98.9	9.2	40.9	3.8	5.4	58.7						
	R6	Residential	Unknown	W6/F00		31.2	13.6	17.6	56.4	99.9	11	40.7	4.5	6.5	59.3						
	R7	Residential	Unknown	W7/F00		31.2	13.6	17.6	56.4	99.9	11	36.4	4	7	63.6						
	R8	Residential	Unknown	W8/F00		35.5	14	21.5	60.6	97.2	6.8	43.3	3	3.8	55.5						
	R9	Residential	Unknown	W9/F00		35.4	14.1	21.3	60.2	99	9.3	29	2.7	6.6	70.7						
	R10	Residential	Unknown	W10/F00		31.2	13.6	17.6	56.4	100	11	28.6	3.2	7.9	71.4						
	R11	Residential	Unknown	W11/F00		31.2	13.6	17.6	56.4	99.9	11	28.4	3.1	7.9	71.6						
	R12	Residential	Unknown	W12/F00		35.3	13.8	21.5	60.9	96.5	6.8	42.3	3	3.8	56.2						
	R13	Residential	Living Room	W13/F00		29.4	11.8	17.6	59.9	98.9	10.8	33.1	3.6	7.2	66.5						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	WINDOW NOTES	VSC(WINDOW)				NSL						APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	EX. SQM	PR. %	PR. SQM	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
																ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
F01	R14	Residential	Bedroom	W14/F00		28.9	12	16.9	58.5	88.8	11	21.1	2.6	8.4	76.2						
	R15	Residential	Living Room	W15/F00		33.2	12.2	21	63.3	100	8.3	37.1	3.1	5.2	62.9						
	R16	Residential	Living Room	W16/F00		30.8	11	19.8	64.3	99.8	7.9	38.5	3.1	4.9	61.4						
	R1	Residential	Unknown	W1/F01		36.5	17.1	19.4	53.2	96.8	11.2	75.1	8.7	2.5	22.4						
	R2	Residential	Unknown	W2/F01		37.3	17.4	19.9	53.4	98	10.8	70	7.7	3.1	28.6						
	R3	Residential	Unknown	W3/F01		37.6	17.3	20.3	54	98.6	10.9	61	6.7	4.1	38.2						
	R4	Residential	Unknown	W4/F01		37.6	17	20.6	54.8	96.3	6.7	73.6	5.2	1.6	23.5						
	R5	Residential	Unknown	W5/F01		37.5	16.7	20.8	55.5	98.2	9.1	49.7	4.6	4.5	49.3						
	R6	Residential	Unknown	W6/F01		37.6	16.5	21.1	56.1	98	10.8	43.6	4.8	6	55.6						
	R7	Residential	Unknown	W7/F01		37.7	16.5	21.2	56.2	98.3	10.8	38.6	4.3	6.6	60.8						
	R8	Residential	Unknown	W8/F01		37.6	16.6	21	55.9	96.4	6.7	60.6	4.2	2.5	37.1						
	R9	Residential	Unknown	W9/F01		37.5	16.7	20.8	55.5	98.2	9.2	40.6	3.8	5.4	58.6						
F02	R10	Residential	Unknown	W10/F01		37.8	16.7	21.1	55.8	98	10.8	36.2	4	6.8	63						
	R11	Residential	Unknown	W11/F01		37.9	16.7	21.2	55.9	98.8	10.9	38.1	4.2	6.7	61.5						
	R12	Residential	Unknown	W12/F01		37.2	16.5	20.7	55.6	95.5	6.7	61.2	4.3	2.4	35.9						
	R14	Residential	Bedroom	W15/F01		30.2	14.2	16	53	88.8	11	31.6	3.9	7.1	64.4						
	R15	Residential	Bedroom	W16/F01		37.9	15.1	22.8	60.2	98.4	8.2	51.5	4.3	3.9	47.7						
	R16	Residential	Bedroom	W17/F01		37.9	13.8	24.1	63.6	98.3	7.8	42.2	3.4	4.5	57.1						
	R1	Residential	Unknown	W1/F02		37.5	18.9	18.6	49.6	96.8	11.2	81.3	9.4	1.8	16						
	R2	Residential	Unknown	W2/F02		38.2	19.4	18.8	49.2	98	10.8	77.8	8.6	2.2	20.6						
	R3	Residential	Unknown	W3/F02		38.4	19.6	18.8	49	98.6	10.9	68.4	7.5	3.3	30.6						
	R4	Residential	Unknown	W4/F02		38.3	19.3	19	49.6	96.3	6.7	81.4	5.7	1	15.4						
	R5	Residential	Unknown	W5/F02		38.2	19.2	19	49.7	98.2	9.1	56.7	5.3	3.9	42.2						
	R6	Residential	Unknown	W6/F02		38.3	19.1	19.2	50.1	98.1	10.8	51.4	5.7	5.1	47.6						
F03	R7	Residential	Unknown	W7/F02		38.4	19.2	19.2	50	98.3	10.8	47.3	5.2	5.6	51.9						
	R8	Residential	Unknown	W8/F02		38.2	19.3	18.9	49.5	96.4	6.7	74.7	5.2	1.5	22.5						
	R9	Residential	Unknown	W9/F02		38.1	19.4	18.7	49.1	98.2	9.2	51.1	4.8	4.4	48						
	R10	Residential	Unknown	W10/F02		38.4	19.5	18.9	49.2	98.1	10.8	47.3	5.2	5.6	51.8						
	R11	Residential	Unknown	W11/F02		38.5	19.5	19	49.4	98.8	10.9	46.7	5.1	5.7	52.8						
	R12	Residential	Unknown	W12/F02		37.8	19.2	18.6	49.2	95.3	6.7	75.4	5.3	1.4	20.9						
	R14	Residential	Bedroom	W15/F02		31.1	16.6	14.5	46.6	88.9	11	41.5	5.1	5.9	53.4						
	R15	Residential	Bedroom	W16/F02		38.5	17.8	20.7	53.8	98.4	8.2	63.2	5.2	2.9	35.8						
	R16	Residential	Bedroom	W17/F02		38.5	16.3	22.2	57.7	98.3	7.8	53.3	4.2	3.6	45.8						
	R1	Residential	Unknown	W1/F03		38.3	20.7	17.6	46	96.4	11.2	85	9.8	1.3	11.9						
	R2	Residential	Unknown	W2/F03		38.9	21.3	17.6	45.2	97.9	10.8	84.5	9.3	1.5	13.7						
	R3	Residential	Unknown	W3/F03		39.1	21.6	17.5	44.8	98.6	10.9	76.5	8.4	2.4	22.4						
	R4	Residential	Unknown	W4/F03		38.9	21.6	17.3	44.5	96.5	6.8	94.6	6.6	0.1	2						
	R5	Residential	Unknown	W5/F03		38.8	21.6	17.2	44.3	98.4	9.2	70.6	6.6	2.6	28.2						
	R6	Residential	Unknown	W6/F03		38.9	21.6	17.3	44.5	98.1	10.8	64.5	7.1	3.7	34.3						
	R7	Residential	Unknown	W7/F03		39	21.8	17.2	44.1	98.2	10.8	63.6	7	3.8	35.2						
	R8	Residential	Unknown	W8/F03		38.8	22	16.8	43.3	96.8	6.8	95.6	6.7	0.1	1.3						
	R9	Residential	Unknown	W9/F03		38.7	22	16.7	43.2	98.7	9.2	67.6	6.3	2.9	31.5						
	R10	Residential	Unknown	W10/F03		38.9	22.1	16.8	43.2	98.1	10.8	64.3	7.1	3.7	34.5						
	R11	Residential	Unknown	W11/F03		39	22.2	16.8	43.1	98.8	10.9	59.5	6.6	4.3	39.7						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	WINDOW NOTES	VSC(WINDOW)				NSL						APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	EX. SQM	PR. %	PR. SQM	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
																ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R12	Residential	Unknown	W12/F03		38.4	22	16.4	42.7	95.2	6.7	93.3	6.5	0.1	2.1						
	R14	Residential	Bedroom	W15/F03		33.5	20.4	13.1	39.1	92.6	11.4	54.9	6.8	4.7	40.7						
	R15	Residential	Bedroom	W16/F03		39	20.6	18.4	47.2	98.4	8.2	81	6.7	1.4	17.6						
	R16	Residential	Bedroom	W17/F03		39	19	20	51.3	97.9	7.8	70.4	5.6	2.2	28.1						
GILBEYS YARD (BLOCK A)																					
F00	R1	Residential	Unknown	W2/F00		27.8	20.5	7.3	26.3	94.2	10.6	51.3	5.7	4.8	45.6						
	R2	Residential	Living Room	W3/F00		28.1	19.5	8.6	30.6	72.1	12	39.6	6.6	5.4	45.1						
	R3	Residential	Living Room	W4/F00		29	19.2	9.8	33.8	82.6	13.7	37.9	6.3	7.4	54.2						
	R4	Residential	Living Room	W5/F00		27.2	16.9	10.3	37.9	91.5	18.1	43.6	8.6	9.5	52.4						
	R5	Residential	Living Room	W6/F00		30.4	19	11.4	37.5	90.5	17.9	43.5	8.6	9.3	52						
	R6	Residential	Living Room	W7/F00		30.9	18.4	12.5	40.5	83	16.4	39.1	7.7	8.7	52.9						
	R7	Residential	Living Room	W8/F00		31.3	17.7	13.6	43.5	94	18.6	39.6	7.8	10.7	57.8						
	R8	Residential	Living Room	W9/F00		31.7	17.2	14.5	45.7	86.5	17.1	36.3	7.2	9.9	58.1						
	R9	Residential	Living Room	W10/F00		32.1	16.7	15.4	48	96.7	19.1	37.9	7.5	11.6	60.8						
	R10	Residential	Living Room	W11/F00		32.4	16.2	16.2	50	89.7	17.7	34.5	6.8	10.9	61.5						
	R11	Residential	Living Room	W12/F00		32.6	15.7	16.9	51.8	96.4	19.1	37.4	7.4	11.7	61.2						
	R12	Residential	Living Room	W13/F00		32.7	15.2	17.5	53.5	92.7	18.3	42.6	8.4	9.9	54.1						
	R13	Residential	Living Room	W14/F00		30.2	13	17.2	57	95.7	18.9	68.6	13.6	5.3	28.3						
	R14	Residential	Living Room	W15/F00		32.4	13.9	18.5	57.1	99.3	16.5	70.6	11.7	4.8	28.9						
	R15	Residential	Living Room	W16/F00		30	10.9	19.1	63.7	97.9	16.3	55.2	9.2	7.1	43.6						
	R16	Residential	Bedroom	W18/F00		33.1	14.3	18.8	56.8	97.5	14.8	48.4	7.3	7.4	50.3						
	R17	Residential	Kitchen-Resi***	W19/F00		17.2	11.7	5.5	32	72	5.4	29.8	2.3	3.2	58.6						
	R18	Residential	Kitchen-Resi***	W20/F00		24.1	7.2	16.9	70.1	86.9	7.3	16.8	1.4	5.9	80.6						
	R19	Residential	Bedroom	W17/F00		33.2	13	20.2	60.8	97.8	14.8	44.5	6.7	8.1	54.5						
	R20	Residential	Bedroom	W1/F00		28.2	21.2	7	24.8	94.7	10.6	46	5.2	5.5	51.4						
F01	R1	Residential	Unknown	W2/F01		32.8	23.9	8.9	27.1	96.4	10.8	91.6	10.3	0.5	5						
	R2	Residential	Bedroom	W3/F01		34.3	23.6	10.7	31.2	94	9	91.1	8.7	0.3	3						
	R3	Residential	Bedroom	W4/F01		34.7	23.3	11.4	32.9	94.7	9	79.3	7.6	1.5	16.2						
	R4	Residential	Bedroom	W5/F01		31.8	20.5	11.3	35.5	81.4	9.2	74.3	8.4	0.8	8.7						
				W6/F01		34.5	22.5	12	34.8												
	R7	Residential	Bedroom	W7/F01		35.1	22.7	12.4	35.3	80.7	9.1	79.3	9	0.2	1.7						
				W8/F01		34.8	22.3	12.5	35.9												
	R8	Residential	Bedroom	W9/F01		35	21.3	13.7	39.1	73.5	8.3	67.7	7.7	0.7	7.9						
				W10/F01		35.4	21.3	14.1	39.8												
	R9	Residential	Kitchen-Resi***	W29/F01		21.5	13	8.5	39.5	74.6	5.6	28.7	2.2	3.5	61.6						
	R10	Residential	Kitchen-Resi***	W30/F01		26.1	7.8	18.3	70.1	95.1	8	17.9	1.5	6.5	81.1						
	R11	Residential	Bedroom	W11/F01		35.4	20.9	14.5	41	83.4	9.5	77.8	8.8	0.6	6.8						
				W12/F01		35.1	20.4	14.7	41.9												
	R12	Residential	Bedroom	W13/F01		35.3	19.7	15.6	44.2	76.5	8.7	66.8	7.6	1.1	12.6						
				W14/F01		35.7	19.8	15.9	44.5												
	R13	Residential	Bedroom	W27/F01		37	14.2	22.8	61.6	97.2	14.7	48.8	7.4	7.3	49.8						
	R14	Residential	Bedroom	W1/F01		33.5	25	8.5	25.4	96.3	10.8	83	9.3	1.5	13.8						
	R15	Residential	Bedroom	W15/F01		35.8	19.4	16.4	45.8	85	9.6	77.1	8.7	0.9	9.2						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	WINDOW NOTES	VSC(WINDOW)				NSL						APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	EX. SQM	PR. %	PR. SQM	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
																ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W16/F01		35.5	19	16.5	46.5												
	R16	Residential	Bedroom	W17/F01		35.7	18.3	17.4	48.7	79.4	9	66.4	7.5	15	16.4						
				W18/F01		36	18.4	17.6	48.9												
	R19	Residential	Bedroom	W19/F01		36	18	18	50	85	9.6	79.9	9.1	0.6	6						
				W20/F01		35.8	17.6	18.2	50.8												
	R20	Residential	Bedroom	W21/F01		35.8	17	18.8	52.5	82.1	9.3	70.3	8	1.3	14.4						
				W22/F01		36	16.9	19.1	53.1												
	R23	Residential	Bedroom	W23/F01		35.3	16.2	19.1	54.1	83.1	9.4	75	8.5	0.9	9.8						
				W24/F01		33.3	14.7	18.6	55.9												
	R24	Residential	Bedroom	W25/F01		36	15.6	20.4	56.7	94.1	9	74.1	7.1	19	21.3						
	R25	Residential	Bedroom	W26/F01		33.6	12.3	21.3	63.4	89.4	8.5	67.8	6.5	2.1	24.1						
	R26	Residential	Bedroom	W28/F01		37.2	15.7	21.5	57.8	97.4	14.8	55.5	8.4	6.4	43						
F02	R1	Residential	Bedroom	W2/F02		36.8	27	9.8	26.6	97.8	11	95.3	10.7	0.3	2.5						
	R2	Residential	Bedroom	W3/F02		38	26.8	11.2	29.5	92.3	8.8	91.9	8.8	0	0.4						
	R3	Residential	Bedroom	W4/F02		38.2	26.3	11.9	31.2	93	8.9	92.8	8.9	0	0.2						
	R4	Residential	Bedroom	W5/F02		31.7	20.1	11.6	36.6	79.5	9	74.7	8.5	0.5	6						
	R5	Residential	Bedroom	W6/F02		33.2	20.2	13	39.2	79.2	9	74.9	8.5	0.5	5.4						
	R6	Residential	Bedroom	W7/F02		33.2	19.2	14	42.2	72	8.2	69.1	7.8	0.3	4.1						
	R7	Residential	Bedroom	W8/F02		33.2	18.3	14.9	44.9	81.9	9.3	72.5	8.2	1.1	11.5						
	R8	Residential	Bedroom	W9/F02		33.3	17.5	15.8	47.4	74.9	8.5	67.5	7.7	0.8	9.9						
	R9	Residential	Bedroom	W10/F02		33.4	16.7	16.7	50	83.4	9.5	68.6	7.8	1.7	17.8						
	R10	Residential	Bedroom	W11/F02		33.4	15.9	17.5	52.4	77.8	8.8	64.8	7.4	1.5	16.8						
	R11	Residential	Bedroom	W12/F02		33.5	15	18.5	55.2	83.4	9.5	68.4	7.8	1.7	18						
	R12	Residential	Bedroom	W13/F02		33.4	14.1	19.3	57.8	80.5	9.1	66.1	7.5	1.6	17.8						
	R13	Residential	Bedroom	W14/F02		32.1	13.1	19	59.2	82.2	9.3	67	7.6	1.7	18.6						
	R14	Residential	Bedroom	W15/F02		38	17.1	20.9	55	92.5	8.8	76.2	7.3	1.5	17.6						
	R15	Residential	Bedroom	W16/F02		35.9	14	21.9	61	90.1	8.6	72.1	6.9	1.7	19.9						
	R16	Residential	Bedroom	W18/F02		38.4	16.9	21.5	56	98.6	14.9	54.3	8.2	6.7	44.9						
	R17	Residential	Kitchen-Resi***	W29/F02		22.2	14.2	8	36	75.3	5.7	27.3	2.1	3.6	63.7						
	R18	Residential	Kitchen-Resi***	W30/F02		27.9	8.9	19	68.1	95.1	8	20.8	1.8	6.2	78.1						
	R19	Residential	Bedroom	W17/F02		38.4	15.2	23.2	60.4	98	14.8	48.2	7.3	7.5	50.9						
	R20	Residential	Bedroom	W1/F02		37.2	27.7	9.5	25.5	97.5	10.9	87.9	9.8	1.1	9.9						
F03	R1	Residential	Bedroom	W2/F03		39	29.5	9.5	24.4	97.4	10.9	96.1	10.8	0.1	1.3						
	R2	Residential	Bedroom	W4/F03		39.2	18	21.2	54.1	98.1	14.9	58.3	8.8	6	40.6						
	R17	Residential	Kitchen-Resi***	W29/F03		23.9	16.2	7.7	32.2	76.5	5.8	37.4	2.8	3	51.1						
	R18	Residential	Kitchen-Resi***	W30/F03		30.6	11.6	19	62.1	95.6	8	23.3	2	6.1	75.6						
	R19	Residential	Bedroom	W3/F03		39.2	16.3	22.9	58.4	98	14.8	52	7.9	7	47						
	R21	Residential	Bedroom	W1/F03		38.9	29.8	9.1	23.4	97.1	10.9	90.7	10.2	0.7	6.6						
54-64 JUNIPER CRESCENT																					
F00	R1	Residential	Unknown	W1/F00		35.9	27.1	8.8	24.5	93.4	6.5	91.4	6.4	0.1	2.1						
				W2/F00		35.8	26.6	9.2	25.7												
	R2	Residential	Unknown	W3/F00		33.3	24	9.3	27.9	91.2	3.6	72.6	2.9	0.7	20.4						
	R5	Residential	Unknown	W6/F00		34.6	17.9	16.7	48.3	90.8	3.6	57.1	2.3	1.4	37.2						

						VSC(WINDOW)				NSL						APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	WINDOW NOTES	EX. %	PR. %	LOSS	LOSS %	EX. %	EX. SQM	PR. %	PR. SQM	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
																ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R6	Residential	Unknown	W7/F00		36.7	19.2	17.5	47.7	93.6	6.6	61.2	4.3	2.3	34.6						
				W8/F00		36.9	19.1	17.8	48.2												
F01	R1	Residential	Unknown	W1/F01		36.7	28.7	8	21.8	93.4	6.5	92.3	6.5	0.1	1.2						
				W2/F01		36.7	28.2	8.5	23.2												
	R2	Residential	Unknown	W3/F01		34.1	25.5	8.6	25.2	91.2	3.6	76	3	0.6	16.6						
	R5	Residential	Unknown	W6/F01		35.3	19.8	15.5	43.9	90.8	3.6	62.9	2.5	11	30.8						
	R6	Residential	Unknown	W7/F01		37.4	21.2	16.2	43.3	93.6	6.6	65.7	4.6	2	29.8						
				W8/F01		37.6	21.1	16.5	43.9												
F02	R1	Residential	Unknown	W1/F02		37.6	30.5	7.1	18.9	93.4	6.5	93.2	6.5	0	0.2						
				W2/F02		37.5	30	7.5	20												
	R2	Residential	Unknown	W3/F02		34.9	27.2	7.7	22.1	91.2	3.6	82.1	3.3	0.4	10						
	R5	Residential	Unknown	W6/F02		35.9	22	13.9	38.7	90.8	3.6	71.4	2.9	0.8	21.4						
	R6	Residential	Unknown	W7/F02		38.1	23.5	14.6	38.3	93.6	6.6	73.3	5.1	1.4	21.7						
				W8/F02		38.3	23.4	14.9	38.9												
F03	R1	Residential	Unknown	W1/F03		38.4	32.3	6.1	15.9	93.4	6.5	93.4	6.5	0	0						
				W2/F03		38.3	31.9	6.4	16.7												
	R2	Residential	Unknown	W3/F03		36.2	29.7	6.5	18	92.2	3.7	88.8	3.6	0.1	3.7						
	R3	Residential	Unknown	W4/F03		37	24.9	12.1	32.7	91.5	3.7	82.4	3.3	0.4	9.9						
	R4	Residential	Unknown	W5/F03		38.7	26.1	12.6	32.6	93.6	6.6	83.2	5.8	0.7	11.1						
				W6/F03		38.8	26	12.8	33												
65 JUNIPER CRESCENT																					
F00	R1	Residential	Unknown	W1/F00		37	18.7	18.3	49.5	93.8	8.6	32.6	3	5.6	65.3						
F02	R1	Residential	Unknown	W1/F02		34.1	18.7	15.4	45.2	92.7	8.5	39.4	3.6	4.9	57.5						
66 JUNIPER CRESCENT																					
F00	R2	Residential	Unknown	W2/F00		37.3	17.8	19.5	52.3	93.5	8.5	22.5	2.1	6.5	76						
F02	R1	Residential	Unknown	W1/F02		34	17.7	16.3	47.9	92.3	8.4	30.1	2.8	5.7	67.3						
67 JUNIPER CRESCENT																					
F00	R1	Residential	Unknown	W1/F00		37.3	17.8	19.5	52.3	93.3	8.4	23.7	2.1	6.3	74.6						
F02	R1	Residential	Unknown	W1/F02		34	17.6	16.4	48.2	93.2	8.4	33.7	3	5.3	63.8						
68 JUNIPER CRESCENT																					
F00	R2	Residential	Unknown	W2/F00		37.4	18	19.4	51.9	93.5	8.6	27.5	2.5	6	70.5						
F02	R1	Residential	Unknown	W1/F02		34.1	17.9	16.2	47.5	92.4	8.4	35.4	3.2	5.2	61.7						
69-78 JUNIPER CRESCENT																					
F00	R1	Residential	Kitchen-Resi***	W1/F00		37.3	18.3	19	50.9	80.1	4.9	56.1	3.4	15	30						
	R3	Residential	Bedroom	W3/F00		37.3	18.7	18.6	49.9	89.3	6	28.4	1.9	4.1	68.2						
	R4	Residential	Bedroom	W4/F00		37.5	20	17.5	46.7	94.6	10.6	57.1	6.4	4.2	39.6						
	R5	Residential	Living Room	W5/F00		36.5	21.8	14.7	40.3	100	30.8	99.8	30.8	0.1	0.2	13	0	13	0	0	0
				W6/F00		36.8	29.1	7.7	20.9							33	6	31	4	6.1	33.3
				W7/F00		36.4	30.5	5.9	16.2							59	19	48	8	18.6	57.9

						VSC(WINDOW)				NSL						APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	WINDOW NOTES	EX. %	PR. %	LOSS	LOSS %	EX. %	EX. SQM	PR. %	PR. SQM	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
																ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W8/F00		31.7	23.3	8.4	26.5							59	20	47	8	20.3	60
	R6	Residential	Bedroom	W9/F00		36.6	26.2	10.4	28.4	94.8	10.6	79.6	8.9	1.7	16	75	25	56	8	25.3	68
	R7	Residential	Bedroom	W10/F00		36	24.7	11.3	31.4	97.5	6.5	75.7	5.1	1.5	22.4	73	26	51	6	30.1	76.9
	R9	Residential	Living Room	W12/F00		27.1	16.4	10.7	39.5	98.8	16.1	54.8	9	7.2	44.5	57	21	38	5	33.3	76.2
F01	R1	Residential	Kitchen-Resi***	W1/F01		37.8	20.1	17.7	46.8	80.1	4.9	62.4	3.8	1.1	22.1						
	R3	Residential	Bedroom	W3/F01		37.8	20.5	17.3	45.8	89.1	6	34.4	2.3	3.7	61.4						
	R4	Residential	Bedroom	W4/F01		38.1	22	16.1	42.3	94.6	10.6	62.5	7	3.6	33.9						
	R5	Residential	Living Room	W5/F01		37.2	23.7	13.5	36.3	100	30.8	99.8	30.8	0.1	0.2	13	0	13	0	0	0
				W6/F01		37.7	30.7	7	18.6							34	6	32	4	5.9	33.3
				W7/F01		37.3	31.7	5.6	15							59	19	49	9	16.9	52.6
				W8/F01		32.1	24	8.1	25.2							58	20	47	9	19	55
	R6	Residential	Bedroom	W9/F01		37.6	27.3	10.3	27.4	94.8	10.6	80.8	9	1.6	14.7	76	26	58	9	23.7	65.4
	R7	Residential	Bedroom	W10/F01		37.1	26.1	11	29.6	97.5	6.5	77.8	5.2	1.3	20.2	72	25	53	7	26.4	72
	R9	Residential	Living Room	W12/F01		28.6	16.8	11.8	41.3	98.8	16.1	59.3	9.7	6.5	40	60	26	40	8	33.3	69.2
F02	R1	Residential	Kitchen-Resi***	W1/F02		34.1	18.2	15.9	46.6	78.4	4.8	64.9	4	0.8	17.3						
	R3	Residential	Bedroom	W3/F02		34.1	18.5	15.6	45.7	87.7	5.9	41.2	2.8	3.1	53.1						
	R4	Residential	Bedroom	W4/F02		38.7	24.1	14.6	37.7	94.6	10.6	70.2	7.8	2.7	25.8						
	R5	Residential	Living Room	W5/F02		37.8	25.8	12	31.7	100	30.8	99.8	30.8	0.1	0.2	13	0	13	0	0	0
				W6/F02		38.4	32.2	6.2	16.1							34	6	32	4	5.9	33.3
				W7/F02		38	32.9	5.1	13.4							59	19	51	11	13.6	42.1
				W8/F02		32.7	25.1	7.6	23.2							58	20	49	11	15.5	45
	R6	Residential	Bedroom	W9/F02		38.2	28.5	9.7	25.4	94.8	10.6	82.4	9.2	1.4	13.1	75	25	61	11	18.7	56
	R7	Residential	Bedroom	W7/F03*		78.7	70.5	8.2	10.4	100	6.7	100	6.7	0	0	89	28	72	12	19.1	57.1
				W10/F02		32.7	22.4	10.3	31.5							62	24	46	8	25.8	66.7
	R9	Residential	Living Room	W12/F02		36.1	24.6	11.5	31.9	98.8	16.1	60.7	9.9	6.2	38.6	70	25	50	8	28.6	68
F03	R1	Residential	Bedroom	W1/F03		39.2	26.7	12.5	31.9	93.9	10.5	84.9	9.5	1	9.6						
	R2	Residential	Living Room	W2/F03		38.4	28.1	10.3	26.8	100	30.8	99.9	30.8	0	0.1	13	0	13	0	0	0
				W3/F03		39	33.7	5.3	13.6							54	6	32	4	5.9	33.3
				W4/F03		38.7	33.9	4.8	12.4							59	19	53	13	10.2	31.6
				W5/F03		35.9	28.8	7.1	19.8							60	20	52	12	13.3	40
	R3	Residential	Bedroom	W6/F03		38.8	29.7	9.1	23.5	94.1	10.5	92.1	10.3	0.2	2.1	76	26	63	13	17.1	50
79 JUNIPER CRESCENT																					
F00	R1	Residential	Kitchen-Resi	W1/F00		33.3	21.2	12.1	36.3	98.8	13.6	69.1	9.5	4.1	30.1	69	24	42	4	39.1	83.3
F01	R1	Residential	Bedroom	W1/F01		37	24.4	12.6	34.1	96.6	10.8	70.5	7.9	2.9	27	73	26	47	5	35.6	80.8
F02	R1	Residential	Bedroom	W1/F02		31.4	19.7	11.7	37.3	100	11.2	100	11.2	0	0	60	24	42	7	30	70.8
				W2/F02*		91.3	81.4	9.9	10.8							92	28	71	9	22.8	67.9
80 JUNIPER CRESCENT																					
F00	R1	Residential	Kitchen-Resi	W1/F00		33.3	20.1	13.2	39.6	99	13.6	67.1	9.2	4.4	32.2	71	25	44	5	38	80
F01	R1	Residential	Bedroom	W1/F01		37.3	23.6	13.7	36.7	97.3	10.9	68.5	7.6	3.2	29.6	77	27	51	7	33.8	74.1
F02	R1	Residential	Bedroom	W1/F02		31.4	18.7	12.7	40.4	100	11.2	100	11.2	0	0	63	25	42	6	33.3	76
				W2/F02*		91.4	80.5	10.9	11.9							91	27	70	9	23.1	66.7

						VSC(WINDOW)				NSL						APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	WINDOW NOTES	EX. %	PR. %	LOSS	LOSS %	EX. %	EX. SQM	PR. %	PR. SQM	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
																ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
81 JUNIPER CRESCENT																					
F00	R1	Residential	Kitchen-Resi	W1/F00		32.9	19.1	13.8	41.9	98.8	13.6	65.4	9	4.6	33.8	70	25	41	6	41.4	76
F01	R1	Residential	Bedroom	W1/F01		37.3	22.7	14.6	39.1	96.7	10.8	67.3	7.5	3.3	30.4	78	27	51	8	34.6	70.4
F02	R1	Residential	Bedroom	W1/F02		31.4	17.6	13.8	43.9	100	11.2	100	11.2	0	0	63	25	43	7	31.7	72
				W2/F02*		91.3	79.5	11.8	12.9							91	27	69	9	24.2	66.7
82 JUNIPER CRESCENT																					
F00	R1	Residential	Kitchen-Resi	W1/F00		33.5	18.5	15	44.8	99.1	13.6	64.3	8.8	4.8	35.1	70	25	38	5	45.7	80
F01	R1	Residential	Bedroom	W1/F01		37.2	21.4	15.8	42.5	97.4	10.9	66.9	7.5	3.4	31.3	76	26	46	6	39.5	76.9
F02	R1	Residential	Bedroom	W1/F02		31.4	16.3	15.1	48.1	100	11.1	100	11.1	0	0	64	25	39	6	39.1	76
				W2/F02*		90.8	78	12.8	14.1							91	27	64	8	29.7	70.4
83 JUNIPER CRESCENT																					
F00	R1	Residential	Kitchen-Resi	W1/F00		33.4	17.6	15.8	47.3	98.4	13.5	63.1	8.7	4.9	35.9	67	24	32	3	52.2	87.5
F01	R1	Residential	Bedroom	W1/F01		36.8	20.1	16.7	45.4	96.5	10.8	63.4	7.1	3.7	34.3	73	25	42	5	42.5	80
F02	R1	Residential	Bedroom	W1/F02*		88.8	75	13.8	15.5	100	11.2	98.7	11	0.1	1.3	80	23	55	4	31.2	82.6
				W2/F02		31.3	15.3	16	51.1							63	25	37	5	41.3	80
84 JUNIPER CRESCENT																					
F00	R1	Residential	Kitchen-Resi	W1/F00		28.9	14.9	14	48.4	96.7	13.3	59.3	8.2	5.1	38.6	54	20	26	3	51.9	85
F01	R1	Residential	Bedroom	W1/F01		32.4	17.1	15.3	47.2	92.6	10.3	59	6.6	3.7	36.3	59	20	33	3	44.1	85
F02	R1	Residential	Bedroom	W1/F02		28.2	13.4	14.8	52.5	96.8	10.8	92.2	10.3	0.5	4.7	58	20	33	3	43.1	85
				W2/F02*		73.1	62.7	10.4	14.2							56	16	38	4	32.1	75
85-92 JUNIPER CRESCENT																					
F00	R1	Residential	Bedroom	W1/F00		36.5	17.9	18.6	51	98.9	13.5	62.6	8.5	4.9	36.7	81	27	44	6	45.7	77.8
	R2	Residential	Bedroom	W2/F00		34.8	16.5	18.3	52.6	98.9	11.5	66.4	7.7	3.8	32.9	76	25	41	5	46.1	80
	R3	Residential	Bedroom	W3/F00		34.7	16.1	18.6	53.6	98.9	11.4	73.9	8.5	2.9	25.3	71	24	35	5	50.7	79.2
	R4	Residential	Bedroom	W4/F00		36.2	17	19.2	53	98.9	13.5	64.4	8.8	4.7	34.9	80	26	43	6	46.2	76.9
F01	R1	Residential	Bedroom	W1/F01		37.7	18.9	18.8	49.9	99	13.5	62	8.4	5	37.3	81	27	47	6	42	77.8
	R2	Residential	Bedroom	W2/F01		36.7	17.7	19	51.8	99	11.5	66.1	7.7	3.8	33.2	78	27	45	7	42.3	74.1
	R3	Residential	Bedroom	W3/F01		36.4	17.2	19.2	52.7	99	11.4	73.2	8.4	3	26	71	24	36	5	49.3	79.2
	R4	Residential	Bedroom	W4/F01		37.7	18.1	19.6	52	98.9	13.5	63.9	8.7	4.8	35.4	81	27	45	7	44.4	74.1
F02	R1	Residential	Bedroom	W1/F02		38.3	20	18.3	47.8	99	13.5	67.4	9.2	4.3	31.9	82	28	49	6	40.2	78.6
	R2	Residential	Bedroom	W2/F02		37.3	18.7	18.6	49.9	99	11.5	69.6	8.1	3.4	29.7	78	27	46	7	41	74.1
	R3	Residential	Bedroom	W3/F02		37	18.1	18.9	51.1	99	11.4	78.1	9	2.4	21.1	71	24	39	5	45.1	79.2
	R4	Residential	Bedroom	W4/F02		38.3	18.9	19.4	50.7	98.9	13.5	67.7	9.2	4.3	31.6	81	27	48	7	40.7	74.1
F03	R1	Residential	Bedroom	W1/F03		38.7	21	17.7	45.7	99	13.5	71.2	9.7	3.8	28	82	28	51	7	37.8	75
	R2	Residential	Bedroom	W2/F03		37.8	19.8	18	47.6	99	11.5	72.6	8.5	3.1	26.6	79	28	49	8	38	71.4
	R3	Residential	Bedroom	W3/F03		37.6	19.2	18.4	48.9	98.9	11.4	81.2	9.3	2	17.9	72	25	41	5	43.1	80
	R4	Residential	Bedroom	W4/F03		38.8	19.8	19	49	98.9	13.5	70.1	9.6	3.9	29.1	82	28	48	7	41.5	75
93-100 JUNIPER CRESCENT																					
F00	R1	Residential	Bedroom	W1/F00		35.4	14.8	20.6	58.2	98.9	13.4	40.4	5.5	7.9	59.1	83	27	45	8	45.8	70.4

						VSC(WINDOW)				NSL						APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	WINDOW NOTES	EX. %	PR. %	LOSS	LOSS %	EX. %	EX. SQM	PR. %	PR. SQM	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
																ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R2	Residential	Bedroom	W2/F00		31	11.6	19.4	62.6	98.9	11.7	50.3	5.9	5.7	49.1	65	18	30	1	53.8	94.4
	R3	Residential	Bedroom	W3/F00		31.9	14.9	17	53.3	98.8	11.4	52.6	6	5.3	46.8	67	24	34	7	49.3	70.8
	R4	Residential	Bedroom	W4/F00		34.5	15.6	18.9	54.8	98.8	13.7	56.7	7.9	5.8	42.6	81	24	44	6	45.7	75
F01	R1	Residential	Bedroom	W1/F01		37.8	15.7	22.1	58.5	98.9	13.4	42.6	5.8	7.6	57	89	30	50	9	43.8	70
	R2	Residential	Bedroom	W2/F01		37.1	16.1	21	56.6	99.1	11.7	52.9	6.2	5.4	46.6	80	28	42	8	47.5	71.4
	R3	Residential	Bedroom	W3/F01		36.7	16.4	20.3	55.3	99	11.4	54.6	6.3	5.1	44.8	79	28	41	8	48.1	71.4
	R4	Residential	Bedroom	W4/F01		37.9	18.6	19.3	50.9	98.9	13.7	58.8	8.1	5.6	40.6	89	30	52	12	41.6	60
F02	R1	Residential	Bedroom	W1/F02		38.3	16.6	21.7	56.7	98.6	13.4	47.8	6.5	6.9	51.5	89	30	52	9	41.6	70
	R2	Residential	Bedroom	W2/F02		37.6	17	20.6	54.8	98.8	11.7	60.5	7.1	4.5	38.8	80	28	42	8	47.5	71.4
	R3	Residential	Bedroom	W3/F02		37.2	17.3	19.9	53.5	98.7	11.3	65.8	7.6	3.8	33.3	79	28	42	8	46.8	71.4
	R4	Residential	Bedroom	W4/F02		38.4	19.5	18.9	49.2	98.7	13.7	69.3	9.6	4.1	29.7	89	30	53	13	40.4	56.7
F03	R1	Residential	Bedroom	W1/F03		38.8	17.4	21.4	55.2	98.6	13.4	53.9	7.3	6.1	45.3	89	30	53	10	40.4	66.7
	R2	Residential	Bedroom	W2/F03		38.2	18	20.2	52.9	98.8	11.7	70.4	8.3	3.4	28.8	82	28	45	8	45.1	71.4
	R3	Residential	Bedroom	W3/F03		37.7	18.3	19.4	51.5	98.7	11.3	75.3	8.6	2.7	23.8	79	28	43	8	45.6	71.4
	R4	Residential	Bedroom	W4/F03		38.8	20.4	18.4	47.4	98.7	13.7	75.4	10.4	3.2	23.6	89	30	57	13	36	56.7
101 JUNIPER CRESCENT																					
F00	R1**	Residential	Living Room	W1/F00		32.5	16	16.5	50.8	99	23.5	55.9	13.3	10.2	43.5	70	21	40	7	42.9	66.7
F01	R1	Residential	Bedroom	W1/F01		34.3	17.4	16.9	49.3	91.5	9.6	75.5	7.9	1.7	17.5	77	30	48	15	37.7	50
F02	R1	Residential	Bedroom	W1/F02		31	14.5	16.5	53.2	97	10.2	95.7	10.1	0.1	1.3	68	30	40	15	41.2	50
				W2/F02*		75.4	62.5	12.9	17.1							77	28	55	15	28.6	46.4
102 JUNIPER CRESCENT																					
F00	R1**	Residential	Living Room	W1/F00		32.1	17.3	14.8	46.1	99	23.5	64.8	15.4	8.1	34.6	70	20	37	5	47.1	75
F01	R1	Residential	Bedroom	W1/F01		37.4	21.2	16.2	43.3	95.1	9.9	85	8.9	1.1	10.6	85	30	54	15	36.5	50
F02	R1	Residential	Bedroom	W1/F02		33.2	17.4	15.8	47.6	100	10.4	99.9	10.4	0	0.1	77	30	46	15	40.3	50
				W2/F02*		89.4	75.1	14.3	16							94	30	66	16	29.8	46.7
103 JUNIPER CRESCENT																					
F00	R1**	Residential	Living Room	W1/F00		28.5	18.3	10.2	35.8	99.1	23.5	72.9	17.3	6.2	26.5	64	16	42	8	34.4	50
F01	R1	Residential	Bedroom	W1/F01		37.7	22.9	14.8	39.3	95.1	9.9	86.7	9	0.9	8.9	86	30	58	17	32.6	43.3
F02	R1	Residential	Bedroom	W1/F02*		91	77.9	13.1	14.4	100	10.4	100	10.4	0	0	94	30	68	17	27.7	43.3
				W2/F02		33.2	18.9	14.3	43.1							79	30	52	17	34.2	43.3
104 JUNIPER CRESCENT																					
F00	R1**	Residential	Living Room	W1/F00		25.4	14.5	10.9	42.9	99	23.5	74.7	17.7	5.8	24.5	57	13	34	3	40.4	76.9
F01	R1	Residential	Bedroom	W1/F01		37.7	24.7	13	34.5	94.9	9.9	86.4	9	0.9	9	87	30	60	17	31	43.3
F02	R1	Residential	Bedroom	W1/F02		33.2	20.8	12.4	37.3	100	10.4	100	10.4	0	0	77	30	53	17	31.2	43.3
				W2/F02*		91.3	79.7	11.6	12.7							97	30	73	17	24.7	43.3
105 JUNIPER CRESCENT																					
F00	R1**	Residential	Living Room	W1/F00		31.2	22.3	8.9	28.5	98.9	23.4	86.2	20.4	3	12.8	70	20	50	12	28.6	40
F01	R1	Residential	Bedroom	W1/F01		37.7	26.7	11	29.2	95	9.9	86	9	0.9	9.5	87	30	65	19	25.3	36.7
F02	R1	Residential	Bedroom	W1/F02*		91.4	81.4	10	10.9	100	10.4	100	10.4	0	0	98	30	78	19	20.4	36.7

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	WINDOW NOTES	VSC(WINDOW)				NSL						APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	EX. SQM	PR. %	PR. SQM	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
																ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W2/F02		33.3	22.8	10.5	31.5							78	30	57	19	26.9	36.7
106 JUNIPER CRESCENT																					
F00	R1**	Residential	Living Room	W1/F00		32.3	24.9	7.4	22.9	99	23.4	93.5	22.1	1.3	5.6	74	23	56	17	24.3	26.1
F01	R1	Residential	Bedroom	W1/F01		37.8	28.6	9.2	24.3	95.5	10	87.3	9.1	0.9	8.6	87	30	66	21	24.1	30
F02	R1	Residential	Bedroom	W1/F02		33.3	24.7	8.6	25.8	100	10.4	100	10.4	0	0	77	30	59	21	23.4	30
				W2/F02*		91.4	82.9	8.5	9.3							98	30	78	21	20.4	30
107 JUNIPER CRESCENT																					
F00	R1**	Residential	Living Room	W1/F00		31	25.3	5.7	18.4	99.1	23.7	96.4	23	0.6	2.7	70	21	53	15	24.3	28.6
F01	R1	Residential	Bedroom	W1/F01		37.8	30.1	7.7	20.4	95.1	10	86.7	9.1	0.9	8.8	87	30	65	21	25.3	30
F02	R1	Residential	Bedroom	W1/F02		33.3	26.2	7.1	21.3	100	10.5	100	10.5	0	0	76	30	58	21	23.7	30
				W2/F02*		91.5	84.3	7.2	7.9							98	30	79	21	19.4	30
108 JUNIPER CRESCENT																					
F00	R1**	Residential	Living Room	W1/F00		31.5	27	4.5	14.3	99	23.5	97.3	23.1	0.4	1.7	71	22	54	16	23.9	27.3
F01	R1	Residential	Bedroom	W1/F01		37.7	31.8	5.9	15.6	95.3	10	87.8	9.2	0.8	7.9	88	30	67	21	23.9	30
F02	R1	Residential	Bedroom	W1/F02		33.3	27.8	5.5	16.5	100	10.5	100	10.5	0	0	76	30	63	21	17.1	30
				W2/F02*		91.5	85.5	6	6.6							97	30	81	21	16.5	30
109 JUNIPER CRESCENT																					
F00	R1	Residential	Kitchen-Resi	W1/F00		31.3	30	1.3	4.2	97.9	18.8	95.6	18.4	0.4	2.4	64	24	60	23	6.2	4.2
				W2/F00		27	23.2	3.8	14.1							72	24	60	21	16.7	12.5
F01	R1	Residential	Living Room	W1/F01		37.7	32.5	5.2	13.8	98	18.8	96.3	18.5	0.3	1.8	87	30	71	23	18.4	23.3
				W2/F01		37.7	32.9	4.8	12.7							87	30	72	24	17.2	20
F02	R2	Residential	Bedroom	W2/F02		33.2	28.9	4.3	13	100	12.8	100	12.8	0	0	76	30	66	24	13.2	20
				W3/F02*		91.2	86.5	4.7	5.2							94	30	81	24	13.8	20
110 JUNIPER CRESCENT																					
F00	R1	Residential	Living Room	W1/F00		27.2	26.9	0.3	11	99.9	19.8	99.9	19.8	0	0	58	18	54	18	6.9	0
				W2/F00		11.6	11.1	0.5	4.3							1	0	0	0	100	0
				W3/F00		35.6	32.7	2.9	8.1							79	25	68	22	13.9	12
	R2	Residential	Kitchen-Resi***	W4/F00		35.1	31.6	3.5	10	94	6.8	92.6	6.7	0.1	1.5	81	26	67	20	17.3	23.1
F01	R1	Residential	Living Room	W1/F01		37.7	33.6	4.1	10.9	100	19.8	100	19.8	0	0	86	30	73	24	15.1	20
				W2/F01		22.5	21.9	0.6	2.7							1	0	0	0	100	0
	R2	Residential	Kitchen-Resi***	W3/F01		37.5	34	3.5	9.3	94	6.8	93	6.7	0.1	1	84	30	70	24	16.7	20
F02	R1	Residential	Living Room	W1/F02		33.2	29.5	3.7	11.1	100	19.8	100	19.8	0	0	76	30	66	24	13.2	20
				W2/F02*		90.5	86.3	4.2	4.6							93	30	81	24	12.9	20
				W4/F02		34.8	34.2	0.6	1.7							4	0	3	0	25	0
	R2	Residential	Kitchen-Resi***	W3/F02		33.2	30	3.2	9.6	89.7	6.5	89.4	6.4	0	0.3	76	30	68	24	10.5	20
50 JUNIPER CRESCENT																					
F00	R1	Residential	Unknown	W1/F00		34.7	31.8	2.9	8.4	74.1	7.3	74.1	7.3	0	0						
F02	R1	Residential	Unknown	W1/F02		36.9	34.6	2.3	6.2	94.8	9.4	94.8	9.4	0	0						

PROJECT NO: 10766
PROJECT NAME: CAMDEN GOODS YARD
05/02/2025 10:16:53

DAYLIGHT SUNLIGHT ANALYSIS
EXISTING VS. PROPOSED(IR65+IR92)
RELEASE 51 ,ISSUE 1

ITERATION NO.: IR92

FLOOR						VSC(WINDOW)				NSL						APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	EX. SQM	PR. %	PR. SQM	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
																ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
51 JUNIPER CRESCENT																					
F00	R1	Residential	Unknown	W1/F00		35.4	30.8	4.6	13	95	9.5	73.7	7.3	2.1	22.4						
F02	R1	Residential	Unknown	W1/F02		37.2	33.7	3.5	9.4	95	9.5	79.6	7.9	1.5	16.2						
52 JUNIPER CRESCENT																					
F00	R1	Residential	Unknown	W1/F00		35.5	30.5	5	14.1	81.2	8.1	81.2	8.1	0	0						
F02	R1	Residential	Unknown	W1/F02		37.3	33.5	3.8	10.2	94.3	9.4	94.3	9.4	0	0						
53 JUNIPER CRESCENT																					
F00	R1	Residential	Unknown	W1/F00		36.2	28.3	7.9	21.8	95.1	9.5	57.4	5.7	3.8	39.7						
F02	R1	Residential	Unknown	W1/F02		37.8	31.5	6.3	16.7	95.2	9.5	61.8	6.2	3.3	35.1						
45 JUNIPER CRESCENT																					
F00	R1	Residential	Unknown	W1/F00		33.1	32.4	0.7	2.1	81.1	8.1	81.1	8.1	0	0						
F02	R1	Residential	Unknown	W1/F02		36	35.5	0.5	1.4	93.4	9.3	93.4	9.3	0	0						
46 JUNIPER CRESCENT																					
F00	R1	Residential	Unknown	W1/F00		33.4	32.4	1	3	71.5	7.1	70.7	7	0.1	1.1						
F02	R1	Residential	Unknown	W1/F02		36.3	35.5	0.8	2.2	94.6	9.4	94.3	9.4	0	0.3						
47 JUNIPER CRESCENT																					
F00	R1	Residential	Unknown	W1/F00		33.5	32.5	1	3	80.5	8	80.5	8	0	0						
F02	R1	Residential	Unknown	W1/F02		36.3	35.5	0.8	2.2	95.3	9.5	95.3	9.5	0	0						
48 JUNIPER CRESCENT																					
F00	R1	Residential	Unknown	W1/F00		34.1	32.5	1.6	4.7	80	7.8	76.2	7.4	0.4	4.7						
F02	R1	Residential	Unknown	W1/F02		36.6	35.3	1.3	3.6	95	9.3	94.4	9.2	0.1	0.7						
49 JUNIPER CRESCENT																					
F00	R1	Residential	Unknown	W1/F00		34.6	32.3	2.3	6.6	88.6	8.6	79.9	7.8	0.9	9.9						
	R2	Residential	Unknown	W2/F00		34.3	32.4	1.9	5.5	71.7	7.1	71.7	7.1	0	0						
F01	R1	Residential	Unknown	W1/F01		35.8	33.9	1.9	5.3	86.5	8.6	86.4	8.6	0	0.1						
F02	R1	Residential	Unknown	W1/F02		36.8	35.1	1.7	4.6	96.9	9.6	96.9	9.6	0	0						
	R2	Residential	Unknown	W2/F02*		91.6	90.4	1.2	1.3	69.2	1.8	68.1	1.7	0	1.6						
	R3	Residential	Unknown	W3/F02*		91.5	90.5	1	1.1	71.3	1.8	70.7	1.8	0	0.9						
34-44 JUNIPER CRESCENT																					
F00	R1	Residential	Unknown	W1/F00		32.6	32	0.6	1.8	93.7	6.6	93.7	6.6	0	0						
				W2/F00		32.5	31.9	0.6	1.8												
	R2	Residential	Unknown	W3/F00		30.4	29.8	0.6	2	90.8	3.6	90.8	3.6	0	0						
	R5	Residential	Unknown	W6/F00		29.2	29.2	0	0	91.2	3.6	91.2	3.6	0	0						
	R6	Residential	Unknown	W7/F00		31.6	31.5	0.1	0.3	93.4	6.5	93.4	6.5	0	0						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	WINDOW NOTES	VSC(WINDOW)				NSL						APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	EX. SQM	PR. %	PR. SQM	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
																ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
F01	R1	Residential	Unknown	W1/F01		34.2	33.6	0.6	1.8	93.7	6.6	93.7	6.6	0	0						
				W2/F01		34.1	33.6	0.5	1.5												
	R2	Residential	Unknown	W3/F01		31.9	31.4	0.5	1.6	90.8	3.6	90.8	3.6	0	0						
	R5	Residential	Unknown	W6/F01		30.8	30.8	0	0	91.2	3.6	91.2	3.6	0	0						
	R6	Residential	Unknown	W7/F01		33.3	33.2	0.1	0.3	93.4	6.5	93.4	6.5	0	0						
				W8/F01		33.5	33.4	0.1	0.3												
F02	R1	Residential	Unknown	W1/F02		35.7	35.2	0.5	1.4	93.7	6.6	93.7	6.6	0	0						
				W2/F02		35.6	35.1	0.5	1.4												
	R2	Residential	Unknown	W3/F02		33.3	32.9	0.4	1.2	90.8	3.6	90.8	3.6	0	0						
	R5	Residential	Unknown	W6/F02		32.3	32.3	0	0	91.2	3.6	91.2	3.6	0	0						
	R6	Residential	Unknown	W7/F02		34.9	34.8	0.1	0.3	93.4	6.5	93.4	6.5	0	0						
				W8/F02		35.1	35	0.1	0.3												
F03	R1	Residential	Unknown	W1/F03		37.1	36.6	0.5	1.3	93.7	6.6	93.7	6.6	0	0						
				W2/F03		37	36.6	0.4	1.1												
	R2	Residential	Unknown	W3/F03		35.1	34.8	0.3	0.9	91.3	3.7	91.3	3.7	0	0						
	R3	Residential	Unknown	W4/F03		34.4	34.4	0	0	92	3.7	92	3.7	0	0						
	R4	Residential	Unknown	W5/F03		36.5	36.4	0.1	0.3	93.4	6.5	93.4	6.5	0	0						
				W6/F03		36.6	36.4	0.2	0.5												

65-66 CHALK FARM ROAD																					
F01	R1	Residential	Unknown	W1/F01		31.7	26	5.7	18	97.8	13.1	83.5	11.2	1.9	14.6	72	27	64	19	11.1	29.6
	R2	Residential	Unknown	W2/F01		20.8	16.9	3.9	18.8	66.7	8.1	66.7	8.1	0	0	37	18	31	12	16.2	33.3
	R3	Residential	Unknown	W3/F01		28.9	23.6	5.3	18.3	93.9	16.2	89	15.4	0.9	5.3	63	25	56	18	11.1	28
F02	R1	Residential	Unknown	W1/F02		33.8	28.7	5.1	15.1	98.3	13.2	90.2	12.1	1.1	8.2	74	27	68	21	8.1	22.2
	R2	Residential	Unknown	W2/F02		24.9	21.2	3.7	14.9	76.1	9.3	76.1	9.3	0	0	48	18	44	14	8.3	22.2
	R3	Residential	Unknown	W3/F02		31.9	27.1	4.8	15	98.8	17.1	97.5	16.8	0.2	1.4	70	26	63	19	10	26.9

67-70 CHALK FARM ROAD																					
F01	R1	Residential	Unknown	W1/F01		29.5	26.3	3.2	10.8	98.8	18.2	98.8	18.2	0	0	74	20	68	14	8.1	30
				W2/F01		30.2	26.9	3.3	10.9							75	21	69	15	8	28.6
	R2	Residential	Unknown	W3/F01		31.2	27.5	3.7	11.9	97.8	13.3	97.8	13.3	0	0	77	23	71	17	7.8	26.1
	R3	Residential	Unknown	W4/F01		31.9	27.9	4	12.5	99.2	20.1	99.2	20.1	0	0	77	23	71	17	7.8	26.1
				W5/F01		32.5	28.2	4.3	13.2							77	23	69	15	10.4	34.8
	R4	Residential	Living Room	W6/F01		33.2	28.4	4.8	14.5	99	19.2	98.6	19.2	0.1	0.4	78	24	70	16	10.3	33.3
				W7/F01		33.7	28.5	5.2	15.4							81	26	72	17	11.1	34.6
F02	R1	Residential	Unknown	W1/F02		32.1	29.2	2.9	9	98.7	18.2	98.7	18.2	0	0	79	23	74	18	6.3	21.7
				W2/F02		32.7	29.7	3	9.2							80	24	75	19	6.2	20.8
	R2	Residential	Unknown	W3/F02		33.5	30.3	3.2	9.6	97.8	13.3	97.8	13.3	0	0	80	24	75	19	6.2	20.8
	R3	Residential	Unknown	W4/F02		34.1	30.6	3.5	10.3	99.1	20.1	99.1	20.1	0	0	80	24	75	19	6.2	20.8
				W5/F02		34.5	30.8	3.7	10.7							80	24	75	19	6.2	20.8
	R4	Residential	Studio-Apt	W6/F02		35.1	31	4.1	11.7	99.2	27.2	99	27.1	0.1	0.2	83	27	78	22	6	18.5
				W7/F02		35.4	31	4.4	12.4							83	27	77	21	7.2	22.2
F03	R1	Residential	Unknown	W1/F03		33.5	30.9	2.6	7.8	97.1	18.9	97.1	18.9	0	0	74	24	71	21	4.1	12.5
				W2/F03		34.7	32	2.7	7.8							79	24	75	20	5.1	16.7

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	WINDOW NOTES	VSC(WINDOW)				NSL						APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	EX. SQM	PR. %	PR. SQM	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
																ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R2	Residential	Unknown	W3/F03		35.2	32.3	2.9	8.2	98.9	8	98.9	8	0	0	80	25	75	20	6.2	20
	R3	Residential	Unknown	W4/F03		35.8	32.7	3.1	8.7	98.2	17.8	98.2	17.8	0	0	81	25	76	20	6.2	20
				W5/F03		36.2	32.8	3.4	9.4							82	26	77	21	6.1	19.2
	R4	Residential	LKD	W6/F03		36.5	32.8	3.7	10.1	98	18.5	98	18.5	0	0	82	27	77	22	6.1	18.5
				W7/F03		36.5	32.6	3.9	10.7							76	25	71	20	6.6	20
71 CHALK FARM ROAD																					
F01	R1	Residential	Living Room	W1/F01		19.7	19.7	0	0	82.8	10.5	82.8	10.5	0	0	43	7	43	7	0	0
				W2/F01		16.3	16.3	0	0							34	4	34	4	0	0
F02	R1	Residential	Bedroom	W1/F02		23.8	23.8	0	0	94.2	12	94.2	12	0	0	57	9	57	9	0	0
				W2/F02		20.1	20.1	0	0							48	6	48	6	0	0
74-77 CHALK FARM ROAD																					
F01	R1**	Residential	Living Room	W1/F01		28.2	27.7	0.5	1.8	100	19.4	100	19.4	0	0	70	15	69	14	1.4	6.7
	R2	Residential	Bedroom	W2/F01		27.6	27.1	0.5	1.8	98.2	15.6	98.2	15.6	0	0	71	16	70	15	1.4	6.2
	R3	Residential	Kitchen***	W3/F01		29.3	28.9	0.4	1.4	82.3	7.1	82.3	7.1	0	0	74	19	73	18	1.4	5.3
	R4**	Residential	Living Room	W4/F01		26.3	25.7	0.6	2.3	85.2	16	85.2	16	0	0	69	14	68	13	1.4	7.1
	R5**	Residential	Bedroom	W5/F01		25.7	24.9	0.8	3.1	64.7	10.7	64.7	10.7	0	0	68	13	67	12	1.5	7.7
	R6	Residential	Living Room	W6/F01		25	24	1	4	67.2	10.4	67.2	10.4	0	0	66	11	65	10	1.5	9.1
	R7**	Residential	Bedroom	W7/F01		24.7	23.7	1	4	37.9	6.1	37.9	6.1	0	0	66	11	64	9	3	18.2
	R8	Residential	Living Room	W8/F01		32.1	32.1	0	0	100	16.4	100	16.4	0	0	34	5	34	5	0	0
				W9/F01		29.4	29.1	0.3	1							70	17	69	16	1.4	5.9
F02	R1	Residential	Living Room	W1/F02		14.9	14.9	0	0	100	16.2	100	16.2	0	0	30	15	30	15	0	0
	R2	Residential	Bedroom	W2/F02		29.8	29.3	0.5	1.7	98.3	15.6	98.3	15.6	0	0	73	20	72	19	1.4	5
				W10/F02		8.8	8.8	0	0							32	7	32	7	0	0
	R3	Residential	Kitchen***	W3/F02		31.5	31.2	0.3	1	82.9	7.2	82.9	7.2	0	0	76	23	75	22	1.3	4.3
	R4	Residential	Living Room	W4/F02		13.7	13.7	0	0	83.9	13.2	83.9	13.2	0	0	30	14	30	14	0	0
	R5	Residential	Bedroom	W5/F02		28.1	27.5	0.6	2.1	70.4	11.7	70.4	11.7	0	0	71	16	70	15	1.4	6.2
				W11/F02		8.7	8.7	0	0							31	6	31	6	0	0
	R6	Residential	Living Room	W6/F02		12.6	12.3	0.3	2.4	62.7	7.7	62.7	7.7	0	0	26	10	26	10	0	0
	R7	Residential	Bedroom	W7/F02		27.3	26.3	1	3.7	53.5	8.6	53.5	8.6	0	0	69	14	68	13	1.4	7.1
				W12/F02		8.2	8.2	0	0							27	5	27	5	0	0
	R8	Residential	Living Room	W8/F02		34.8	34.8	0	0	100	16.4	100	16.4	0	0	37	7	37	7	0	0
				W9/F02		31.4	31.2	0.2	0.6							75	22	74	21	1.3	4.5
F03	R2	Residential	Unknown	W2/F03		26	25.5	0.5	1.9	99.2	15.7	99.1	15.7	0	0	62	22	61	21	1.6	4.5
	R3	Residential	Unknown	W3/F03		25.5	25	0.5	2	99.4	14.8	99.4	14.8	0	0	62	22	61	21	1.6	4.5
	R4	Residential	Unknown	W4/F03		25	24.4	0.6	2.4	99.1	13.1	99.1	13.1	0	0	63	22	62	21	1.6	4.5
	R5	Residential	Unknown	W5/F03		24.8	24.1	0.7	2.8	99.9	9.5	99.9	9.5	0	0	61	20	60	19	1.6	5
	R6	Residential	Unknown	W6/F03		25.6	24.8	0.8	3.1	73.2	14.7	73.2	14.7	0	0	72	20	71	19	1.4	5
	R7	Residential	Unknown	W1/F03		26.4	26.1	0.3	1.1	100	31.5	100	31.5	0	0	63	22	62	21	1.6	4.5
				W7/F03		29.7	29.7	0	0							29	9	29	9	0	0
				W8/F03		26.9	26.7	0.2	0.7							66	24	65	23	1.5	4.2

CONSENTED v PROPOSED

						VSC(WINDOW)				NSL						APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	WINDOW NOTES	EX. %	PR. %	LOSS	LOSS %	EX. %	EX. SQM	PR. %	PR. SQM	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
																ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
61 CHALK FARM ROAD																					
F01	R1	Residential	Unknown	W1/F01		25.5	25.5	0	0	72	8.3	72	8.3	0	0	63	13	63	13	0	0
60 CHALK FARM ROAD																					
F01	R1	Residential	Unknown	W1/F01		25.9	25.9	0	0	60.8	7	60.8	7	0	0	64	12	64	12	0	0
59 CHALK FARM ROAD																					
F01	R1	Residential	Unknown	W1/F01		20.4	20.4	0	0	50.2	5.8	50.3	5.8	0	0	46	5	46	5	0	0
57A CHALK FARM ROAD																					
F01	R1	Residential	Unknown	W1/F01		25.4	25.4	0	0	71.1	18.3	71.1	18.3	0	0	68	12	68	12	0	0
				W2/F01		25.3	25.3	0	0							68	12	68	12	0	0
F02	R1	Residential	Unknown	W1/F02		27.4	27.4	0	0	87.4	22.5	87.4	22.5	0	0	73	17	73	17	0	0
				W2/F02		27.3	27.3	0	0							74	18	74	18	0	0
				W3/F02		27.1	27.1	0	0							74	18	74	18	0	0
55 CHALK FARM ROAD																					
F01	R1	Residential	Unknown	W1/F01		24.2	24.2	0	0	44.2	8.7	44.4	8.7	0	-0.3	62	8	62	8	0	0
				W2/F01		24.2	24.2	0	0							61	7	61	7	0	0
	R2	Residential	Unknown	W3/F01		15.4	15.4	0	0	80	2.3	80	2.3	0	0	32	4	32	4	0	0
F02	R1	Residential	Unknown	W1/F02		26	26	0	0	46.8	9.2	46.9	9.2	0	-0.2	69	13	69	13	0	0
				W2/F02		25.9	25.9	0	0							67	11	67	11	0	0
	R2	Residential	Unknown	W3/F02		19.3	19.3	0	0	91.8	2.7	91.8	2.7	0	0	40	7	40	7	0	0
52A CHALK FARM ROAD																					
F01	R1	Residential	Unknown	W1/F01		24.1	24.1	0	0	42.4	6.6	42.4	6.6	0	0	63	10	63	10	0	0
F02	R1	Residential	Unknown	W1/F02		25.8	25.8	0	0	48.7	7.5	48.7	7.5	0	0	67	13	67	13	0	0
52 CHALK FARM ROAD																					
F01	R1	Residential	Unknown	W1/F01		24.2	24.2	0	0	48.6	9.2	48.6	9.2	0	0	64	10	64	10	0	0
F02	R1	Residential	Unknown	W1/F02		26.1	26.1	0	0	54.5	10.3	54.5	10.3	0	0	69	14	69	14	0	0
51 CHALK FARM ROAD																					
F01	R1	Residential	Unknown	W1/F01		23.8	23.8	0	0	57.5	9.2	57.5	9.2	0	0	61	9	61	9	0	0
F02	R1	Residential	Unknown	W1/F02		26	26	0	0	64.6	10.4	64.6	10.4	0	0	68	12	68	12	0	0
66 GLOUCESTER AVENUE																					
F00	R1	Residential	Unknown	W1/F00		5.8	5.8	0	0	77.9	7	77.9	7	0	0						
	R2	Residential	Unknown	W2/F00		15.8	15.8	0	0	45.5	5.4	45.5	5.4	0	0						
F01	R1	Residential	Unknown	W1/F01		9.1	9.1	0	0	92.8	8.3	92.8	8.3	0	0						
	R2	Residential	Unknown	W2/F01		32.7	32.7	0	0	99.2	11.8	99.2	11.8	0	0						
F02	R1	Residential	Unknown	W1/F02		12.5	12.5	0	0	96.4	8.6	96.4	8.6	0	0						
	R2	Residential	Unknown	W2/F02		36.4	36.5	-0.1	-0.3	99.2	11.8	99.2	11.8	0	0						
F03	R1	Residential	Unknown	W1/F03		31.9	31.9	0	0	92.6	8.3	92.6	8.3	0	0						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	WINDOW NOTES	VSC(WINDOW)				NSL						APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	EX. SQM	PR. %	PR. SQM	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
																ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER

62 GLOUCESTER AVENUE																					
F00	R1	Residential	Unknown	W1/F00		15.8	15.8	0	0	45.3	5.4	45.3	5.4	0	0						
F01	R1	Residential	Unknown	W1/F01		32.6	32.6	0	0	99	11.8	99	11.8	0	0						
F02	R1	Residential	Unknown	W1/F02		36.4	36.4	0	0	99	11.8	99	11.8	0	0						

60 GLOUCESTER AVENUE																					
F00	R1	Residential	Unknown	W1/F00		8	8	0	0	80.2	7.2	80.2	7.2	0	0						
F01	R1	Residential	Unknown	W1/F01		14.2	14.2	0	0	96.7	8.7	96.7	8.7	0	0						
F02	R1	Residential	Unknown	W1/F02		34.1	34.1	0	0	87.8	17.3	87.8	17.3	0	0						
F03	R1	Residential	Unknown	W1/F03		35.6	35.6	0	0	87.6	17.5	87.6	17.5	0	0						

58 GLOUCESTER AVENUE																					
F00	R1	Residential	Unknown	W1/F00		15.3	15.3	0	0	82.9	7.4	82.9	7.4	0	0						
F01	R1	Residential	Unknown	W1/F01		22	22	0	0	98.6	8.8	98.6	8.8	0	0						
F02	R1	Residential	Unknown	W1/F02		35.4	35.5	-0.1	-0.3	99.2	8.9	99.2	8.9	0	0						
	R2	Residential	Unknown	W2/F02		35.5	35.5	0	0	98.2	11.6	98.2	11.6	0	0						
F03	R1	Residential	Unknown	W1/F03		36.4	36.4	0	0	99.2	8.9	99.2	8.9	0	0						
	R2	Residential	Unknown	W2/F03		36.5	36.5	0	0	98.2	11.6	98.2	11.6	0	0						

56 GLOUCESTER AVENUE																					
F00	R1	Residential	Unknown	W1/F00		19.4	19.4	0	0	82.3	17.9	82.3	17.9	0	0						
				W2/F00		20.8	20.8	0	0												
F01	R2	Residential	Unknown	W1/F01		27	27.1	-0.1	-0.4	98.1	21.3	98.1	21.3	0	0						
				W2/F01		30.2	30.2	0	0												
F02	R1	Residential	Unknown	W1/F02		30.7	30.7	0	0	98.4	21.4	98.4	21.4	0	0						
				W2/F02		34.9	34.9	0	0												
F03	R1	Residential	Unknown	W1/F03		36.2	36.2	0	0	98.2	21.3	98.2	21.3	0	0						
				W2/F03		36.5	36.5	0	0												

GILBEYS YARD (BLOCK B)																					
F00	R1	Residential	Unknown	W1/F00		13.7	13.6	0.1	0.7	48.6	5.6	47	5.4	0.2	3.4						
	R2	Residential	Unknown	W2/F00		12.6	12.6	0	0	37.8	4.2	37.1	4.1	0.1	1.9						
	R3	Residential	Unknown	W3/F00		13.6	13.6	0	0	56	6.2	54.5	6	0.2	2.8						
	R4	Residential	Unknown	W4/F00		14.6	14.8	-0.2	-1.4	63	4.4	64	4.5	-0.1	-1.5						
	R5	Residential	Unknown	W5/F00		14.2	14.4	-0.2	-1.4	41.2	3.8	40.9	3.8	0	0.7						
	R6	Residential	Unknown	W6/F00		13.4	13.6	-0.2	-1.5	40.5	4.5	40.7	4.5	0	-0.4						
	R7	Residential	Unknown	W7/F00		13.3	13.6	-0.3	-2.3	36.3	4	36.4	4	0	-0.2						
	R8	Residential	Unknown	W8/F00		13.7	14	-0.3	-2.2	41.2	2.9	43.3	3	-0.1	-5.1						
	R9	Residential	Unknown	W9/F00		13.8	14.1	-0.3	-2.2	28.6	2.7	29	2.7	0	-1.3						
	R10	Residential	Unknown	W10/F00		13.3	13.6	-0.3	-2.3	28.3	3.1	28.6	3.2	0	-1.1						
	R11	Residential	Unknown	W11/F00		13.3	13.6	-0.3	-2.3	27.8	3.1	28.4	3.1	-0.1	-2.2						
	R12	Residential	Unknown	W12/F00		13.5	13.8	-0.3	-2.2	41.4	2.9	42.3	3	-0.1	-2.1						
	R13	Residential	Living Room	W13/F00		11.6	11.8	-0.2	-1.7	32.7	3.6	33.1	3.6	0	-1.2						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	WINDOW NOTES	VSC(WINDOW)				NSL						APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	EX. SQM	PR. %	PR. SQM	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
																ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
F01	R14	Residential	Bedroom	W14/F00		11.8	12	-0.2	-1.7	20.9	2.6	21.1	2.6	0	-0.9						
	R15	Residential	Living Room	W15/F00		12	12.2	-0.2	-1.7	36.7	3	37.1	3.1	0	-1.1						
	R16	Residential	Living Room	W16/F00		10.8	11	-0.2	-1.9	37.6	3	38.5	3.1	-0.1	-2.5						
	R1	Residential	Unknown	W1/F01		17.1	17.1	0	0	75.5	8.7	75.1	8.7	0	0.5						
	R2	Residential	Unknown	W2/F01		17.3	17.4	-0.1	-0.6	70.1	7.7	70	7.7	0	0.2						
	R3	Residential	Unknown	W3/F01		17.1	17.3	-0.2	-1.2	60.9	6.7	61	6.7	0	-0.2						
	R4	Residential	Unknown	W4/F01		16.7	17	-0.3	-1.8	72.7	5.1	73.6	5.2	-0.1	-1.2						
	R5	Residential	Unknown	W5/F01		16.4	16.7	-0.3	-1.8	49.6	4.6	49.7	4.6	0	-0.4						
	R6	Residential	Unknown	W6/F01		16.1	16.5	-0.4	-2.5	43.2	4.8	43.6	4.8	0	-0.9						
	R7	Residential	Unknown	W7/F01		16.1	16.5	-0.4	-2.5	37.6	4.1	38.6	4.3	-0.1	-2.5						
	R8	Residential	Unknown	W8/F01		16.2	16.6	-0.4	-2.5	59	4.1	60.6	4.2	-0.1	-2.7						
	R9	Residential	Unknown	W9/F01		16.3	16.7	-0.4	-2.5	39.8	3.7	40.6	3.8	-0.1	-2						
	R10	Residential	Unknown	W10/F01		16.3	16.7	-0.4	-2.5	34.6	3.8	36.2	4	-0.2	-4.6						
	R11	Residential	Unknown	W11/F01		16.3	16.7	-0.4	-2.5	36.9	4.1	38.1	4.2	-0.1	-3.1						
	R12	Residential	Unknown	W12/F01		16.1	16.5	-0.4	-2.5	60.1	4.2	61.2	4.3	-0.1	-1.9						
	R14	Residential	Bedroom	W15/F01		13.9	14.2	-0.3	-2.2	31	3.8	31.6	3.9	-0.1	-2.1						
F02	R15	Residential	Bedroom	W16/F01		14.8	15.1	-0.3	-2	49.8	4.1	51.5	4.3	-0.1	-3.4						
	R16	Residential	Bedroom	W17/F01		13.5	13.8	-0.3	-2.2	41.3	3.3	42.2	3.4	-0.1	-2.1						
	R1	Residential	Unknown	W1/F02		18.9	18.9	0	0	82.1	9.5	81.3	9.4	0.1	1						
	R2	Residential	Unknown	W2/F02		19.3	19.4	-0.1	-0.5	78.6	8.7	77.8	8.6	0.1	1						
	R3	Residential	Unknown	W3/F02		19.2	19.6	-0.4	-2.1	68.3	7.5	68.4	7.5	0	-0.2						
	R4	Residential	Unknown	W4/F02		18.9	19.3	-0.4	-2.1	80.3	5.6	81.4	5.7	-0.1	-1.3						
	R5	Residential	Unknown	W5/F02		18.8	19.2	-0.4	-2.1	56.7	5.3	56.7	5.3	0	0						
	R6	Residential	Unknown	W6/F02		18.6	19.1	-0.5	-2.7	50.4	5.5	51.4	5.7	-0.1	-1.9						
	R7	Residential	Unknown	W7/F02		18.7	19.2	-0.5	-2.7	46.3	5.1	47.3	5.2	-0.1	-2.1						
	R8	Residential	Unknown	W8/F02		18.8	19.3	-0.5	-2.7	72.8	5.1	74.7	5.2	-0.1	-2.6						
	R9	Residential	Unknown	W9/F02		18.9	19.4	-0.5	-2.6	50.1	4.7	51.1	4.8	-0.1	-2						
	R10	Residential	Unknown	W10/F02		19	19.5	-0.5	-2.6	45.3	5	47.3	5.2	-0.2	-4.4						
	R11	Residential	Unknown	W11/F02		19.1	19.5	-0.4	-2.1	45.5	5	46.7	5.1	-0.1	-2.5						
	R12	Residential	Unknown	W12/F02		18.7	19.2	-0.5	-2.7	72.7	5.1	75.4	5.3	-0.2	-3.7						
	R14	Residential	Bedroom	W15/F02		16.2	16.6	-0.4	-2.5	40.5	5	41.5	5.1	-0.1	-2.3						
	R15	Residential	Bedroom	W16/F02		17.4	17.8	-0.4	-2.3	61.3	5.1	63.2	5.2	-0.2	-3.1						
F03	R16	Residential	Bedroom	W17/F02		16	16.3	-0.3	-1.9	52.3	4.2	53.3	4.2	-0.1	-2						
	R1	Residential	Unknown	W1/F03		20.6	20.7	-0.1	-0.5	85.7	9.9	85	9.8	0.1	0.8						
	R2	Residential	Unknown	W2/F03		21.1	21.3	-0.2	-0.9	85.3	9.4	84.5	9.3	0.1	1						
	R3	Residential	Unknown	W3/F03		21.3	21.6	-0.3	-1.4	76.3	8.4	76.5	8.4	0	-0.2						
	R4	Residential	Unknown	W4/F03		21.1	21.6	-0.5	-2.4	94.7	6.6	94.6	6.6	0	0.1						
	R5	Residential	Unknown	W5/F03		21.1	21.6	-0.5	-2.4	69.2	6.4	70.6	6.6	-0.1	-2						
	R6	Residential	Unknown	W6/F03		21.1	21.6	-0.5	-2.4	62.5	6.9	64.5	7.1	-0.2	-3.2						
	R7	Residential	Unknown	W7/F03		21.3	21.8	-0.5	-2.3	61.3	6.8	63.6	7	-0.3	-3.7						
	R8	Residential	Unknown	W8/F03		21.4	22	-0.6	-2.8	95	6.6	95.6	6.7	0	-0.6						
	R9	Residential	Unknown	W9/F03		21.5	22	-0.5	-2.3	66.1	6.2	67.6	6.3	-0.1	-2.3						
	R10	Residential	Unknown	W10/F03		21.6	22.1	-0.5	-2.3	61.7	6.8	64.3	7.1	-0.3	-4.2						
	R11	Residential	Unknown	W11/F03		21.6	22.2	-0.6	-2.8	57.9	6.4	59.5	6.6	-0.2	-2.8						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	WINDOW NOTES	VSC(WINDOW)				NSL						APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	EX. SQM	PR. %	PR. SQM	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
																ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R12	Residential	Unknown	W12/F03		21.4	22	-0.6	-2.8	92.6	6.5	93.3	6.5	0	-0.7						
	R14	Residential	Bedroom	W15/F03		20	20.4	-0.4	-2	53	6.5	54.9	6.8	-0.2	-3.6						
	R15	Residential	Bedroom	W16/F03		20.2	20.6	-0.4	-2	79.5	6.6	81	6.7	-0.1	-2						
	R16	Residential	Bedroom	W17/F03		18.6	19	-0.4	-2.2	68.6	5.5	70.4	5.6	-0.1	-2.6						
GILBEYS YARD (BLOCK A)																					
F00	R1	Residential	Unknown	W2/F00		20.4	20.5	-0.1	-0.5	50.6	5.7	51.3	5.7	-0.1	-1.4						
	R2	Residential	Living Room	W3/F00		19.2	19.5	-0.3	-1.6	38.6	6.4	39.6	6.6	-0.2	-2.4						
	R3	Residential	Living Room	W4/F00		18.9	19.2	-0.3	-1.6	36.1	6	37.9	6.3	-0.3	-4.9						
	R4	Residential	Living Room	W5/F00		16.4	16.9	-0.5	-3	41.9	8.3	43.6	8.6	-0.3	-4						
	R5	Residential	Living Room	W6/F00		18.5	19	-0.5	-2.7	41.6	8.2	43.5	8.6	-0.4	-4.5						
	R6	Residential	Living Room	W7/F00		17.9	18.4	-0.5	-2.8	37.5	7.4	39.1	7.7	-0.3	-4.3						
	R7	Residential	Living Room	W8/F00		17.2	17.7	-0.5	-2.9	38.2	7.6	39.6	7.8	-0.3	-3.7						
	R8	Residential	Living Room	W9/F00		16.8	17.2	-0.4	-2.4	35.1	6.9	36.3	7.2	-0.2	-3.3						
	R9	Residential	Living Room	W10/F00		16.3	16.7	-0.4	-2.5	36.9	7.3	37.9	7.5	-0.2	-2.6						
	R10	Residential	Living Room	W11/F00		15.9	16.2	-0.3	-1.9	33.6	6.7	34.5	6.8	-0.2	-2.5						
	R11	Residential	Living Room	W12/F00		15.5	15.7	-0.2	-1.3	37.2	7.4	37.4	7.4	0	-0.6						
	R12	Residential	Living Room	W13/F00		15.2	15.2	0	0	42.3	8.4	42.6	8.4	0	-0.5						
	R13	Residential	Living Room	W14/F00		13.2	13	0.2	1.5	70.3	13.9	68.6	13.6	0.3	2.5						
	R14	Residential	Living Room	W15/F00		14.6	13.9	0.7	4.8	77.2	12.8	70.6	11.7	1.1	8.6						
	R15	Residential	Living Room	W16/F00		12	10.9	1.1	9.2	66.6	11.1	55.2	9.2	1.9	17.1						
	R16	Residential	Bedroom	W18/F00		15.1	14.3	0.8	5.3	50.6	7.7	48.4	7.3	0.3	4.3						
	R17	Residential	Kitchen-Resi***	W19/F00		11.9	11.7	0.2	1.7	30.1	2.3	29.8	2.3	0	1						
	R18	Residential	Kitchen-Resi***	W20/F00		8.1	7.2	0.9	11.1	19.7	1.7	16.8	1.4	0.2	14.7						
	R19	Residential	Bedroom	W17/F00		13.9	13	0.9	6.5	46.2	7	44.5	6.7	0.3	3.7						
	R20	Residential	Bedroom	W1/F00		21.3	21.2	0.1	0.5	44	4.9	46	5.2	-0.2	-4.7						
F01	R1	Residential	Unknown	W2/F01		23.7	23.9	-0.2	-0.8	87.1	9.8	91.6	10.3	-0.5	-5.2						
	R2	Residential	Bedroom	W3/F01		23.3	23.6	-0.3	-1.3	90	8.6	91.1	8.7	-0.1	-1.2						
	R3	Residential	Bedroom	W4/F01		22.8	23.3	-0.5	-2.2	76.9	7.3	79.3	7.6	-0.2	-3.1						
	R4	Residential	Bedroom	W5/F01		19.9	20.5	-0.6	-3	72.5	8.2	74.3	8.4	-0.2	-2.4						
				W6/F01		22	22.5	-0.5	-2.3												
	R7	Residential	Bedroom	W7/F01		22.3	22.7	-0.4	-1.8	78.8	8.9	79.3	9	-0.1	-0.6						
				W8/F01		21.8	22.3	-0.5	-2.3												
	R8	Residential	Bedroom	W9/F01		20.8	21.3	-0.5	-2.4	65.8	7.5	67.7	7.7	-0.2	-3						
				W10/F01		20.8	21.3	-0.5	-2.4												
	R9	Residential	Kitchen-Resi***	W29/F01		13.2	13	0.2	1.5	29	2.2	28.7	2.2	0	1						
	R10	Residential	Kitchen-Resi***	W30/F01		8.7	7.8	0.9	10.3	21.9	1.8	17.9	1.5	0.3	18.1						
	R11	Residential	Bedroom	W11/F01		20.4	20.9	-0.5	-2.5	77.1	8.7	77.8	8.8	-0.1	-0.9						
				W12/F01		19.9	20.4	-0.5	-2.5												
	R12	Residential	Bedroom	W13/F01		19.2	19.7	-0.5	-2.6	63.9	7.2	66.8	7.6	-0.3	-4.6						
				W14/F01		19.2	19.8	-0.6	-3.1												
	R13	Residential	Bedroom	W27/F01		15.2	14.2	1	6.6	52.5	8	48.8	7.4	0.6	7						
	R14	Residential	Bedroom	W1/F01		25	25	0	0	78.4	8.8	83	9.3	-0.5	-6						
	R15	Residential	Bedroom	W15/F01		19	19.4	-0.4	-2.1	74.6	8.5	77.1	8.7	-0.3	-3.4						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	WINDOW NOTES	VSC(WINDOW)				NSL						APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	EX. SQM	PR. %	PR. SQM	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
																ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W16/F01		18.6	19	-0.4	-2.2												
	R16	Residential	Bedroom	W17/F01		18	18.3	-0.3	-1.7	64.3	7.3	66.4	7.5	-0.2	-3.3						
				W18/F01		18	18.4	-0.4	-2.2												
	R19	Residential	Bedroom	W19/F01		17.7	18	-0.3	-1.7	77.5	8.8	79.9	9.1	-0.3	-3.1						
				W20/F01		17.4	17.6	-0.2	-1.1												
	R20	Residential	Bedroom	W21/F01		16.9	17	-0.1	-0.6	71.3	8.1	70.3	8	0.1	1.4						
				W22/F01		16.9	16.9	0	0												
	R23	Residential	Bedroom	W23/F01		16.2	16.2	0	0	76.3	8.7	75	8.5	0.2	1.8						
				W24/F01		14.9	14.7	0.2	1.3												
	R24	Residential	Bedroom	W25/F01		16.2	15.6	0.6	3.7	74.6	7.1	74.1	7.1	0.1	0.8						
	R25	Residential	Bedroom	W26/F01		13.5	12.3	1.2	8.9	73.9	7	67.8	6.5	0.6	8.2						
	R26	Residential	Bedroom	W28/F01		16.5	15.7	0.8	4.8	59.3	9	55.5	8.4	0.6	6.5						
F02	R1	Residential	Bedroom	W2/F02		27	27	0	0	95.1	10.7	95.3	10.7	0	-0.2						
	R2	Residential	Bedroom	W3/F02		26.6	26.8	-0.2	-0.8	91.7	8.7	91.9	8.8	0	-0.2						
	R3	Residential	Bedroom	W4/F02		26	26.3	-0.3	-1.2	91.8	8.8	92.8	8.9	-0.1	-1.1						
	R4	Residential	Bedroom	W5/F02		19.6	20.1	-0.5	-2.6	72.8	8.3	74.7	8.5	-0.2	-2.7						
	R5	Residential	Bedroom	W6/F02		19.8	20.2	-0.4	-2	73	8.3	74.9	8.5	-0.2	-2.6						
	R6	Residential	Bedroom	W7/F02		18.6	19.2	-0.6	-3.2	67.1	7.6	69.1	7.8	-0.2	-2.9						
	R7	Residential	Bedroom	W8/F02		17.6	18.3	-0.7	-4	71.1	8.1	72.5	8.2	-0.2	-2						
	R8	Residential	Bedroom	W9/F02		16.9	17.5	-0.6	-3.6	65.8	7.5	67.5	7.7	-0.2	-2.6						
	R9	Residential	Bedroom	W10/F02		16.2	16.7	-0.5	-3.1	67.6	7.7	68.6	7.8	-0.1	-1.4						
	R10	Residential	Bedroom	W11/F02		15.4	15.9	-0.5	-3.2	64.3	7.3	64.8	7.4	0	-0.7						
	R11	Residential	Bedroom	W12/F02		14.7	15	-0.3	-2	69.2	7.8	68.4	7.8	0.1	1.1						
	R12	Residential	Bedroom	W13/F02		14	14.1	-0.1	-0.7	67	7.6	66.1	7.5	0.1	1.3						
	R13	Residential	Bedroom	W14/F02		13.2	13.1	0.1	0.8	70	7.9	67	7.6	0.3	4.3						
	R14	Residential	Bedroom	W15/F02		17.7	17.1	0.6	3.4	77.8	7.4	76.2	7.3	0.1	2						
	R15	Residential	Bedroom	W16/F02		15.1	14	1.1	7.3	75.8	7.2	72.1	6.9	0.3	4.8						
	R16	Residential	Bedroom	W18/F02		17.6	16.9	0.7	4	57.4	8.7	54.3	8.2	0.5	5.4						
	R17	Residential	Kitchen-Resi***	W29/F02		14.5	14.2	0.3	2.1	27.6	2.1	27.3	2.1	0	1						
	R18	Residential	Kitchen-Resi***	W30/F02		9.8	8.9	0.9	9.2	24	2	20.8	1.8	0.3	13.4						
	R19	Residential	Bedroom	W17/F02		16.2	15.2	1	6.2	51.3	7.8	48.2	7.3	0.5	6.1						
	R20	Residential	Bedroom	W1/F02		27.9	27.7	0.2	0.7	86.9	9.7	87.9	9.8	-0.1	-1.1						
F03	R1	Residential	Bedroom	W2/F03		29.5	29.5	0	0	96.1	10.8	96.1	10.8	0	0						
	R2	Residential	Bedroom	W4/F03		18.7	18	0.7	3.7	62.2	9.4	58.3	8.8	0.6	6.2						
	R17	Residential	Kitchen-Resi***	W29/F03		16.4	16.2	0.2	1.2	38.1	2.9	37.4	2.8	0.1	1.9						
	R18	Residential	Kitchen-Resi***	W30/F03		12.4	11.6	0.8	6.5	25.7	2.2	23.3	2	0.2	9.3						
	R19	Residential	Bedroom	W3/F03		17.2	16.3	0.9	5.2	55.1	8.3	52	7.9	0.5	5.8						
	R21	Residential	Bedroom	W1/F03		30	29.8	0.2	0.7	90.5	10.1	90.7	10.2	0	-0.2						
54-64 JUNIPER CRESCENT																					
F00	R1	Residential	Unknown	W1/F00		27.1	27.1	0	0	91.4	6.4	91.4	6.4	0	0						
				W2/F00		26.6	26.6	0	0												
	R2	Residential	Unknown	W3/F00		24	24	0	0	72.6	2.9	72.6	2.9	0	0						
	R5	Residential	Unknown	W6/F00		17.9	17.9	0	0	57.1	2.3	57.1	2.3	0	0						

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	WINDOW NOTES	VSC(WINDOW)				NSL						APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	EX. SQM	PR. %	PR. SQM	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
																ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R6	Residential	Unknown	W7/F00		19.2	19.2	0	0	61.2	4.3	61.2	4.3	0	0						
				W8/F00		19.1	19.1	0	0												
F01	R1	Residential	Unknown	W1/F01		28.7	28.7	0	0	92.3	6.5	92.3	6.5	0	0						
				W2/F01		28.2	28.2	0	0												
	R2	Residential	Unknown	W3/F01		25.5	25.5	0	0	76	3	76	3	0	0						
	R5	Residential	Unknown	W6/F01		19.8	19.8	0	0	62.9	2.5	62.9	2.5	0	0						
	R6	Residential	Unknown	W7/F01		21.2	21.2	0	0	65.7	4.6	65.7	4.6	0	0						
				W8/F01		21.1	21.1	0	0												
F02	R1	Residential	Unknown	W1/F02		30.5	30.5	0	0	93.2	6.5	93.2	6.5	0	0						
				W2/F02		30	30	0	0												
	R2	Residential	Unknown	W3/F02		27.2	27.2	0	0	82.1	3.3	82.1	3.3	0	0						
	R5	Residential	Unknown	W6/F02		22	22	0	0	71.4	2.9	71.4	2.9	0	0						
	R6	Residential	Unknown	W7/F02		23.5	23.5	0	0	73.3	5.1	73.3	5.1	0	0						
				W8/F02		23.4	23.4	0	0												
F03	R1	Residential	Unknown	W1/F03		32.3	32.3	0	0	93.4	6.5	93.4	6.5	0	0						
				W2/F03		31.9	31.9	0	0												
	R2	Residential	Unknown	W3/F03		29.7	29.7	0	0	88.8	3.6	88.8	3.6	0	0						
	R3	Residential	Unknown	W4/F03		24.9	24.9	0	0	82.4	3.3	82.4	3.3	0	0						
	R4	Residential	Unknown	W5/F03		26.1	26.1	0	0	83.2	5.8	83.2	5.8	0	0						
				W6/F03		26	26	0	0												
65 JUNIPER CRESCENT																					
F00	R1	Residential	Unknown	W1/F00		18.7	18.7	0	0	32.6	3	32.6	3	0	0						
F02	R1	Residential	Unknown	W1/F02		18.7	18.7	0	0	39.4	3.6	39.4	3.6	0	0						
66 JUNIPER CRESCENT																					
F00	R2	Residential	Unknown	W2/F00		17.8	17.8	0	0	22.5	2.1	22.5	2.1	0	0						
F02	R1	Residential	Unknown	W1/F02		17.7	17.7	0	0	30.1	2.8	30.1	2.8	0	0						
67 JUNIPER CRESCENT																					
F00	R1	Residential	Unknown	W1/F00		17.8	17.8	0	0	23.7	2.1	23.7	2.1	0	0						
F02	R1	Residential	Unknown	W1/F02		17.6	17.6	0	0	33.7	3	33.7	3	0	0						
68 JUNIPER CRESCENT																					
F00	R2	Residential	Unknown	W2/F00		18	18	0	0	27.5	2.5	27.5	2.5	0	0						
F02	R1	Residential	Unknown	W1/F02		17.9	17.9	0	0	35.4	3.2	35.4	3.2	0	0						
69-78 JUNIPER CRESCENT																					
F00	R1	Residential	Kitchen-Resi***	W1/F00		18.3	18.3	0	0	56.1	3.4	56.1	3.4	0	0						
	R3	Residential	Bedroom	W3/F00		18.7	18.7	0	0	28.4	1.9	28.4	1.9	0	0						
	R4	Residential	Bedroom	W4/F00		20	20	0	0	57.1	6.4	57.1	6.4	0	0						
	R5	Residential	Living Room	W5/F00		21.8	21.8	0	0	99.8	30.8	99.8	30.8	0	0	13	0	13	0	0	0
				W6/F00		29.1	29.1	0	0							31	4	31	4	0	0
				W7/F00		30.5	30.5	0	0							48	8	48	8	0	0

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	WINDOW NOTES	VSC(WINDOW)				NSL						APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	EX. SQM	PR. %	PR. SQM	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
																ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W8/F00		23.2	23.3	-0.1	-0.4							47	8	47	8	0	0
	R6	Residential	Bedroom	W9/F00		26.1	26.2	-0.1	-0.4	79.6	8.9	79.6	8.9	0	0	56	8	56	8	0	0
	R7	Residential	Bedroom	W10/F00		24.6	24.7	-0.1	-0.4	75.6	5.1	75.7	5.1	0	-0.1	51	6	51	6	0	0
	R9	Residential	Living Room	W12/F00		16.4	16.4	0	0	54.2	8.9	54.8	9	-0.1	-1	38	5	38	5	0	0
F01	R1	Residential	Kitchen-Resi***	W1/F01		20.1	20.1	0	0	62.4	3.8	62.4	3.8	0	0						
	R3	Residential	Bedroom	W3/F01		20.5	20.5	0	0	34.4	2.3	34.4	2.3	0	0						
	R4	Residential	Bedroom	W4/F01		22	22	0	0	62.5	7	62.5	7	0	0						
	R5	Residential	Living Room	W5/F01		23.7	23.7	0	0	99.8	30.8	99.8	30.8	0	0	13	0	13	0	0	0
				W6/F01		30.6	30.7	-0.1	-0.3							32	4	32	4	0	0
				W7/F01		31.7	31.7	0	0							48	8	49	9	0	0
				W8/F01		24	24	0	0							47	9	47	9	0	0
	R6	Residential	Bedroom	W9/F01		27.3	27.3	0	0	80.8	9	80.8	9	0	0	58	9	58	9	0	0
	R7	Residential	Bedroom	W10/F01		26.1	26.1	0	0	77.7	5.2	77.8	5.2	0	-0.1	53	7	53	7	0	0
	R9	Residential	Living Room	W12/F01		16.8	16.8	0	0	58.8	9.6	59.3	9.7	-0.1	-0.8	40	8	40	8	0	0
F02	R1	Residential	Kitchen-Resi***	W1/F02		18.2	18.2	0	0	64.9	4	64.9	4	0	0						
	R3	Residential	Bedroom	W3/F02		18.5	18.5	0	0	41.2	2.8	41.2	2.8	0	0						
	R4	Residential	Bedroom	W4/F02		24.1	24.1	0	0	70.2	7.8	70.2	7.8	0	0						
	R5	Residential	Living Room	W5/F02		25.8	25.8	0	0	99.8	30.8	99.8	30.8	0	0	13	0	13	0	0	0
				W6/F02		32.2	32.2	0	0							32	4	32	4	0	0
				W7/F02		32.8	32.9	-0.1	-0.3							51	11	51	11	0	0
				W8/F02		25	25.1	-0.1	-0.4							49	11	49	11	0	0
	R6	Residential	Bedroom	W9/F02		28.4	28.5	-0.1	-0.4	82.4	9.2	82.4	9.2	0	0	61	11	61	11	0	0
	R7	Residential	Bedroom	W7/F03*		70.5	70.5	0	0	100	6.7	100	6.7	0	0	72	12	72	12	0	0
				W10/F02		22.4	22.4	0	0							46	8	46	8	0	0
	R9	Residential	Living Room	W12/F02		24.5	24.6	-0.1	-0.4	60.2	9.8	60.7	9.9	-0.1	-0.8	50	8	50	8	0	0
F03	R1	Residential	Bedroom	W1/F03		26.7	26.7	0	0	84.9	9.5	84.9	9.5	0	0						
	R2	Residential	Living Room	W2/F03		28.1	28.1	0	0	99.9	30.8	99.9	30.8	0	0	13	0	13	0	0	0
				W3/F03		33.7	33.7	0	0							52	4	52	4	0	0
				W4/F03		33.9	33.9	0	0							53	13	53	13	0	0
				W5/F03		28.7	28.8	-0.1	-0.3							52	12	52	12	0	0
	R3	Residential	Bedroom	W6/F03		29.7	29.7	0	0	92.1	10.3	92.1	10.3	0	0	63	13	63	13	0	0
79 JUNIPER CRESCENT																					
F00	R1	Residential	Kitchen-Resi	W1/F00		21.2	21.2	0	0	68.8	9.5	69.1	9.5	0	-0.3	42	4	42	4	0	0
F01	R1	Residential	Bedroom	W1/F01		24.3	24.4	-0.1	-0.4	70.2	7.8	70.5	7.9	0	-0.4	47	5	47	5	0	0
F02	R1	Residential	Bedroom	W1/F02		19.7	19.7	0	0	100	11.2	100	11.2	0	0	42	7	42	7	0	0
				W2/F02*		81.4	81.4	0	0							71	9	71	9	0	0
80 JUNIPER CRESCENT																					
F00	R1	Residential	Kitchen-Resi	W1/F00		20.1	20.1	0	0	66.8	9.2	67.1	9.2	0	-0.5	44	5	44	5	0	0
F01	R1	Residential	Bedroom	W1/F01		23.6	23.6	0	0	68.2	7.6	68.5	7.6	0	-0.4	51	7	51	7	0	0
F02	R1	Residential	Bedroom	W1/F02		18.6	18.7	-0.1	-0.5	100	11.2	100	11.2	0	0	42	6	42	6	0	0
				W2/F02*		80.5	80.5	0	0							70	9	70	9	0	0

						VSC(WINDOW)				NSL						APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	WINDOW NOTES	EX. %	PR. %	LOSS	LOSS %	EX. %	EX. SQM	PR. %	PR. SQM	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
																ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
81 JUNIPER CRESCENT																					
F00	R1	Residential	Kitchen-Resi	W1/F00		19.1	19.1	0	0	64.9	8.9	65.4	9	-0.1	-0.7	41	6	41	6	0	0
F01	R1	Residential	Bedroom	W1/F01		22.6	22.7	-0.1	-0.4	66.8	7.5	67.3	7.5	-0.1	-0.8	51	8	51	8	0	0
F02	R1	Residential	Bedroom	W1/F02		17.6	17.6	0	0	100	11.2	100	11.2	0	0	43	7	43	7	0	0
				W2/F02*		79.5	79.5	0	0							69	9	69	9	0	0
82 JUNIPER CRESCENT																					
F00	R1	Residential	Kitchen-Resi	W1/F00		18.5	18.5	0	0	63.7	8.8	64.3	8.8	-0.1	-1	38	5	38	5	0	0
F01	R1	Residential	Bedroom	W1/F01		21.3	21.4	-0.1	-0.5	66.1	7.4	66.9	7.5	-0.1	-1.2	46	6	46	6	0	0
F02	R1	Residential	Bedroom	W1/F02		16.3	16.3	0	0	100	11.1	100	11.1	0	0	39	6	39	6	0	0
				W2/F02*		77.9	78	-0.1	-0.1							64	8	64	8	0	0
83 JUNIPER CRESCENT																					
F00	R1	Residential	Kitchen-Resi	W1/F00		17.6	17.6	0	0	62.1	8.5	63.1	8.7	-0.1	-1.6	31	2	32	3	0	0
F01	R1	Residential	Bedroom	W1/F01		20.1	20.1	0	0	62.6	7	63.4	7.1	-0.1	-1.3	42	5	42	5	0	0
F02	R1	Residential	Bedroom	W1/F02*		75	75	0	0	98.7	11	98.7	11	0	0	55	4	55	4	0	0
				W2/F02		15.2	15.3	-0.1	-0.7							37	5	37	5	0	0
84 JUNIPER CRESCENT																					
F00	R1	Residential	Kitchen-Resi	W1/F00		14.9	14.9	0	0	58.5	8	59.3	8.2	-0.1	-1.4	26	3	26	3	0	0
F01	R1	Residential	Bedroom	W1/F01		17	17.1	-0.1	-0.6	58.5	6.5	59	6.6	0	-0.8	33	3	33	3	0	0
F02	R1	Residential	Bedroom	W1/F02		13.4	13.4	0	0	92.2	10.3	92.2	10.3	0	0	33	3	33	3	0	0
				W2/F02*		62.7	62.7	0	0							38	4	38	4	0	0
85-92 JUNIPER CRESCENT																					
F00	R1	Residential	Bedroom	W1/F00		17.8	17.9	-0.1	-0.6	62.5	8.5	62.6	8.5	0	-0.2	44	6	44	6	0	0
	R2	Residential	Bedroom	W2/F00		16.5	16.5	0	0	66.2	7.7	66.4	7.7	0	-0.3	41	5	41	5	0	0
	R3	Residential	Bedroom	W3/F00		16	16.1	-0.1	-0.6	73.7	8.5	73.9	8.5	0	-0.2	35	5	35	5	0	0
	R4	Residential	Bedroom	W4/F00		17	17	0	0	64.1	8.8	64.4	8.8	0	-0.5	43	6	43	6	0	0
F01	R1	Residential	Bedroom	W1/F01		18.9	18.9	0	0	61.9	8.4	62	8.4	0	-0.3	47	6	47	6	0	0
	R2	Residential	Bedroom	W2/F01		17.6	17.7	-0.1	-0.6	66	7.7	66.1	7.7	0	-0.3	45	7	45	7	0	0
	R3	Residential	Bedroom	W3/F01		17.2	17.2	0	0	73.1	8.4	73.2	8.4	0	-0.1	36	5	36	5	0	0
	R4	Residential	Bedroom	W4/F01		18	18.1	-0.1	-0.6	63.7	8.7	63.9	8.7	0	-0.4	45	7	45	7	0	0
F02	R1	Residential	Bedroom	W1/F02		19.9	20	-0.1	-0.5	67.2	9.1	67.4	9.2	0	-0.3	49	6	49	6	0	0
	R2	Residential	Bedroom	W2/F02		18.6	18.7	-0.1	-0.5	69.3	8.1	69.6	8.1	0	-0.4	46	7	46	7	0	0
	R3	Residential	Bedroom	W3/F02		18.1	18.1	0	0	77.8	9	78.1	9	0	-0.3	39	5	39	5	0	0
	R4	Residential	Bedroom	W4/F02		18.9	18.9	0	0	67.5	9.2	67.7	9.2	0	-0.2	48	7	48	7	0	0
F03	R1	Residential	Bedroom	W1/F03		21	21	0	0	70.8	9.6	71.2	9.7	-0.1	-0.6	51	7	51	7	0	0
	R2	Residential	Bedroom	W2/F03		19.7	19.8	-0.1	-0.5	72.1	8.4	72.6	8.5	-0.1	-0.7	49	8	49	8	0	0
	R3	Residential	Bedroom	W3/F03		19.2	19.2	0	0	80.9	9.3	81.2	9.3	0	-0.3	41	5	41	5	0	0
	R4	Residential	Bedroom	W4/F03		19.8	19.8	0	0	69.9	9.5	70.1	9.6	0	-0.2	48	7	48	7	0	0
93-100 JUNIPER CRESCENT																					
F00	R1	Residential	Bedroom	W1/F00		14.8	14.8	0	0	40.4	5.5	40.4	5.5	0	-0.2	45	8	45	8	0	0

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	WINDOW NOTES	VSC(WINDOW)				NSL						APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	EX. SQM	PR. %	PR. SQM	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
																ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R2	Residential	Bedroom	W2/F00		11.6	11.6	0	0	49.8	5.9	50.3	5.9	-0.1	-0.9	30	1	30	1	0	0
	R3	Residential	Bedroom	W3/F00		14.9	14.9	0	0	51.9	6	52.6	6	-0.1	-1.2	34	7	34	7	0	0
	R4	Residential	Bedroom	W4/F00		15.6	15.6	0	0	56.3	7.8	56.7	7.9	-0.1	-0.8	44	6	44	6	0	0
F01	R1	Residential	Bedroom	W1/F01		15.7	15.7	0	0	42.3	5.7	42.6	5.8	0	-0.7	50	9	50	9	0	0
	R2	Residential	Bedroom	W2/F01		16.1	16.1	0	0	52.5	6.2	52.9	6.2	0	-0.8	42	8	42	8	0	0
	R3	Residential	Bedroom	W3/F01		16.4	16.4	0	0	54	6.2	54.6	6.3	-0.1	-1.2	41	8	41	8	0	0
	R4	Residential	Bedroom	W4/F01		18.6	18.6	0	0	58.1	8	58.8	8.1	-0.1	-1.2	52	12	52	12	0	0
F02	R1	Residential	Bedroom	W1/F02		16.5	16.6	-0.1	-0.6	47.6	6.5	47.8	6.5	0	-0.5	52	9	52	9	0	0
	R2	Residential	Bedroom	W2/F02		17	17	0	0	60	7.1	60.5	7.1	-0.1	-0.8	42	8	42	8	0	0
	R3	Residential	Bedroom	W3/F02		17.3	17.3	0	0	65	7.5	65.8	7.6	-0.1	-1.3	42	8	42	8	0	0
	R4	Residential	Bedroom	W4/F02		19.5	19.5	0	0	68.7	9.5	69.3	9.6	-0.1	-0.9	53	13	53	13	0	0
F03	R1	Residential	Bedroom	W1/F03		17.4	17.4	0	0	53.5	7.3	53.9	7.3	-0.1	-0.8	53	10	53	10	0	0
	R2	Residential	Bedroom	W2/F03		18	18	0	0	69.7	8.2	70.4	8.3	-0.1	-1	45	8	45	8	0	0
	R3	Residential	Bedroom	W3/F03		18.3	18.3	0	0	75.1	8.6	75.3	8.6	0	-0.2	43	8	43	8	0	0
	R4	Residential	Bedroom	W4/F03		20.4	20.4	0	0	75.3	10.4	75.4	10.4	0	-0.1	57	13	57	13	0	0
101 JUNIPER CRESCENT																					
F00	R1**	Residential	Living Room	W1/F00		16	16	0	0	55.5	13.2	55.9	13.3	-0.1	-0.8	40	7	40	7	0	0
F01	R1	Residential	Bedroom	W1/F01		17.4	17.4	0	0	75.5	7.9	75.5	7.9	0	0	48	15	48	15	0	0
F02	R1	Residential	Bedroom	W1/F02		14.5	14.5	0	0	95.7	10.1	95.7	10.1	0	0	40	15	40	15	0	0
				W2/F02*		62.5	62.5	0	0							55	15	55	15	0	0
102 JUNIPER CRESCENT																					
F00	R1**	Residential	Living Room	W1/F00		17.2	17.3	-0.1	-0.6	64.5	15.3	64.8	15.4	-0.1	-0.5	37	5	37	5	0	0
F01	R1	Residential	Bedroom	W1/F01		21.2	21.2	0	0	85	8.9	85	8.9	0	0	54	15	54	15	0	0
F02	R1	Residential	Bedroom	W1/F02		17.4	17.4	0	0	99.9	10.4	99.9	10.4	0	0	46	15	46	15	0	0
				W2/F02*		75.1	75.1	0	0							66	16	66	16	0	0
103 JUNIPER CRESCENT																					
F00	R1**	Residential	Living Room	W1/F00		18.3	18.3	0	0	72.6	17.2	72.9	17.3	-0.1	-0.4	42	8	42	8	0	0
F01	R1	Residential	Bedroom	W1/F01		22.8	22.9	-0.1	-0.4	86.7	9	86.7	9	0	0	58	17	58	17	0	0
F02	R1	Residential	Bedroom	W1/F02*		77.9	77.9	0	0	100	10.4	100	10.4	0	0	68	17	68	17	0	0
				W2/F02		18.9	18.9	0	0							52	17	52	17	0	0
104 JUNIPER CRESCENT																					
F00	R1**	Residential	Living Room	W1/F00		14.5	14.5	0	0	74.6	17.7	74.7	17.7	0	-0.2	34	3	34	3	0	0
F01	R1	Residential	Bedroom	W1/F01		24.7	24.7	0	0	86.4	9	86.4	9	0	0	60	17	60	17	0	0
F02	R1	Residential	Bedroom	W1/F02		20.8	20.8	0	0	100	10.4	100	10.4	0	0	53	17	53	17	0	0
				W2/F02*		79.7	79.7	0	0							73	17	73	17	0	0
105 JUNIPER CRESCENT																					
F00	R1**	Residential	Living Room	W1/F00		22.3	22.3	0	0	86.1	20.4	86.2	20.4	0	-0.1	50	12	50	12	0	0
F01	R1	Residential	Bedroom	W1/F01		26.7	26.7	0	0	86	9	86	9	0	0	65	19	65	19	0	0
F02	R1	Residential	Bedroom	W1/F02*		81.3	81.4	-0.1	-0.1	100	10.4	100	10.4	0	0	78	19	78	19	0	0

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	WINDOW NOTES	VSC(WINDOW)				NSL						APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	EX. SQM	PR. %	PR. SQM	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
																ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
				W2/F02		22.8	22.8	0	0							57	19	57	19	0	0
106 JUNIPER CRESCENT																					
F00	R1**	Residential	Living Room	W1/F00		24.9	24.9	0	0	93.4	22.1	93.5	22.1	0	-0.1	56	17	56	17	0	0
F01	R1	Residential	Bedroom	W1/F01		28.5	28.6	-0.1	-0.4	87.3	9.1	87.3	9.1	0	0	66	21	66	21	0	0
F02	R1	Residential	Bedroom	W1/F02		24.7	24.7	0	0	100	10.4	100	10.4	0	0	59	21	59	21	0	0
				W2/F02*		82.9	82.9	0	0							78	21	78	21	0	0
107 JUNIPER CRESCENT																					
F00	R1**	Residential	Living Room	W1/F00		25.3	25.3	0	0	96.4	23	96.4	23	0	0	53	15	53	15	0	0
F01	R1	Residential	Bedroom	W1/F01		30.1	30.1	0	0	86.7	9.1	86.7	9.1	0	0	65	21	65	21	0	0
F02	R1	Residential	Bedroom	W1/F02		26.2	26.2	0	0	100	10.5	100	10.5	0	0	58	21	58	21	0	0
				W2/F02*		84.2	84.3	-0.1	-0.1							79	21	79	21	0	0
108 JUNIPER CRESCENT																					
F00	R1**	Residential	Living Room	W1/F00		27	27	0	0	97.3	23.1	97.3	23.1	0	0	54	16	54	16	0	0
F01	R1	Residential	Bedroom	W1/F01		31.8	31.8	0	0	87.7	9.2	87.8	9.2	0	0	67	21	67	21	0	0
F02	R1	Residential	Bedroom	W1/F02		27.8	27.8	0	0	100	10.5	100	10.5	0	0	63	21	63	21	0	0
				W2/F02*		85.5	85.5	0	0							81	21	81	21	0	0
109 JUNIPER CRESCENT																					
F00	R1	Residential	Kitchen-Resi	W1/F00		30	30	0	0	95.6	18.3	95.6	18.4	0	0	60	23	60	23	0	0
				W2/F00		23.2	23.2	0	0							60	21	60	21	0	0
F01	R1	Residential	Living Room	W1/F01		32.5	32.5	0	0	96.3	18.5	96.3	18.5	0	0	71	23	71	23	0	0
				W2/F01		32.9	32.9	0	0							72	24	72	24	0	0
F02	R2	Residential	Bedroom	W2/F02		28.9	28.9	0	0	100	12.8	100	12.8	0	0	66	24	66	24	0	0
				W3/F02*		86.5	86.5	0	0							81	24	81	24	0	0
110 JUNIPER CRESCENT																					
F00	R1	Residential	Living Room	W1/F00		26.9	26.9	0	0	99.9	19.8	99.9	19.8	0	0	54	18	54	18	0	0
				W2/F00		11.1	11.1	0	0							0	0	0	0	0	0
				W3/F00		32.7	32.7	0	0							68	22	68	22	0	0
	R2	Residential	Kitchen-Resi***	W4/F00		31.6	31.6	0	0	92.6	6.7	92.6	6.7	0	0	67	20	67	20	0	0
F01	R1	Residential	Living Room	W1/F01		33.6	33.6	0	0	100	19.8	100	19.8	0	0	73	24	73	24	0	0
				W2/F01		21.9	21.9	0	0							0	0	0	0	0	0
	R2	Residential	Kitchen-Resi***	W3/F01		34	34	0	0	93	6.7	93	6.7	0	0	70	24	70	24	0	0
F02	R1	Residential	Living Room	W1/F02		29.5	29.5	0	0	100	19.8	100	19.8	0	0	66	24	66	24	0	0
				W2/F02*		86.3	86.3	0	0							81	24	81	24	0	0
				W4/F02		34.2	34.2	0	0							3	0	3	0	0	0
	R2	Residential	Kitchen-Resi***	W3/F02		30	30	0	0	89.4	6.4	89.4	6.4	0	0	68	24	68	24	0	0
50 JUNIPER CRESCENT																					
F00	R1	Residential	Unknown	W1/F00		31.8	31.8	0	0	74.1	7.3	74.1	7.3	0	0						
F02	R1	Residential	Unknown	W1/F02		34.6	34.6	0	0	94.8	9.4	94.8	9.4	0	0						

PROJECT NO: 10766
PROJECT NAME: CAMDEN GOODS YARD
05/02/2025 10:45:53

DAYLIGHT SUNLIGHT ANALYSIS
 CONSENTED(IR65) VS. PROPOSED(IR65+IR92)
 RELEASE 51 ,ISSUE 2

ITERATION NO.: IR92

						VSC(WINDOW)				NSL						APSH (WINDOW)					
FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	WINDOW NOTES	EX. %	PR. %	LOSS	LOSS %	EX. %	EX. SQM	PR. %	PR. SQM	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
																ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
51 JUNIPER CRESCENT																					
F00	R1	Residential	Unknown	W1/F00		30.8	30.8	0	0	73.7	7.3	73.7	7.3	0	0						
F02	R1	Residential	Unknown	W1/F02		33.7	33.7	0	0	79.6	7.9	79.6	7.9	0	0						
52 JUNIPER CRESCENT																					
F00	R1	Residential	Unknown	W1/F00		30.5	30.5	0	0	81.2	8.1	81.2	8.1	0	0						
F02	R1	Residential	Unknown	W1/F02		33.5	33.5	0	0	94.3	9.4	94.3	9.4	0	0						
53 JUNIPER CRESCENT																					
F00	R1	Residential	Unknown	W1/F00		28.3	28.3	0	0	57.4	5.7	57.4	5.7	0	0						
F02	R1	Residential	Unknown	W1/F02		31.5	31.5	0	0	61.8	6.2	61.8	6.2	0	0						
45 JUNIPER CRESCENT																					
F00	R1	Residential	Unknown	W1/F00		32.4	32.4	0	0	81.1	8.1	81.1	8.1	0	0						
F02	R1	Residential	Unknown	W1/F02		35.5	35.5	0	0	93.4	9.3	93.4	9.3	0	0						
46 JUNIPER CRESCENT																					
F00	R1	Residential	Unknown	W1/F00		32.4	32.4	0	0	70.7	7	70.7	7	0	0						
F02	R1	Residential	Unknown	W1/F02		35.5	35.5	0	0	94.3	9.4	94.3	9.4	0	0						
47 JUNIPER CRESCENT																					
F00	R1	Residential	Unknown	W1/F00		32.5	32.5	0	0	80.5	8	80.5	8	0	0						
F02	R1	Residential	Unknown	W1/F02		35.5	35.5	0	0	95.3	9.5	95.3	9.5	0	0						
48 JUNIPER CRESCENT																					
F00	R1	Residential	Unknown	W1/F00		32.5	32.5	0	0	76.2	7.4	76.2	7.4	0	0						
F02	R1	Residential	Unknown	W1/F02		35.3	35.3	0	0	94.4	9.2	94.4	9.2	0	0						
49 JUNIPER CRESCENT																					
F00	R1	Residential	Unknown	W1/F00		32.3	32.3	0	0	79.9	7.8	79.9	7.8	0	0						
	R2	Residential	Unknown	W2/F00		32.4	32.4	0	0	71.7	7.1	71.7	7.1	0	0						
F01	R1	Residential	Unknown	W1/F01		33.9	33.9	0	0	86.4	8.6	86.4	8.6	0	0						
F02	R1	Residential	Unknown	W1/F02		35.1	35.1	0	0	96.9	9.6	96.9	9.6	0	0						
	R2	Residential	Unknown	W2/F02*		90.4	90.4	0	0	68.1	1.7	68.1	1.7	0	0						
	R3	Residential	Unknown	W3/F02*		90.5	90.5	0	0	70.7	1.8	70.7	1.8	0	0						
34-44 JUNIPER CRESCENT																					
F00	R1	Residential	Unknown	W1/F00		32	32	0	0	93.7	6.6	93.7	6.6	0	0						
				W2/F00		31.9	31.9	0	0												
	R2	Residential	Unknown	W3/F00		29.8	29.8	0	0	90.8	3.6	90.8	3.6	0	0						
	R5	Residential	Unknown	W6/F00		29.2	29.2	0	0	91.2	3.6	91.2	3.6	0	0						
	R6	Residential	Unknown	W7/F00		31.5	31.5	0	0	93.4	6.5	93.4	6.5	0	0						
				W8/F00		31.7	31.7	0	0												

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	WINDOW NOTES	VSC(WINDOW)				NSL						APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	EX. SQM	PR. %	PR. SQM	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
																ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
F01	R1	Residential	Unknown	W1/F01		33.6	33.6	0	0	93.7	6.6	93.7	6.6	0	0						
				W2/F01		33.6	33.6	0	0												
	R2	Residential	Unknown	W3/F01		31.4	31.4	0	0	90.8	3.6	90.8	3.6	0	0						
	R5	Residential	Unknown	W6/F01		30.8	30.8	0	0	91.2	3.6	91.2	3.6	0	0						
	R6	Residential	Unknown	W7/F01		33.2	33.2	0	0	93.4	6.5	93.4	6.5	0	0						
				W8/F01		33.4	33.4	0	0												
F02	R1	Residential	Unknown	W1/F02		35.2	35.2	0	0	93.7	6.6	93.7	6.6	0	0						
				W2/F02		35.1	35.1	0	0												
	R2	Residential	Unknown	W3/F02		32.9	32.9	0	0	90.8	3.6	90.8	3.6	0	0						
	R5	Residential	Unknown	W6/F02		32.3	32.3	0	0	91.2	3.6	91.2	3.6	0	0						
	R6	Residential	Unknown	W7/F02		34.8	34.8	0	0	93.4	6.5	93.4	6.5	0	0						
				W8/F02		35	35	0	0												
F03	R1	Residential	Unknown	W1/F03		36.6	36.6	0	0	93.7	6.6	93.7	6.6	0	0						
				W2/F03		36.6	36.6	0	0												
	R2	Residential	Unknown	W3/F03		34.8	34.8	0	0	91.3	3.7	91.3	3.7	0	0						
	R3	Residential	Unknown	W4/F03		34.4	34.4	0	0	92	3.7	92	3.7	0	0						
	R4	Residential	Unknown	W5/F03		36.4	36.4	0	0	93.4	6.5	93.4	6.5	0	0						
				W6/F03		36.4	36.4	0	0												

65-66 CHALK FARM ROAD																					
F01	R1	Residential	Unknown	W1/F01		26	26	0	0	83.5	11.2	83.5	11.2	0	0	64	19	64	19	0	0
	R2	Residential	Unknown	W2/F01		16.9	16.9	0	0	66.7	8.1	66.7	8.1	0	0	31	12	31	12	0	0
	R3	Residential	Unknown	W3/F01		23.6	23.6	0	0	89	15.4	89	15.4	0	0	56	18	56	18	0	0
F02	R1	Residential	Unknown	W1/F02		28.7	28.7	0	0	90.2	12.1	90.2	12.1	0	0	68	21	68	21	0	0
	R2	Residential	Unknown	W2/F02		21.2	21.2	0	0	76.1	9.3	76.1	9.3	0	0	44	14	44	14	0	0
	R3	Residential	Unknown	W3/F02		27.1	27.1	0	0	97.5	16.8	97.5	16.8	0	0	63	19	63	19	0	0

67-70 CHALK FARM ROAD																					
F01	R1	Residential	Unknown	W1/F01		26.3	26.3	0	0	98.8	18.2	98.8	18.2	0	0	68	14	68	14	0	0
				W2/F01		26.9	26.9	0	0							69	15	69	15	0	0
	R2	Residential	Unknown	W3/F01		27.5	27.5	0	0	97.8	13.3	97.8	13.3	0	0	71	17	71	17	0	0
	R3	Residential	Unknown	W4/F01		27.9	27.9	0	0	99.2	20.1	99.2	20.1	0	0	71	17	71	17	0	0
				W5/F01		28.2	28.2	0	0							69	15	69	15	0	0
	R4	Residential	Living Room	W6/F01		28.4	28.4	0	0	98.6	19.2	98.6	19.2	0	0	70	16	70	16	0	0
				W7/F01		28.5	28.5	0	0							72	17	72	17	0	0
F02	R1	Residential	Unknown	W1/F02		29.2	29.2	0	0	98.7	18.2	98.7	18.2	0	0	74	18	74	18	0	0
				W2/F02		29.7	29.7	0	0							75	19	75	19	0	0
	R2	Residential	Unknown	W3/F02		30.3	30.3	0	0	97.8	13.3	97.8	13.3	0	0	75	19	75	19	0	0
	R3	Residential	Unknown	W4/F02		30.6	30.6	0	0	99.1	20.1	99.1	20.1	0	0	75	19	75	19	0	0
				W5/F02		30.8	30.8	0	0							75	19	75	19	0	0
	R4	Residential	Studio-Apt	W6/F02		31	31	0	0	99	27.1	99	27.1	0	0	78	22	78	22	0	0
				W7/F02		31	31	0	0							77	21	77	21	0	0
F03	R1	Residential	Unknown	W1/F03		30.9	30.9	0	0	97.1	18.9	97.1	18.9	0	0	71	21	71	21	0	0
				W2/F03		32	32	0	0							75	20	75	20	0	0

FLOOR	ROOM	PROPERTY TYPE	ROOM USE	WINDOW	WINDOW NOTES	VSC(WINDOW)				NSL						APSH (WINDOW)					
						EX. %	PR. %	LOSS	LOSS %	EX. %	EX. SQM	PR. %	PR. SQM	LOSS SQM	LOSS %	EX.		PR.		LOSS %	
																ANNUAL	WINTER	ANNUAL	WINTER	ANNUAL	WINTER
	R2	Residential	Unknown	W3/F03		32.3	32.3	0	0	98.9	8	98.9	8	0	0	75	20	75	20	0	0
	R3	Residential	Unknown	W4/F03		32.7	32.7	0	0	98.2	17.8	98.2	17.8	0	0	76	20	76	20	0	0
				W5/F03		32.8	32.8	0	0							77	21	77	21	0	0
	R4	Residential	LKD	W6/F03		32.8	32.8	0	0	98	18.5	98	18.5	0	0	77	22	77	22	0	0
				W7/F03		32.6	32.6	0	0							71	20	71	20	0	0
71 CHALK FARM ROAD																					
F01	R1	Residential	Living Room	W1/F01		19.7	19.7	0	0	82.8	10.5	82.8	10.5	0	0	43	7	43	7	0	0
				W2/F01		16.3	16.3	0	0							34	4	34	4	0	0
F02	R1	Residential	Bedroom	W1/F02		23.8	23.8	0	0	94.2	12	94.2	12	0	0	57	9	57	9	0	0
				W2/F02		20.1	20.1	0	0							48	6	48	6	0	0
74-77 CHALK FARM ROAD																					
F01	R1**	Residential	Living Room	W1/F01		27.7	27.7	0	0	100	19.4	100	19.4	0	0	69	14	69	14	0	0
	R2	Residential	Bedroom	W2/F01		27.1	27.1	0	0	98.2	15.6	98.2	15.6	0	0	70	15	70	15	0	0
	R3	Residential	Kitchen***	W3/F01		28.9	28.9	0	0	82.3	7.1	82.3	7.1	0	0	73	18	73	18	0	0
	R4**	Residential	Living Room	W4/F01		25.7	25.7	0	0	85.2	16	85.2	16	0	0	68	13	68	13	0	0
	R5**	Residential	Bedroom	W5/F01		24.9	24.9	0	0	64.7	10.7	64.7	10.7	0	0	67	12	67	12	0	0
	R6	Residential	Living Room	W6/F01		24	24	0	0	67.2	10.4	67.2	10.4	0	0	65	10	65	10	0	0
	R7**	Residential	Bedroom	W7/F01		23.7	23.7	0	0	37.9	6.1	37.9	6.1	0	0	64	9	64	9	0	0
	R8	Residential	Living Room	W8/F01		32.1	32.1	0	0	100	16.4	100	16.4	0	0	34	5	34	5	0	0
				W9/F01		29.1	29.1	0	0							69	16	69	16	0	0
F02	R1	Residential	Living Room	W1/F02		14.9	14.9	0	0	100	16.2	100	16.2	0	0	30	15	30	15	0	0
	R2	Residential	Bedroom	W2/F02		29.3	29.3	0	0	98.3	15.6	98.3	15.6	0	0	72	19	72	19	0	0
				W10/F02		8.8	8.8	0	0							32	7	32	7	0	0
	R3	Residential	Kitchen***	W3/F02		31.2	31.2	0	0	82.9	7.2	82.9	7.2	0	0	75	22	75	22	0	0
	R4	Residential	Living Room	W4/F02		13.7	13.7	0	0	83.9	13.2	83.9	13.2	0	0	30	14	30	14	0	0
	R5	Residential	Bedroom	W5/F02		27.5	27.5	0	0	70.4	11.7	70.4	11.7	0	0	70	15	70	15	0	0
				W11/F02		8.7	8.7	0	0							31	6	31	6	0	0
	R6	Residential	Living Room	W6/F02		12.3	12.3	0	0	62.7	7.7	62.7	7.7	0	0	26	10	26	10	0	0
	R7	Residential	Bedroom	W7/F02		26.3	26.3	0	0	53.5	8.6	53.5	8.6	0	0	68	13	68	13	0	0
				W12/F02		8.2	8.2	0	0							27	5	27	5	0	0
	R8	Residential	Living Room	W8/F02		34.8	34.8	0	0	100	16.4	100	16.4	0	0	37	7	37	7	0	0
				W9/F02		31.2	31.2	0	0							74	21	74	21	0	0
F03	R2	Residential	Unknown	W2/F03		25.5	25.5	0	0	99.1	15.7	99.1	15.7	0	0	61	21	61	21	0	0
	R3	Residential	Unknown	W3/F03		25	25	0	0	99.4	14.8	99.4	14.8	0	0	61	21	61	21	0	0
	R4	Residential	Unknown	W4/F03		24.4	24.4	0	0	99.1	13.1	99.1	13.1	0	0	62	21	62	21	0	0
	R5	Residential	Unknown	W5/F03		24.1	24.1	0	0	99.9	9.5	99.9	9.5	0	0	60	19	60	19	0	0
	R6	Residential	Unknown	W6/F03		24.8	24.8	0	0	73.2	14.7	73.2	14.7	0	0	71	19	71	19	0	0
	R7	Residential	Unknown	W1/F03		26.1	26.1	0	0	100	31.5	100	31.5	0	0	62	21	62	21	0	0
				W7/F03		29.7	29.7	0	0							29	9	29	9	0	0
				W8/F03		26.7	26.7	0	0							65	23	65	23	0	0