










Chester Road Hostel






Landscape Finishes Schedule

123007-TFC-CH-XX-SH-L-7001


Project reference: 2497

Date	Rev	By	Chk	Comments
29.11.24	C01	EF	AS	Stage 5 issue
13.02.25	C02	AS	-	Revised in line with planning requirements
11.05.25	C03	NC	AS	Benches revised

TFC REFERENCE	REFERENCE	SUPPLIER	PRODUCT	SPECIFICATION	IMAGE	COLOUR SWATCH
Bracknell Cycle stand Q50/210B	REF: BXMW/BRA  Product Link: <a href="https://www.broxap.com/bracknell-cycle-stand.html">https://www.broxap.com/bracknell-cycle-stand.html</a>	Broxap	Bracknell Cycle Stand	Root fixed Galvanised and polyester powder coated Colour: Jet Black RAL 9005 750 x 950 mm.		
Timber bench Q50/225	REF: 116-951  Product Link: <a href="https://vestre.com/uk/products/seating/vroom-bench">https://vestre.com/uk/products/seating/vroom-bench</a>	Vestre	VROOM Seat	Standard wood details with a 15-year anti-rot warranty. High-quality FSC-certified timber from Norway and Sweden. Hardness: 1,9 on the Brinell scale. RAL 9003 2000mm x 680mm x 790mm. Weight: 40kg.		
Cycle locker Q50/212	REF: BX14 4035-RT  Product Link: <a href="https://cyclehoop.com/product/bikehangar/">https://cyclehoop.com/product/bikehangar/</a>	Cyclehoop	Bikehangar	Stainless steel frame Perforated sheet panels Colours: Powder coated, RAL 9003. 2676 mm x 2030 mm x 1330 mm (closed); 2270 mm (open). Internal Size: 2450 x 1900 x 1316 mm. Weight: 300 kg.		
Metal mesh fencing Q40/126	REF:358 Securi-Mesh®   Welded Mesh Panel  Product Link: <a href="https://www.jacksons-security.co.uk/welded-mesh-panels/358-securi-mesh-fencing">https://www.jacksons-security.co.uk/welded-mesh-panels/358-securi-mesh-fencing</a>	Jacksons or similar	358 Securi-Mesh®   Welded Mesh Panel	Panels: 2134 mm. Height: 2150 mm Finish/ Colour: Black RAL 9003.		
Conservation X paving Q24/112A	REF: Conservation X Paving  Product Link: <a href="https://www.marshalls.co.uk/commercial/product/conservation-x-block">https://www.marshalls.co.uk/commercial/product/conservation-x-block</a>	Marshalls	Conservation X Paving	Colour: Silver Grey Textured riven finish 240 x 160 x 80 mm laid in stretcher bond		

Lunar paving Q24/112	REF: Lunar Paving  Product Link: <a href="https://www.marshalls.co.uk/commercial/product/lunar-paving">https://www.marshalls.co.uk/commercial/product/lunar-paving</a>	Marshalls	Lunar Paving	Colour: Lunar Ice Smooth finish 400 x 200 x 80 mm Laid in a stretcher bond		
Hazard warning paving Q24/320	REF: Tactile Blister Paving  Product Link: <a href="https://www.marshalls.co.uk/commercial/product/lunar-paving">https://www.marshalls.co.uk/commercial/product/lunar-paving</a>	Marshalls	Tactile Blister Paving	Hydraulically pressed concrete Colour: Charcoal. Nominal: 400 x 400 x 50 mm.		
Composite decking Q55/380	REF: Millboard decking  Product Link: <a href="https://www.lathamtimber.co.uk/products/decking/millboard-decking">https://www.lathamtimber.co.uk/products/decking/millboard-decking</a>	Latham Timber	Millboard Decking	Colour: Golden Oak Section: 176 x 32 mm. Length: 3600 mm		
Stepping logs Q52/320A	REF: L6.82003  Product Link: <a href="https://timberplay.com/product/L6.82003">https://timberplay.com/product/L6.82003</a>	Timberplay	Stepping Log, made of larch with steel foot	Age range: 18 months - 6 years Timber log 200 x 200 x 200mm Set in concrete		
Balance beam Q52/320	REF: 6.81000  Product Link: <a href="https://timberplay.com/product/6.81000">https://timberplay.com/product/6.81000</a>	Timberplay	Straight Balancing Beam	Age range: 18 months - 6 years Timber poles with steel ground fixings. 3000 x 350 x 200mm Set in concrete		



Resin bound gravel Q23/225	REF: Natural Aggregate Paving  Product Link: <a href="https://www.sureset.co.uk/product/paving-sample-blue-granite/">https://www.sureset.co.uk/product/paving-sample-blue-granite/</a>	SureSet	Natural Aggregate Paving	Permeable resin bound paving Colour: Blue Granite Size (nominal): 3 mm. Depth: 16 mm. Using clear Polyurethane resin		
Asphalt Q22/110	REF: ULTICOLOUR Porous 10mm  Product Link: <a href="https://www.tarmac.com/products/asphalt/ulticolour/?/">https://www.tarmac.com/products/asphalt/ulticolour/?/</a>	Tarmac	ULTICOLOUR Porous 10mm	asphalt Colour: Light Grey Thickness: 30-45mm Porosity: 5000mm/hour	