





ALL DIMENSIONS SHOULD BE CHECKED ON SITE.
DO NOT SCALE FROM THIS DRAWING.

ANY DRAWING ERRORS OR DIVERGENCES SHOULD BE BROUGHT TO THE ATTENTION OF BUILDING DESIGN PARTNERSHIP AT THE ADDRESS SHOWN BELOW


NOTES

1. FINAL SETTING OUT OF ALL VISIBLE ELEMENTS TO BE CONFIRMED BY THE ARCHITECT/INTERIOR DESIGNERS.
2. ALL MANUFACTURES' EQUIPMENT AND SELECTIONS MUST BE APPROVED BY THE CLIENT TEAM. THE MAKE AND MODEL OF ALL EQUIPMENT MUST BE APPROVED BY THE CLIENT TEAM PRIOR TO ORDERING OR FABRICATION OF ELEMENTS.
3. THE MAKE TRADE CONTRACTOR SHALL ENSURE FULL CO-ORDINATION WITH ALL OTHER SERVICES.
4. THE MAKE TRADE CONTRACTOR IS RESPONSIBLE FOR DESIGNING AND INSTALLING COMMISSONABLE SYSTEMS.
5. IN THE EVENT THAT BDP DOCUMENTATION HAS CONFLICTING INFORMATION THE MAKE TRADE CONTRACTOR SHALL RAISE THE QUERY WITH BDP ENGINEERS.
6. ALLOWANCE TO BE MADE BY MAKE CONTRACTOR FOR INVESTIGATING AND TEMPORARY DIVERSION WORKS OF EXISTING SERVICES PROHIBITING ACCESS TO PROPOSED WORKS TO THE EXISTING RAMP.
7. RAINWATER DESIGN TO BE TO BS EN 12056-3 & BUILDING REGULATIONS DOCUMENT PART H.
8. ALL CAST RAIN DRAINAGE FITTINGS AND PREWORK TO BS EN 877.
9. ALL P-C-U RAINWATER PIPES AND FITTINGS AND GOODS TO BS 4974-1.
10. ALL EXISTING SANITARYWARE AND APPLIANCES CONNECTED TO RAMP'S W/P 'S' TO BE TEMPORARILY DISCONNECTED TO ENABLE PROPOSED WORKS AND REINSTATED UPON COMPLETION OF STACK RENEWAL.

- | | | |
|-----------|---|---------------------------|
| |  | EXISTING RAINWATER GUTTER |
| |  | NEW RAINWATER GUTTER |
| |  | EXISTING RAINDRAIN PIPE |
| |  | NEW RAINDRAIN PIPE |
| X X X X X | | ABANDONED RAINWATER PIPE |
| RWP | | . RAINWATER PIPE |
| RWO | | . RAINWATER OUTLET |
| VP | | . VENT PIPE |
| H/L | | . HIGH LEVEL |
| L/L | | . LOW LEVEL |
| TB | | . FROM BELOW |
| FB | | . TO BELOW |
| TA | | . FROM ABOVE |
| FA | | . TO ABOVE |
| RE | | . RODDING EYE |
| A | | . ACCESS |

P02	ISSUED FOR INFORMATION	AL	KHF	10.02.22
P01	ISSUED FOR INFORMATION	AL	KHF	04.02.22

02.55M



BDP.

16 Brewinhouse Yard
Clerkenwell
London
EC1V 4LJ
United Kingdom
T +44 (0)20 7812 8000
www.bdp.com

PROJECT 717

UCL SLADE SCHOOL OF FINE ARTS

P3002594

Rainwater Drainage Systems Basement Floor Plan Layout

UCL-BDP-XX-XX-PL-P-52-001

P02