

NOTES

1. FINAL SETTING OUT OF ALL VISIBLE ELEMENTS TO BE CONFIRMED BY THE ARCHITECT/INTERIOR DESIGNERS.
2. ALL MANUFACTURERS' EQUIPMENT AND SELECTIONS MUST BE APPROVED BY THE CLIENT TEAM. THE M&E TRADE CONTRACTOR IS RESPONSIBLE FOR VERIFYING ALL SPATIAL FIT PRIOR TO ORDERING OR FABRICATION OF ELEMENTS.
3. THE M&E TRADE CONTRACTOR SHALL ENSURE FULL CO-ORDINATION WITH ALL OTHER SERVICES.
4. THE M&E TRADE CONTRACTOR IS RESPONSIBLE FOR DESIGNING AND INSTALLING COMMISSIONABLE SYSTEMS.
5. IN THE EVENT THAT BDP DOCUMENTATION HAS CONTRADICTORY INFORMATION, THE M&E TRADE CONTRACTOR SHALL RAISE THE QUERY WITH BDP ENGINEERS.
6. ALLOWANCE TO BE MADE BY M&E CONTRACTOR FOR INVESTIGATION AND TEMPORARY DIVERSION WORKS OF EXISTING SERVICES PROHIBITING ACCESS TO PROPOSED WORKS TO THE EXISTING RWMPs.
7. RAINWATER DESIGN TO BE TO BS EN 12056-3 & BUILDING REGULATIONS DOCUMENT PART 1.
8. ALL CAST IRON DRAINAGE FITTINGS AND PREWORK TO BS EN 877.
9. ALL PVC-U RAINWATER PIPES AND FITTINGS AND GOODS TO BS 4570-1.
10. ALL EXISTING SANITARYWARE AND APPLIANCES CONNECTED TO RWMPs & WWP s TO BE TEMPORARILY DISCONNECTED TO ENABLE PROPOSED WORKS AND REINSTATED UPON COMPLETION OF STACK RENEWAL.

LEGEND

- EXISTING RAINWATER GUTTER
- NEW RAINWATER PIPE
- NEW RAINWATER PIPE
- ABANDONED RAINWATER PIPE

- RMP - RAINWATER PIPE
- RWO - RAINWATER OUTLET
- VP - VENT PIPE
- H/L - HIGH LEVEL
- L/L - LOW LEVEL
- FB - FROM BELOW
- TB - TO BELOW
- FA - FROM ABOVE
- TA - TO ABOVE
- RE - ACCESS
- A - ACCESS
- C.I. - CAST IRON

FIG 2 ISSUED FOR INFORMATION	AL	KHF	10.02.25
FIG 1 ISSUED FOR INFORMATION	AL	KHF	04.02.25
REVISION	DATE	BY	DATE
1	04.02.25	AL	04.02.25



BDP.

16 Brinkhouse Yard
Oxford
OX2 0EL
United Kingdom
T +44 (0)20 7612 8000
www.bdp.com

UCL SLADE SCHOOL OF FINE ARTS

P3002594

Rainwater Drainage Systems
Ground Floor Plan Layout

UCL-BDP-XX-XX-PL-P-52-002

