

ANY DRAWING ERRORS OR DISCREPANCIES SHOULD BE BROUGHT TO THE ATTENTION OF BUILDING DESIGN PARTNERSHIP AT THE ADDRESS SHOWN BELOW.

NOTES

1. FINAL SETTING OUT OF ALL VISIBLE ELEMENTS TO BE CONFIRMED BY THE ARCHITECT/INTERIOR DESIGNERS.
2. ALL MANUFACTURES EQUIPMENT AND SECTIONS MUST BE APPROVED BY THE CLIENT TEAM. THE M&E CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL SPATIAL FIT PRIOR TO ORDERING OR FABRICATION OF ELEMENTS.
3. THE M&E TRADE CONTRACTOR SHALL ENSURE FULL CO-ORDINATION WITH ALL OTHER SERVICES.
4. THE M&E TRADE CONTRACTOR IS RESPONSIBLE FOR DESIGNING AND INSTALLING COMMISSONABLE SYSTEMS.
5. IN THE EVENT THAT BDP DOCUMENTATION HAS CONFLICTING INFORMATION THE M&E TRADE CONTRACTOR SHALL RAISE THE QUERY WITH BDP ENGINEERS.
6. ALL ALLOWANCE TO BE MADE BY M&E CONTRACTOR FOR INVESTIGATION AND TEMPORARY DIVERSION WORKS OF EXISTING SERVICES PROHIBING ACCESS TO PROPOSED WORKS TO THE EXISTING RMP'S.
7. RAINWATER DESIGN TO BE TO BS EN 12056-3 & BUILDING REGULATIONS DOCUMENT PART H.
8. ALL CAST IRON DRAINAGE FITTINGS AND PIPEWORK TO BS EN 877.
9. ALL PVC-U RAINWATER PIPES AND FITTINGS AND GUTTERS TO BS-4576-1.
10. ALL EXISTING SANITARYWARE AND APPLIANCES CONNECTED TO RMP'S & WP'S TO BE TEMPORARILY DISCONNECTED TO ENABLE PROPOSED WORKS AND REINSTATED UPON COMPLETION OF STACK RENEWAL.

LEGEND

- EXISTING RAINWATER GUTTER
- NEW RAINWATER PIPE
- NEW RAINWATER PIPE
- ABANDONED RAINWATER PIPE

RMP	- RAINWATER PIPE
RWO	- RAINWATER OUTLET
VP	- VENT PIPE
HL	- HIGH LEVEL
LL	- LOW LEVEL
FB	- FROM BELOW
TB	- TO BELOW
FA	- FROM ABOVE
RE	- TO ABOVE
A	- ACCESS
C	- CAST IRON

PO2 ISSUED FOR INFORMATION	AL	KHF	10.02.25
PO1 ISSUED FOR INFORMATION	AL	KHF	10.02.25

DATE



BDP.

16 Beakhouse Yard
Clarendon
London
EC1Y 4LJ
United Kingdom
T +44 (0)20 7812 8000
www.bdp.com

PROJECT TITLE

UCL SLADE SCHOOL OF FINE ARTS

PROJECT NUMBER

P3002594

RAINWATER
Rainwater Drainage Systems
Roof Plan Layout

UCL-BDP-XX-XX-PL-P-52-005

REVISION

P02

DATE

04.02.25

BY

1:100

SCALE

@ A1