

1. THIS DRAWING SHALL BE READ IN CONJUNCTION WITH ALL PUBLIC HEALTH GENERAL ARRANGEMENT DRAWINGS AS WELL AS THE MATERIALS AND WORKMANSHIP SPECIFICATION AND EQUIPMENT DATA SHEETS.
2. ALL PLASTIC PIPEROW PASSING THROUGH FIRE COMPARTMENTS SHALL BE PROTECTED TO PROVIDE WITH INTUMESCENT FIRE COLLARS/WRAPS.
3. ACCESS DOORS AND ROOFING POINTS TO BE PROVIDED ON ALL DISCHARGE STACKS AT EACH FLOOR LEVEL AT CHANGERS IN DIRECTION.
4. JUNCTIONS STATED OTHERWISE ALL SUSPENDED DUCTS SHALL BE INSTALLED TO A GRADE/OF 1:80.
5. WHERE PLASTIC PIPEROW IS USED, THERMAL EXPANSION JOINTS TO BE PROVIDED IN VERTICAL AND HORIZONTAL PIPEROW TO COMPLY WITH MANUFACTURERS REQUIREMENTS.
6. CHANGES IN HORIZONTAL PIPE IN DIAMETER SHALL MAINTAIN LEVEL, SLOPES.

NOTES

ALL DIMENSIONS SHOULD BE CHECKED ON SITE.
DO NOT SCALE FROM THIS DRAWING.
ANY DRAWING ERRORS OR DIVERGENCES SHOULD BE BROUGHT TO THE
ATTENTION OF BUILDING DESIGN PARTNERSHIP AT THE ADDRESS SHOWN BELOW.
BUILDING DESIGN PARTNERSHIP SHALL HAVE NO RESPONSIBILITY FOR ANY USE
MADE OF THIS DOCUMENT OTHER THAN FOR THAT WHICH IT WAS PREPARED AND
ISSUED.

P03	ISSUED FOR INFORMATION	AL	KHF	18.02.23
P02	ISSUED FOR INFORMATION	AL	KHF	10.02.22
P01	ISSUED FOR INFORMATION	AL	KHF	04.02.23
SESSION DISCUSSION		PMWA	CHC/CSO	DATE
CERT TOTAL				

LEGEND

- RAINWATER PIPE
- RAINWATER
- RAINWATER OUTLET
- FIRE COLLAR
- ACCESS DOOR
- ACCESS
- RODDING EYE
- DRAIN POINT
- EXISTING
- COPPER PIPEWORK
- EXISTING PIPEWORK
- NEW PIPEWORK
- INSULATED PIPEWORK

16 Brewhouse Yard
Clerkenwell
London
EC1V 4LJ
United Kingdom
T +44 (0)20 7812 8000
www.bdp.com


UCL SLADE SCHOOL OF FINE ARTS

P3002594

Rainwater Drainage Systems
Schematic
Sheet 1 of 2

UCL-BDP-XX-XX-SC-P-52-00

P03



JCL
BDP.

@A1
NTS
SCALE

04.02.25

P03