

BUILDING DESIGN PARTNERSHIP SHALL HAVE NO RESPONSIBILITY FOR ANY USE OF THIS DOCUMENT OTHER THAN FOR THE INTENDED PURPOSE AND ALL DIMENSIONS SHOULD BE CHECKED ON SITE.


DO NOT SCALE FROM THIS DRAWING.
ANY DRAWING ERRORS OR DISCREPANCIES SHOULD BE BROUGHT TO THE ATTENTION OF BUILDING DESIGN PARTNERSHIP AT THE ADDRESS SHOWN BELOW.

NOTES

- THIS DRAWING SHALL BE READ IN CONJUNCTION WITH ALL PUBLIC HEALTH GENERAL ARRANGEMENT DRAWINGS AS WELL AS THE MATERIALS AND WORKMANSHIP SPECIFICATION AND EQUIPMENT DATA SHEETS.
- ALL PLASTIC PIPEWORK PASSING THROUGH FIRE COMPARTMENT WALLS AND FLOORS TO BE PROVIDED WITH INTUMESCENT FIRE COLLARS/WRAPPS.
- ACCESS DOORS AND RODDING POINTS TO BE PROVIDED ON ALL DISCHARGE STACKS AT EACH FLOOR LEVEL AT CHANGES IN DIRECTION.
- UNLESS STATED OTHERWISE ALL SUSPENDED DRAINAGE TO BE INSTALLED TO A GRADIENT OF 1:80.
- WHERE PLASTIC PIPEWORK IS USED, THERMAL EXPANSION COUPLINGS TO BE PROVIDED IN VERTICAL AND HORIZONTAL PIPEWORK TO COMPLY WITH MANUFACTURERS REQUIREMENTS.
- CHANGES IN HORIZONTAL PIPE IN DIAMETER SHALL MAINTAIN LEVEL, SOFFITS.

- LEGEND
- RWP - RAINWATER PIPE
 - RW - RAINWATER
 - RWO - RAINWATER OUTLET
 - FC - FIRE COLLAR
 - AD - ACCESS DOOR
 - A - ACCESS
 - RE - RODDING EYE
 - DP - DRAIN POINT
 - EX - EXISTING
 - NEW PIPEWORK

P02 ISSUED FOR INFORMATION	AL	KHF	10.02.25
P01 ISSUED FOR INFORMATION	AL	KHF	04.02.25
DATE	ISSUED	BY	DATE



BDP.


16 Brewhouse Yard
Chickerwell
London
E9 7JL
United Kingdom
T +44 (0)20 7812 8000
www.bdp.com

UCL SLADE SCHOOL OF FINE ARTS

PROJECT NUMBER	P3002594	SHEET	@A1
DRAWING TITLE	Rainwater Drainage Systems	DATE	N.T.S
SCHEMATIC	Sheet 2 of 2	ISSUED	04.02.25
DRAWING NO.	UCL-BDP-XX-XX-SC-P-52-002	REVISION	P02

LEWIS BUILDING

SLADE BUILDING



PROJECT NUMBER	P3002594	SHEET	@A1
DRAWING TITLE	Rainwater Drainage Systems	DATE	N.T.S
SCHEMATIC	Sheet 2 of 2	ISSUED	04.02.25
DRAWING NO.	UCL-BDP-XX-XX-SC-P-52-002	REVISION	P02