


Strip out and remove Bleacher seating, Partitions, door and ceiling construction to 00 /30 Partitions, door, floor and ceiling contruction to 00 /31 Timber stairs, handrails and landings up to Studio Theatre Backstage, Control Room and Studio Theatre Office. Room including smoke detectors Theatre Office

and fittings have been removed

Strip Out Works to Studio Theatre Office 00 /32 Floor construction ceiling to mezzanine floor Theatre Office removed



Area Of Proposed Works scale 1:100

party Accreditation Installer intumescent pads (each door leaf)

	Note:
	This drawing is not to be scaled. Use written dimensions only.
	 Note: 1. This drawing remains the copyright of Drake & Kannemeyer: Surveyors and shall not be copied in any format without their specific approval in writing. The issue of the drawing in digital format (on floppy disk, CD or via email) entitles the named recipient only to utilise the elements of the drawing that are visible in paper space at the time of issue for the purposes of the named project only. 2. Drake & Kannemeyer : Surveyors accept no responsibility for the accuracy or currency of data on digitally issued drawings that, at the time of issue, is not visible in paper space viewports or is located on layers that are switched off or frozen. 3. The Contractor is responsible for checking dimensions, tolerances and information. Any discrepancies are to be verified with the Surveyors before preparing shop drawings or proceeding with the Works. 4. Where two or more drawings illustrate the same element of the works, the drawing at the largest scale shall take precedence. Where drawings are of the same scale the drawing with the later date (or revision date) shall take precedence. 5. Where drawings contain cross-references to a written specification that specification shall carry equal precedence with the drawing. 6. Do not scale drawings. Figured dimensions are to be worked to in all cases. 7. All dimensions indicated are structural unless specifically identified to the contrary. 8. Workmanship and materials are to be in accordance with all relevant British Standards, Codes of Practice, Agrement Certificates and manufacturer's written instructions that are current at the commencement of the Works. All materials and components are to be utilised strictly in accordance with the manufacturer's written instructions. 9. All works are to be carried out in strict accordance with the Building Regulations and to the entire satisfaction of the Building inspector. Should this differ from that shown on the drawing, obtain the Surveyo
WALLS AS INDICATED ON ORIG 1883 PLAN STILL TO BE RETAIN COLOURED MAGENTA	
WALLS AS INDICATED ON 2001 DRAWINGS TO BE RETAINED COLOURED BLUE	RECORD
PROPOSED NEW TIMBER STUD COLOURED RED	PARTITIONS
PROPOSED NEW FIRE DOORS	
	SCALEBAR (Meters)

Timber stud partitions consisting of 89x38mm CLS S.W. C16 studs @450mm max Ctrs, head, sole plates and noggings between studs faced with 1 layer 15mm Wallboard each

Supply and lay 145x44mm ceiling joists @ max 450mm Ctrs (2050mm FFL - U/S of joist) Supply and fix 22mm T&G Chipboard or OSB 3 Floor Boarding on top of joists


Supply and line underside of joists with 15mm wallboard. Tapered edged boards to be

Doors & Ironmongery to Electrical Cupboard Doors D51 & 52 Supply and fix 2No Certifire Accredited FD30 factory finished painted flush double door sets

Ironmongery to be Certifire Approved Ironmongery and must be compatible with the door manufacture for fire certification. All to be fitted by Q Mark Certified Installer or similar Third Pair and half double ball bearing butt hinges (3x Grade 13 fire door hinges per leaf) with

2No Necked barrel bolts 203x38mm (top and bottom) of each slave door

1No 3 lever sash lock each lead door with strike plates fitted to slave doors Lead doors fitted with pair lever handles round rose 19mm sprung 99922 and euro profile



BUILDING PL-007 224-11-02 Revision А COCODV