FUJITSU | AIR CONDITIONING

ASYG12KMCE

Unit Type		Wall Mounted
Remote Controller		IR Included
Nominal Cooling Capacity	(kW)	3.4
Nominal Heating Capacity	(kW)	4.0
Height	(mm)	270
Width	(mm)	834
Depth	(mm)	222
Weight	(kg)	10
Airflow Rate - Cooling - High	(m3/h)	700
Airflow Rate - Heating - High	(m3/h)	780
Sound Pressure Level - Cooling - High	(dB(A))	40
Sound Pressure Level - Cooling - Low	(dB(A))	20
Sound Pressure Level - Heating - High	(dB(A))	42
Sound Pressure Level - Heating - Low	(dB(A))	22
Sound Power Level - Cooling - High	(dB(A))	55
Sound Power Level - Heating - High	(dB(A))	58
Moisture Removal	(l/h)	1.8
Refrigerant Type (Global Warming Potential)		R32 (675)
Liquid Pipe Size		1/4"
Gas Pipe Size		3/8"
Unit Power Supply		From Outdoor Unit

Document Downloads

Airflow - Fan Curve
Controls & Accessories
Dimensional Drawing
Electrical Characteristics
Function Settings
Inputs & Outputs
Installation Manual
Noise Curve
Operation Manual

Product Image
Spare Parts List All Pages
Specifications
Wiring Diagram

Related Items

AOYG12KMCC	3.4kW Outdoor Unit - R32 Single Phase
AOYG14KBTA2	4.0kW 2 Way Multi Outdoor Unit - R32 1 Ph
AOYG18KBTA2	5.0kW 2 Way Multi Outdoor Unit - R32 1 Ph
AOYG18KBTA3	5.4kW 3 Way Multi Outdoor Unit - R32 1 Ph
AOYG24KBTA3	6.8kW 3 Way Multi Outdoor Unit - R32 1 Ph
AOYG30KBTA4	8.0kW 4 Way Multi Outdoor Unit - R32 1 Ph
AOYG36KBTA5	10.0kW 5 Way Multi Outdoor Unit - R32 1 Ph
AOYG45LBLA6	12.5kW 6 Way Multi Outdoor Unit - R410A 1 Ph
UTYTFSXF2	Wireless LAN interface
UTYRNRYZ5	LCD Wired Remote Controller
UTYRSNYM	Simplified Wired Remote Controller
UTYXWZXZ5	External Connect Kit
UTYTWRXZ2	Communication Kit
UTYTERX	External switch controller
UTYVTGX	Splits Network Converter (DC Powered)
UTYVTGXV	Splits Network Converter (AC Powered)

Unit: mm

• Specifications and design are subject to change without notice for further improvement.
• Actual products' colors may be different from the colors shown in this printed material.