## AOYG12KMCC

## Please visit our webstore for full product and technical documentation



Nominal Cooling Capacity	(kW)	3.4
Nominal Heating Capacity	(kW)	4.0
Height	(mm)	541
Width	(mm)	663
Depth	(mm)	290
Weight	(kg)	24
Airflow Rate - Cooling - High	(m3/h)	1700
Airflow Rate - Heating - High	(m3/h)	1470
Sound Pressure Level - Cooling - High	(dB(A))	50
Sound Pressure Level - Heating - High	(dB(A))	50
Sound Power Level - Cooling - High	(dB(A))	65
Sound Power Level - Heating - High	(dB(A))	65
Refrigerant Type (Global Warming Potential)		R32 (675)
Liquid Pipe Size		1/4"
Gas Pipe Size		3/8"
Min - Max Pipe Length	(m)	3 - 20
Max Height Difference	(m)	15
Refrigerant Charge (kg)	(kg)	0.7
Refrigerant CO2eq-T		0.473
Precharged For	(m)	15
Additional Charge (g/m)	(g/m)	20
Unit Power Supply		1Ph-230V-50Hz
Suggested Fuse Size	(A)	10
Cooling Mode Minimum Ambient	(°C)	-10
Cooling Mode Maximum Ambient	(°C)	46
Heating Mode Minimum Ambient	(°C)	-15
Heating Mode Maximum Ambient	(°C)	24



## **Document Downloads**

<u>Accessories</u> <u>Airflow</u> **Capacity Correction Charging Details** Controls & Accessories Design & Technical Manual <u>Dimensional Drawing</u> **Electrical Characteristics** 

Noise Curve **Product Image** Refrigerant Circuit Spare Parts List All Pages **Specifications** Wiring Diagram


**Installation Space** 


**Installation Manual** 


## **Related Items**


ASYG12KMCC

3.4kW Wall Mounted Indoor Unit - R32









Units: mm

<sup>•</sup>Specifications and design are subject to change without notice for further improvement.

<sup>•</sup> Actual products' colors may be different from the colors shown in this printed material.