

Copyright Rolfe Judd Ltd

- 1 The Contractor must check and confirm all dimensions 2 All discrepancies must be reported and resolved by the Architect before works commence
- 3 This drawing is not to be scaled 4 All work and materials to be in accordance with current

Existing Structure

applicable Statutory Legislation and to comply with all relevant Codes of Practice and British Standards

NOTES:

Read in Conjunction with:

RJA 18 Series Demolition Drawings
RJA 20 Series GA Drawings
RJA 21 Series External Wall and Roof Type Drawings

RJA 22 Series Wall Type Drawings

RJA 24 Series Stairs RJA 26 Series Fire Strategy

RJA 31 Series Window Drawings

RJA 32 Series Door Drawings RJA 35 Series Ceiling Drawings


RJA 43 Series Floor Drawings

RJA 70 Series Fit Out Drawings RJA 73 Series Kitchen Drawings RJA 74 Series Bathroom Drawings

RJA Exterior and Interior Specification Schedule

1/ Any new thermal elements should not exceed the following U-values: Flat roof - 0.15 W/m2K, Walls - 0.18 w/m2K, Floors - 0.18 W/m2K, Windows - 1.40 W/m2K, Doors - 1.40 W/m2K, Roof Lights - 1.6 W/m2K 2/ Existing pitched roof to be upgraded to 0.15 W/m2K

If there's an opportunity to increase the clear ceiling heights, this should be explored in coordination with services.



P08 Stage 3 Issue
P07 Stage 3 Issue
P06 Stage 3 Issue
P05 WIP Issue to Design Team
P04 WIP Issue to Design Team
P03 WIP Issue to Design Team
P02 WIP Issue to Design Team
P01 WIP Issue to design Team
P01 WIP issue to design team

ROLFE JUDD

OLD CHURCH COURT, CLAYLANDS ROAD, LONDON SW8 1NZ / T 020 7556 1500 / www.rolfe-judd.co.uk

16/04/25 26/03/25 14/01/25 13/12/24 15/11/24 21/08/24 01/07/24 16/04/24

DCCM Fashion Limited Apartment 7, 1 Goodge Street

8 Guilford Street

London W1T 2PA

London WC1N 1DA

Drawing Proposed Sections AA / BB

6569 1:50 (A1) S2

Drawing Number

6569-RJA-ZZ-XX-DR-A-20301

G:\6569\A_Series\A20\6569-RJA-ZZ-XX-DR-A-20301