

NOTES

Copyright Rolfe Judd Ltd 1 The Contractor must check and confirm all dimensions

2 All discrepancies must be reported and resolved by the Architect before works commence

- 3 This drawing is not to be scaled
- 4 All work and materials to be in accordance with current applicable Statutory Legislation and to comply with all relevant Codes of Practice and British Standards

NOTES:

Existing Structure


Read in Conjunction with:

RJA 18 Series Demolition Drawings RJA 20 Series GA Drawings RJA 21 Series External Wall and Roof Type Drawings RJA 22 Series Wall Type Drawings RJA 24 Series Stairs RJA 26 Series Fire Strategy **RJA 31 Series Window Drawings** RJA 32 Series Door Drawings RJA 35 Series Ceiling Drawings RJA 43 Series Floor Drawings RJA 70 Series Fit Out Drawings RJA 73 Series Kitchen Drawings RJA 74 Series Bathroom Drawings

RJA Exterior and Interior Specification Schedule

1/ Any new thermal elements should not exceed the following U-values: Flat roof - 0.15 W/m2K, Walls - 0.18 w/m2K, Floors - 0.18 W/m2K, Windows - 1.40 W/m2K, Doors - 1.40 W/m2K, Roof Lights - 1.6 W/m2K 2/ Existing pitched roof to be upgraded to 0.15 W/m2K

If there's an opportunity to increase the clear ceiling heights, this should be explored in coordination with services.







OLD CHURCH COURT, CLAYLANDS ROAD, LONDON SW8 1NZ / T 020 7556 1500 / www.rolfe-judd.co.uk

Client DCCM Fashion Limited Apartment 7, 1 Goodge Street London W1T 2PA

Project 8 Guilford Street London WC1N 1DA

Drawing Proposed **Guilford Street Elevation**

RJ Ref Scale (A1) Status 6569 1:50 (A1) S2

Revision P06

Drawing Number 6569-RJA-ZZ-XX-DR-A-20201 G:\6569\A_Series\A20\6569-RJA-ZZ-XX-DR-A-20201