LDC (Proposed) Report

Application number

2025/1005/P

Officer

Expiry date 01/05/2025

Geri Gohin

Application Address 75 Broomsleigh Street,

London,

NW6 1QQ Conservation Area Article 4

None Basements

Proposal

Loft conversion comprising a rear main-roof dormer and an outrigger dormer, removal of front rooflight and introduction of 2 new front rooflights.

Recommendation: Grant Lawful Development Certificate				
Class B	- The enlargement of a dwellinghouse consisting of an addition or alteration to	o its roof		
If yes to a	any of the questions below the proposal is not permitted development	Yes/no		
B.1(a)	Permission to use the dwelling house as a dwelling house has been granted by virtue of Class M, N, P or Q of Part 3 of this Schedule (changes of use)	No		
B.1(b)	As a result of the works, would any part of the dwellinghouse exceed the height of the highest part of the existing roof?	No		
B.1(c)	As a result of the works, would any part of the dwellinghouse extend beyond the plane of any existing roof slope which forms the principal elevation of the dwellinghouse and fronts a highway?	No		
B.1(d)	As a result of the works, would the cubic content of the resulting roof space exceed the cubic content of the original roof space by more than— (i) 40 cubic metres in the case of a terrace house, or (ii) 50 cubic metres in any other case?	No (approx. 39.71 cubic metres)		
B.1(e)	Would it consist of or include— (i) the construction or provision of a veranda, balcony or raised platform, or (ii) the installation, alteration or replacement of a chimney, flue or soil and vent pipe?	No No		
B.1(f)	Is the dwellinghouse on article 2(3) land?	No		
Condition	s: If no to any of the questions below the proposal is not permitted developm	ent		
B.2(a)	Would the materials used in any exterior work be of a similar appearance to those used in the construction of the exterior of the existing dwellinghouse?	Yes		

B.2(b)	(i) Other than in the case of a hip-to-gable enlargement or an enlargement which joins the original roof to the roof of a rear or side extension, would	
	(aa) the eaves of the original roof are maintained or reinstated, and (bb) the edge of the enlargement closest to the eaves of the original roof be no less than 20 centimetres from the eaves of the original roof, so far as practicable? and	Yes Yes

elevation of the dwellinghouse — (i) be obscured-glazed; and (ii) be non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed? Class C - Any other alteration to the roof of a dwellinghouse If yes to any of the questions below the proposal is not permitted development Yes/no C.1 (a) Permission to use the dwellinghouse as a dwellinghouse has been granted only by virtue of Class G, M, MA, N, P, PA or Q of Part 3 of this Schedule (changes of use) C.1(b) As a result of the works, would the alteration protrude more than 0.15 metres beyond the plane of the slope of the original roof when measured from the perpendicular with the external surface of the original roof? C.1(c) As a result of the works, would it result in the highest part of the alteration being higher than the highest part of the original roof? C.1(d) Would it consist of or include— (i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe; or (ii) the installation, alteration or replacement of solar photovoltaics or solar thermal equipment?			
elevation of the dwellinghouse — (i) be obscured-glazed; and (ii) be non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed? Class C - Any other alteration to the roof of a dwellinghouse If yes to any of the questions below the proposal is not permitted development C.1 (a) Permission to use the dwellinghouse as a dwellinghouse has been granted only by virtue of Class G, M, MA, N, P, PA or Q of Part 3 of this Schedule (changes of use) C.1(b) As a result of the works, would the alteration protrude more than 0.15 metres beyond the plane of the slope of the original roof when measured from the perpendicular with the external surface of the original roof? C.1(c) As a result of the works, would it result in the highest part of the alteration being higher than the highest part of the original roof? C.1(d) Would it consist of or include— (i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe; or (ii) the installation, alteration or replacement of solar photovoltaics or solar thermal equipment? C.1(e) Is the dwellinghouse built under Part 20 of this Schedule (construction of new dwellinghouses)? No Condition: If no to the question below then the proposal is not permitted development C.2 Would any window located on a roof slope forming a side elevation of the dwellinghouse be— (a) obscure-glazed, and (b) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed?		to the roof of a rear or side extension, no part of the enlargement extends beyond the outside face of any external wall of the original	Yes
If yes to any of the questions below the proposal is not permitted development C.1 (a) Permission to use the dwellinghouse as a dwellinghouse has been granted only by virtue of Class G, M, MA, N, P, PA or Q of Part 3 of this Schedule (changes of use) C.1(b) As a result of the works, would the alteration protrude more than 0.15 metres beyond the plane of the slope of the original roof when measured from the perpendicular with the external surface of the original roof? C.1(c) As a result of the works, would it result in the highest part of the alteration being higher than the highest part of the original roof? C.1(d) Would it consist of or include— (i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe; or (ii) the installation, alteration or replacement of solar photovoltaics or solar thermal equipment? C.1(e) Is the dwellinghouse built under Part 20 of this Schedule (construction of new dwellinghouses)? Would any window located on a roof slope forming a side elevation of the dwellinghouse be— (a) obscure-glazed, and (b) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed?	B.2(c)	elevation of the dwellinghouse — (i) be obscured-glazed; and (ii) be non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in	N/A
C.1 (a) Permission to use the dwellinghouse as a dwellinghouse has been granted only by virtue of Class G, M, MA, N, P, PA or Q of Part 3 of this Schedule (changes of use) C.1(b) As a result of the works, would the alteration protrude more than 0.15 metres beyond the plane of the slope of the original roof when measured from the perpendicular with the external surface of the original roof? C.1(c) As a result of the works, would it result in the highest part of the alteration being higher than the highest part of the original roof? C.1(d) Would it consist of or include— (i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe; or (ii) the installation, alteration or replacement of solar photovoltaics or solar thermal equipment? C.1(e) Is the dwellinghouse built under Part 20 of this Schedule (construction of new dwellinghouses)? No Condition: If no to the question below then the proposal is not permitted development C.2 Would any window located on a roof slope forming a side elevation of the dwellinghouse be— (a) obscure-glazed, and (b) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed?	Class C	- Any other alteration to the roof of a dwellinghouse	
only by virtue of Class G, M, MA, N, P, PA or Q of Part 3 of this Schedule (changes of use) C.1(b) As a result of the works, would the alteration protrude more than 0.15 metres beyond the plane of the slope of the original roof when measured from the perpendicular with the external surface of the original roof? C.1(c) As a result of the works, would it result in the highest part of the alteration being higher than the highest part of the original roof? C.1(d) Would it consist of or include— (i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe; or (ii) the installation, alteration or replacement of solar photovoltaics or solar thermal equipment? C.1(e) Is the dwellinghouse built under Part 20 of this Schedule (construction of new dwellinghouses)? Condition: If no to the question below then the proposal is not permitted development C.2 Would any window located on a roof slope forming a side elevation of the dwellinghouse be— (a) obscure-glazed, and (b) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed?	If yes to a	any of the questions below the proposal is not permitted development	Yes/no
metres beyond the plane of the slope of the original roof when measured from the perpendicular with the external surface of the original roof? C.1(c) As a result of the works, would it result in the highest part of the alteration being higher than the highest part of the original roof? C.1(d) Would it consist of or include— (i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe; or (ii) the installation, alteration or replacement of solar photovoltaics or solar thermal equipment? C.1(e) Is the dwellinghouse built under Part 20 of this Schedule (construction of new dwellinghouses)? Condition: If no to the question below then the proposal is not permitted development C.2 Would any window located on a roof slope forming a side elevation of the dwellinghouse be— (a) obscure-glazed, and (b) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed?	C.1 (a)	only by virtue of Class G, M, MA, N, P, PA or Q of Part 3 of this Schedule	No
C.1(c) As a result of the works, would it result in the highest part of the alteration being higher than the highest part of the original roof? C.1(d) Would it consist of or include— (i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe; or (ii) the installation, alteration or replacement of solar photovoltaics or solar thermal equipment? C.1(e) Is the dwellinghouse built under Part 20 of this Schedule (construction of new dwellinghouses)? Condition: If no to the question below then the proposal is not permitted development C.2 Would any window located on a roof slope forming a side elevation of the dwellinghouse be— (a) obscure-glazed, and (b) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed?	C.1(b)	metres beyond the plane of the slope of the original roof when measured	(approx.
C.1(d) Would it consist of or include— (i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe; or (ii) the installation, alteration or replacement of solar photovoltaics or solar thermal equipment? C.1(e) Is the dwellinghouse built under Part 20 of this Schedule (construction of new dwellinghouses)? No Condition: If no to the question below then the proposal is not permitted development C.2 Would any window located on a roof slope forming a side elevation of the dwellinghouse be— (a) obscure-glazed, and (b) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed?	C.1(c)	· · · · · · · · · · · · · · · · · · ·	
thermal equipment? C.1(e) Is the dwellinghouse built under Part 20 of this Schedule (construction of new dwellinghouses)? Condition: If no to the question below then the proposal is not permitted development C.2 Would any window located on a roof slope forming a side elevation of the dwellinghouse be— (a) obscure-glazed, and (b) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed?	C.1(d)	(i) the installation, alteration or replacement of a chimney, flue or soil and vent pipe; or	
C.1(e) Is the dwellinghouse built under Part 20 of this Schedule (construction of new dwellinghouses)? Condition: If no to the question below then the proposal is not permitted development C.2 Would any window located on a roof slope forming a side elevation of the dwellinghouse be— (a) obscure-glazed, and (b) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed?			
C.2 Would any window located on a roof slope forming a side elevation of the dwellinghouse be— (a) obscure-glazed, and (b) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed?	C.1(e)	Is the dwellinghouse built under Part 20 of this Schedule (construction of	No
the dwellinghouse be— (a) obscure-glazed, and (b) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed?	Condition	: If no to the question below then the proposal is not permitted development	
the dwellinghouse be— (a) obscure-glazed, and (b) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed?	C 2	Would any window located on a roof clane forming a side clayeties of	
Assessment	U.2	the dwellinghouse be— (a) obscure-glazed, and (b) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window	-
Addition	Assessm	nent	

The site is a two storey terrace located at the eastern end of Broomsleigh Street, at the intersection with Ravenshaw Street. The building is in use as a single dwellinghouse.

The property does not lie within a Conservation Area, is not a listed building and is not restricted by an Article 4 direction, other than for basement excavation. It is within the Fortune Green and West Hampstead Neighbourhood Plan Area, but this does not restrict permitted development rights.

The proposals meet all the limitations and conditions of Schedule 2, Part 1, Class B for the enlargement of a dwelling house consisting of an addition or alteration to its roof, and of Schedule 2, Part 1, Class C for other alteration to the roof of a dwelling house, as set out in the

table above. Therefore, the certificate of lawful development (proposed) should be granted.			