



Notes:

- STONE TYPE TO RUSTICATED STONEWORK TO BE PORTLAND BOWERS ROACH SAMPLE AND RANGE TO BE APPROVED.
- STONE TYPE TO NON-RUSTICATED STONEWORK TO BE PORTLAND FANCY BEACH WHITEBED SAMPLE AND RANGE TO BE APPROVED.
- STONE TYPE TO PLINTH STONEWORK TO BE GRANITE (SAMPLE TO BE APPROVED).
- STANDARD JOINTS TO BE 5mm FULLY POINTED TO APPROVED SAMPLE.
- ALL MASTIC JOINTS TO MATCH APPROVED SAMPLES.
- ALL FIXING RESTRAINTS TO BE STAINLESS STEEL GRADE 304 AND TO BE ISOLATED FROM THE MILD STEEL TO PREVENT BIMETALLIC REACTION.
- ALL STONES SHOULD HAVE NUMBERS MARKED ON UNSEEN FACES AND BE PROVIDED AS PER THE CUTTING SCHEDULES.
- INSULATION TO BE KINGSPAN TWISS.
- ALL WATERPROOFING DPM BY OTHERS.

CDM Regulations
Design Risk Assessment

The size and shape of individual stones for this project have been designed to satisfy the overall design requirements for the building. All persons handling and installing such stones should be aware that there are risks associated with this type of work that cannot be designed out.

RSK: INJURY
Risk Reduction:
Fixers must be suitably experienced in the handling of stones and employ lifting methods appropriate to the size and shape of that component. Access and platforms must be to the standard required by current legislation.
References must always be made to COSSH information for the materials being used.

Rev.	Reason For Issue	Date
A	Updated to Architects comments.	23.05.13

This drawing is the property of Grants and is to be used only for the contracted parties. It shall remain the property of Grants until all materials are supplied. No part of this drawing shall be reproduced or used in any way without the prior written consent of Grants.

GRANTS
CONSTRUCTION STONE CONTRACTORS

GRANTS OF SHOREDITCH LTD
GRANTS HOUSE, PROSPECT WAY
NUTFIELD, BRENTWOOD
ESSEX, CM13 1XD
Tel: 0206 772 2888 Fax: 020 793 9260
E: sales@grantsstones.com

Project:
ST EDMUNDS TERRACE LONDON

Architect:
SQUIRE AND PARTNERS

Contractor:
MACE

Drawing Title:
BLOCK 2 WEST ELEVATION GROUND TO FIRST FLOOR

Drawn By: **SM** Checked By: **SM** Scale: **1:25 @ A0** Date: **25/04/13** Revision: **A**

Drawing No.: **3205-A-GA-1025**

