

**KEY**

- Suspended plasterboard ceiling. Refer to drawing: ARC-DWG-SPR-NRB-CAD-0025
- Demountable Suspended 600x600 Mineral Tile Ceiling. Refer to drawing: ARC-DWG-SPR-NRB-CAD-0025
- Insulated dry lining board between roof rafters. Refer to drawing: ARC-DWG-SPR-NRB-CAD-0027
- Insulated between ceiling joists. Refer to drawing: ARC-DWG-SPR-NRB-CAD-0025
- Suspended Fireboard Ceiling to achieve 1 HR FR. Refer to drawing: ARC-DWG-SPR-NRB-CAD-0026
- Locally repaired lathe & plaster with 1HR FR Envirograph coating. Refer to drawing: ARC-DWG-SPR-NRB-CAD-0025
- Ceiling abutment detail reference. See associated reference drawings

**GENERAL NOTES:**

- Ceiling heights subject to site survey of existing structure, where indicated levels are indicative and subject to confirmation.
- Drawings are based on survey by others and may not accurately represent what is physically present.
- Refer to General arrangement drawings for Fire Strategy.
- All fire resistant ceilings to be installed in accordance with the approved fire strategy drawings and subject to final (Tenos) approval.
- New or existing slabs are assumed to achieve a minimum fire rating of 1 HR generally in accordance with the Fire Strategy - S.E. / Fire Consultant to confirm this assumption.
- Where existing plaster ceilings are repaired existing cornices, where they exist, to be repaired to match existing.
- PIR, Smoke Detector, lights and Sprinklers refer to M&E drawings.



FOR CONTINUATION SEE DRAWING ARC-DWG-SPR-NRB-CAP-0017

**REFERENCE NOTES:**

DRAWING TO BE READ IN CONJUNCTION WITH DRAWING No:

ARC-DWG-SPR-NRB-CAS-0050 sections A - A  
 ARC-DWG-SPR-NRB-CAS-0051 sections B - B  
 ARC-DWG-SPR-NRB-CAS-0052 sections C - C  
 ARC-DWG-SPR-NRB-CAS-0053 sections D - D / E - E / F - F  
 ARC-DWG-SPR-NRB-CAS-0054 sections G - G / H - H / i - i

ARC-DWG-SPR-NRB-CAD-0025  
 ARC-DWG-SPR-NRB-CAD-0026  
 ARC-DWG-SPR-NRB-CAD-0027



**Building Survey Legend:**

SH: 1.00	Sill Height from FFL
HHT: 2.12	Head Height from FFL
SL: 51.03m	Sill Level from defined datum
HL: 52.82m	Head Level from defined datum
Susp. Cht: 2.00	Suspended Ceiling Height from FFL
Struct. Cht: 3.00	Structural Ceiling Height from FFL
Susp. Cht: 30.00m	Suspended Ceiling Level from datum
Struct. Cht: 31.00m	Structural Ceiling Level from datum
IFL: 100.00m	Internal Floor Level (General)
+100.00m	Internal Floor Level (Specific)
	Insertion Point for overlay drawings of other floors or details

**SURVEY PROVIDED BY:**

Rowan House  
 Duffield Road  
 Little Eaton  
 Derby  
 DE21 5DR  
 Tel: (01332) 830044 Fax: (01332) 830055  
 admin@greenhatch-group.co.uk

**SURVEY DRAWING No.**  
 17647\_01\_P / dated 19/10/2012

rev	date	by	description
A	15/01/2013	TWF	Firestop note added to partitions along W38 & W36. Ceiling to WC 1/59 added. Suspended metal ceiling legend removed. Suspended metal ceiling to stair lobby removed. Construction issue.

**Robinson Henning & Gallagher**  
 Architects & Surveyors

Unit K, Lombard Business Park, 20 - 26 Purley Way, Croydon, Surrey, CR0 3JP. Tel No. 020-8684-8125. Fax No. 020-8684-8534

London Office  
 PO Box 64222  
 London  
 NW1 2RS  
 T 020 7387 1268  
 F 020 7380 1255  
 info@spenceltld.co.uk  
 www.spenceltld.co.uk

client

job title  
 KINGS CROSS STATION  
 REDEVELOPMENT PROGRAMME  
 NORTHERN BUILDING  
 PACKAGE 11

drg title  
 NORTHERN BUILDING  
 FIRST FLOOR PLAN  
 REFLECTED CEILING  
 BETWEEN GL W35 & W39

CCMS no.

drawing status **FORM 3 - ISSUE FOR CONSTRUCTION**

drg No **ARC-DWG-SPR-NRB-CAP-0018** rev **A**

date	20/11/2012	scale	1:50 @ A1
drawn	SRW	checked	DC
SPR job no.	MC2939		