



KEY

- Suspended plasterboard ceiling. Refer to drawing: ARC-DWG-SPR-NRB-CAD-0025
- Demountable Suspended 600x600 Mineral Tile Ceiling. Refer to drawing: ARC-DWG-SPR-NRB-CAD-0025
- Insulated dry lining board between roof rafters. Refer to drawing: ARC-DWG-SPR-NRB-CAD-0027
- Insulated between ceiling joists. Refer to drawing: ARC-DWG-SPR-NRB-CAD-0025
- Suspended Fireboard Ceiling to achieve 1 HR FR. Refer to drawing: ARC-DWG-SPR-NRB-CAD-0026
- Locally repaired lathe & plaster with 1HR FR Envirograph coating. Refer to drawing: ARC-DWG-SPR-NRB-CAD-0025
- Ceiling abutment detail reference. See associated reference drawings

GENERAL NOTES:

- Ceiling heights subject to site survey of existing structure, where indicated levels are indicative and subject to confirmation.
- Drawings are based on survey by others and may not accurately represent what is physically present.
- Refer to General arrangement drawings for Fire Strategy.
- All fire resistant ceilings to be installed in accordance with the approved fire strategy drawings and subject to final (Tenos) approval.
- New or existing slabs are assumed to achieve a minimum fire rating of 1 HR generally in accordance with the Fire Strategy - S.E. / Fire Consultant to confirm this assumption.
- Where existing plaster ceilings are repaired existing cornices, where they exist, to be repaired to match existing.
- PIR, Smoke Detector, lights and Sprinklers refer to M&E drawings.

Notes

- DO NOT SCALE THIS DRAWING

Keyplan

Building Survey Legend:

SH: 1.00	Sill Height from FFL
HHT: 2.12	Head Height from FFL
SL: 51.03m	Sill Level from defined datum
HL: 52.82m	Head Level from defined datum
Susp. CH: 2.00	Suspended Ceiling Height from FFL
Struct. CH: 3.00	Structural Ceiling Height from FFL
Susp. Cell: 30.00m	Suspended Ceiling Level from datum
Struct. Cell: 31.00m	Structural Ceiling Level from datum
IFL: 100.00m	Internal Floor Level (General)
+100.00m	Internal Floor Level (Specific)
	Insertion Point for overlay drawings of other floors or details

SURVEY PROVIDED BY:

SURVEY DRAWING No.
17647_01_P / dated 19/10/2012

FOR CONTINUATION SEE DRAWING ARC-DWG-SPR-NRB-CAP-0019

rev	date	by	description
A	15/01/2013	TWF	Walls between rooms 1/51, 1/53A & 1/53B amended. Suspended metal ceiling legend removed. Construction issue.

Robinson Henning & Gallagher
Architects & Surveyors

Unit K, Lombard Business Park, 20 - 26 Purley Way, Croydon, Surrey, CR0 3JP. Tel No. 020-8684-8125. Fax No. 020-8684-8534

London Office
PO Box 64222
London
NW1 2RS
T 020 7387 1268
F 020 7380 1255
info@spenceltd.co.uk
www.spenceltd.co.uk

client **Network Rail**

job title
KINGS CROSS STATION
REDEVELOPMENT PROGRAMME
NORTHERN BUILDING
PACKAGE 11

drg title
NORTHERN BUILDING
SECOND FLOOR PLAN
REFLECTED CEILING @ HIGH LEVEL
BETWEEN GL W35 & W39

CCMS no.	
drawing status	FORM 3 - ISSUE FOR CONSTRUCTION
drg No	ARC-DWG-SPR-NRB-CAP-0020
rev	A
date	22/11/2012
scale	1:50 @ A1
drawn	SRW
checked	DC
SPR job no.	MC2939

REFERENCE NOTES:

DRAWING TO BE READ IN CONJUNCTION WITH DRAWING No:

ARC-DWG-SPR-NRB-CAS-0050 sections A - A
ARC-DWG-SPR-NRB-CAS-0051 sections B - B
ARC-DWG-SPR-NRB-CAS-0052 sections C - C
ARC-DWG-SPR-NRB-CAS-0053 sections D - D / E - E / F - F
ARC-DWG-SPR-NRB-CAS-0054 sections G - G / H - H / i - i

ARC-DWG-SPR-NRB-CAD-0025
ARC-DWG-SPR-NRB-CAD-0026
ARC-DWG-SPR-NRB-CAD-0027

