


FOR CONTINUATION SEE DRAWING ARC-DWG-SPR-NRB-CAP-0024



Building Survey Legend:

SH: 1.00	Sill Height from FFL
HH: 2.12	Head Height from FFL
SL: 51.03m	Sill Level from defined datum
HL: 52.82m	Head Level from defined datum
Susp. C/H: 2.00	Suspended Ceiling Height from FFL
Struct. C/H: 3.00	Structural Ceiling Height from FFL
Susp. Cell: 30.00m	Suspended Ceiling Level from datum
Struct. Cell: 31.00m	Structural Ceiling Level from datum
IFL: 100.00m	Internal Floor Level (General)
+100.00m	Internal Floor Level (Specific)
Insertion Point	Insertion Point for overlay drawings of other floors or details

SURVEY PROVIDED BY:

Topographical Surveys
Site Engineering

Measured Building Surveys
3D Laser Scanning

Rowan House
Duffield Road
Little Eaton
Derby

0221 50R
Tel: (01332) 830044 Fax: (01332) 830055
admin@greenhatch-group.co.uk

SURVEY DRAWING No.
17647_01_P / dated 19/10/2012

rev	date	by	description
A	18/01/2013	TWF	Fireboard ceiling to rooms 2/49B & 2/49C removed. Ceiling layouts to room 2/48, 2/49B 2/49C & 2/52 amended. Suspended ceiling added to rooms 2/47, 2/47A, 2/47B & 2/47C. Sprinklers removed. Corridor suspended ceiling removed. Suspended metal ceiling legend removed. Construction issue.

Robinson Henning & Gallagher
Architects & Surveyors

Unit K, Lombard Business Park, 20 - 26 Purley Way, Croydon, Surrey, CR0 3JP. Tel No. 020-8684-8125. Fax No. 020-8684-8534

London Office
PO Box 64222
London
NW1 2RS

T 020 7387 1268
F 020 7380 1256
info@spenceltd.co.uk
www.spenceltd.co.uk

client **Network Rail**

job title
KINGS CROSS STATION
REDEVELOPMENT PROGRAMME
NORTHERN BUILDING
PACKAGE 11

drg title
NORTHERN BUILDING
SECOND FLOOR PLAN
REFLECTED CEILING
BETWEEN GL W31 & W35

CCMS no.	
drawing status	FORM 3 - ISSUE FOR CONSTRUCTION
drg No	ARC-DWG-SPR-NRB-CAP-0023
rev	A
date	22/11/2012
scale	1:50 @ A1
drawn	SRW
checked	DC
SPR job no.	MC2939

KEY

	Suspended plasterboard ceiling. Refer to drawing: ARC-DWG-SPR-NRB-CAD-0025
	Demountable Suspended 600x600 Mineral Tile Ceiling. Refer to drawing: ARC-DWG-SPR-NRB-CAD-0025
	Insulated dry lining board between roof rafters. Refer to drawing: ARC-DWG-SPR-NRB-CAD-0027
	Insulated between ceiling joists. Refer to drawing: ARC-DWG-SPR-NRB-CAD-0025
	Suspended Fireboard Ceiling to achieve 1 HR FR. Refer to drawing: ARC-DWG-SPR-NRB-CAD-0025
	Locally repaired lathe & plaster with 1HR FR Envirograph coating. Refer to drawing: ARC-DWG-SPR-NRB-CAD-0025
	Ceiling abutment detail reference. See associated reference drawings

GENERAL NOTES:

- Ceiling heights subject to site survey of existing structure, where indicated levels are indicative and subject to confirmation.
- Drawings are based on survey by others and may not accurately represent what is physically present.
- Refer to General arrangement drawings for Fire Strategy.
- All fire resistant ceilings to be installed in accordance with the approved fire strategy drawings and subject to final (Tenos) approval.
- New or existing slabs are assumed to achieve a minimum fire rating of 1 HR generally in accordance with the Fire Strategy - S.E. / Fire Consultant to confirm this assumption.
- Where existing plaster ceilings are repaired existing cornices, where they exist, to be repaired to match existing.
- PIR, Smoke Detector, lights and Sprinklers refer to M&E drawings.

REFERENCE NOTES:

DRAWING TO BE READ IN CONJUNCTION WITH DRAWING No:

- ARC-DWG-SPR-NRB-CAS-0050 sections A - A
- ARC-DWG-SPR-NRB-CAS-0051 sections B - B
- ARC-DWG-SPR-NRB-CAS-0052 sections C - C
- ARC-DWG-SPR-NRB-CAS-0053 sections D - D / E - E / F - F
- ARC-DWG-SPR-NRB-CAS-0054 sections G - G / H - H / i - i
- ARC-DWG-SPR-NRB-CAD-0025
- ARC-DWG-SPR-NRB-CAD-0026
- ARC-DWG-SPR-NRB-CAD-0027

