

BRITISH MUSEUM WORLD EXHIBITION CENTRE

EXTERNAL LANDSCAPE STONE SCHEDULE

FOR CONSTRUCTION

DOCUMENT NUMBER GILL-97-SH-0401

GILLESPIES

ISSUE	REV	DESCRIPTION	BY	DATE
FOR INFORMATION	DRAFT	PRE STAGE E	CF	30.07.2010
FOR INFORMATION	T01	STAGE E	CF	06.08.2010
FOR TENDER	T02	TENDER	OD	13.10.11
FOR CONSTRUCTION	T03	CONSTRUCTION	OD	11.12.12
FOR CONSTRUCTION	T04	CONSTRUCTION	OD	13.08.13

NOTE: 1 ALL DIMENSIONS ON STONE SCHEDULE (GILL-98-SP-0401) ARE PRECISE MEASUREMENTS OF STONE. ALL PLAN DIMENSIONS OF STONE ON DRAWINGS ARE NOMINAL , TO INCLUDE A 6mm JOINT UNLESS OTHERWISE STATED ON DRAWING 2 THIS SCHEDULE TO BE READ IN CONJUNCTION WITH GENERAL ARRANGEMENT PLAN (GILL-98-DR-0001/2), REFERENCE PLAN (GILL-98-DR-0009) AND REFERENCED DRAWINGS BELOW									
BLOCK TYPE	FUNCTION / LOCATION	BLOCK SHAPE	ADDITIONAL FEATURES	MATERIAL (Stone product reference)	DIMENSIONS (mm)			FINISH on apparent faces (sawn on othersides)	DRAWING REFERENCE NUMBER
					LENGTH	WIDTH	DEPTH * Refer to engineers specification		
PAVING									
P1	Public realm pavement to Montague Place	Rectangular slabs	Pedestrian and vehicle use (to engineers specification)	Yorkstone (to match Montague Pl paving, and in accordance with Camden specifications)	Random	600.00		Sawn	GILL-90-DR-0121
P3	Truck lift area	Rectangular setts	Trafficable (loading to engineers specification). Requirement for sealant to be confirmed by specialist sub-contractor.	Silver Grey Granite	250.00	100.00		All exposed sides flamed	GILL-90-DR-0122, 0124
P3a	Public realm vehicular entrance from Montague Place - outside red line boundary.	Rectangular setts	Trafficable (to LBC specification)	Silver Grey Granite	200.00	100.00		To LBC specification	GILL-90-DR-0122, 0124
P5	General paving to garden areas where meets public realm	Rectangular slabs	Pedestrian use	Silver Grey granite	600.00	600.00		All exposed sides flamed	GILL-90-DR-0124, 0125
P6	Adjacent to plinths	Granite setts	Pedestrian use	Silver Grey Granite	100.00	100.00		All exposed sides flamed	GILL-90-DR-0125

NOTE:
 1 ALL DIMENSIONS ON STONE SCHEDULE (GILL-98-SP-0401) ARE PRECISE MEASUREMENTS OF STONE. ALL PLAN DIMENSIONS OF STONE ON DRAWINGS ARE NOMINAL , TO INCLUDE A 6mm JOINT UNLESS OTHERWISE STATED ON DRAWING
 2 THIS SCHEDULE TO BE READ IN CONJUNCTION WITH GENERAL ARRANGEMENT PLAN (GILL-98-DR-0001/2), REFERENCE PLAN (GILL-98-DR-0009) AND REFERENCED DRAWINGS BELOW

BLOCK TYPE	FUNCTION / LOCATION	BLOCK SHAPE	ADDITIONAL FEATURES	MATERIAL (Stone product reference)	DIMENSIONS (mm)			FINISH on apparent faces (sawn on othersides)	DRAWING REFERENCE NUMBER	
					LENGTH	WIDTH	DEPTH * Refer to engineers specification			
GRANITE PLANTERS										
PL	PL1	Gallery planter - Full block	Rectangular	All blocks equal size, including corners. All exposed edges pencil rounded. Scored with false 6mm joint to mimic cladding/coping.	Silver Grey Granite	To be determined by contractor - refer to drawings for design intent	Varies - to be determined by contractor	Varies - to be determined by contractor	All exposed sides Bushhammered	GILL-90-DR-0109, 0111, 0105
	PL2	Gallery planter - Full block	Rectangular	All blocks equal size, including corners. All exposed edges pencil rounded. Scored with false 6mm joint to mimic cladding/coping.	Silver Grey Granite	To be determined by contractor - refer to drawings for design intent	Varies - to be determined by contractor	Varies - to be determined by contractor	All exposed sides Bushhammered	GILL-90-DR-0109, 0111, 0105
	PL3	Gallery planter - Full block	Rectangular	All blocks equal size, including corners. All exposed edges pencil rounded. Scored with false 6mm joint to mimic cladding/coping.	Silver Grey Granite	To be determined by contractor - refer to drawings for design intent	Varies - to be determined by contractor	Varies - to be determined by contractor	All exposed sides Bushhammered	GILL-90-DR-0109, 0111, 0105
	PL4	Montague Place planter	Rectangular	All blocks equal size, including corners. All exposed edges pencil rounded. Scored with false 6mm joint to mimic cladding/coping.	Silver Grey Granite	To be determined by contractor - refer to drawings for design intent	Varies - to be determined by contractor	Varies - to be determined by contractor	All exposed sides Bushhammered	GILL-90-DR-0109, 0111, 0105
	PL5	Montague Place planter	Rectangular	All blocks equal size, including corners. All exposed edges pencil rounded. Scored with false 6mm joint to mimic cladding/coping.	Silver Grey Granite	To be determined by contractor - refer to drawings for design intent	Varies - to be determined by contractor	Varies - to be determined by contractor	All exposed sides Bushhammered	GILL-90-DR-0109, 0111, 0105
PC	PC1	Gallery planter - Corner Full block	L-shaped	All blocks equal size, including corners. All exposed edges pencil rounded. Scored with false 6mm joint to mimic cladding/coping.	Silver Grey Granite	To be determined by contractor - refer to drawings for design intent	Varies - to be determined by contractor	Varies - to be determined by contractor	All exposed sides Bushhammered	GILL-90-DR-0109, 0111, 0105
	PC2	Montague Place planter - Corner full block	L-shaped	All blocks equal size, including corners. All exposed edges pencil rounded. Scored with false 6mm joint to mimic cladding/coping.	Silver Grey Granite	To be determined by contractor - refer to drawings for design intent	Varies - to be determined by contractor	Varies - to be determined by contractor	All exposed sides Bushhammered	GILL-90-DR-0109, 0111, 0105
PcL	PcL	Cladding and coping to planters	Rectangular	Corner blocks equal in size to corresponding PL blocks above. All exposed edges pencil rounded.	Silver Grey Granite	To be determined by contractor - refer to drawings for design intent	Varies - to be determined by contractor	Varies - to be determined by contractor	All exposed sides Bushhammered	GILL-90-DR-0109, 0111, 0105

NOTE: 1 ALL DIMENSIONS ON STONE SCHEDULE (GILL-98-SP-0401) ARE <u>PRECISE</u> MEASUREMENTS OF STONE. ALL <u>PLAN</u> DIMENSIONS OF STONE ON DRAWINGS ARE NOMINAL , TO INCLUDE A 6mm JOINT UNLESS OTHERWISE STATED ON DRAWING 2 THIS SCHEDULE TO BE READ IN CONJUNCTION WITH GENERAL ARRANGEMENT PLAN (GILL-98-DR-0001/2), REFERENCE PLAN (GILL-98-DR-0009) AND REFERENCED DRAWINGS BELOW										
BLOCK TYPE	FUNCTION / LOCATION	BLOCK SHAPE	ADDITIONAL FEATURES	MATERIAL (Stone product reference)	DIMENSIONS (mm)			FINISH on apparent faces (sawn on othersides)	DRAWING REFERENCE NUMBER	
					LENGTH	WIDTH	DEPTH * Refer to engineers specification			
GRANITE BANDS										
B1	B1	Paving bands emanating from Building 1	Rectangular slab		Mid-grey granite	600.00	200.00	*	All exposed sides Bushhammered	GILL-90-DR-0122
B2	B2	Paving band below gate to Montague Place	Rectangular slab	Cut to fit into the railing fins. Refer to drawing GILL-90-DR-0119	Mid-grey granite	600.00	300.00	*	All exposed sides Bushhammered	GILL-90-DR-0122
B3	B3	Paving bands emanating from Gallery	Rectangular slab		Mid-grey granite	600.00	175.00	*	All exposed sides Bushhammered	GILL-90-DR-0122
Pb1	Pb1	Full block band to planters	Full Block	Pencil rounded edge - scored with false 6mm joint to mimic cladding	Mid-grey granite	600.00	175.00	Varies	All exposed sides Bushhammered	GILL-90-DR-0122
Pcb	Pcb	Cladding to planters	Rectangular slab	Pencil rounded edge	Mid-grey granite	600.00	200.00	*	All exposed sides Bushhammered	GILL-90-DR-0122, GILL-90-DR-0001
GRANITE COPING STONES										
C1	To SW of garden	Coping	All exposed edges to be pencil rounded.	Granite	200.00	750.00		All exposed sides Bushhammered	GILL-90-DR-0103, 0104	
C2	To boundary of Arched Reading Room	Coping - within tray - to architects specification	All exposed edges to be pencil rounded.	Granite	200.00	750.00		All exposed sides Bushhammered	GILL-90-DR-0103, 0104	
GRANITE STEP										
S1	To the truck-lift area	Rectangular full block	Leading edge - 10mm bullnose. All other exposed edges pencil rounded.	Silver Grey Granite	950.00	300.00	*200	All exposed sides flamed	GILL-90-DR-0106	
S2	To the truck-lift area	Rectangular full block	Leading edge - 10mm bullnose. All other exposed edges pencil rounded.	Silver Grey Granite	950.00	300.00	*350	All exposed sides flamed	GILL-90-DR-0106	
GRANITE KERBS										
K1	Flush kerb to the vehicular entrance from Montague Place	Rectangular	All exposed edges to be pencil rounded.	Silver Grey Granite	To align with P3a joints	150.00		All exposed sides flamed	GILL-90-DR-0108	
K2	Upstand kerb to Montague Place	Rectangular	All exposed edges to be pencil rounded.	Silver Grey Granite	To align with P3a joints	150.00		All exposed sides flamed	GILL-90-DR-0108	
K3	Upstand kerb to Montague Place	Raduis curve	All exposed edges to be pencil rounded.	Silver Grey Granite	To align with P3a joints	150.00		All exposed sides flamed	GILL-90-DR-0108	
GRANITE ELEVATIONS										
E1	To the truck-lift wall and ramp to rear of B1	Rectangular cladding		Silver Grey Granite	To align with balustrade centres	varies	50	All exposed sides flamed	GILL-90-DR-0113	