

Mr Geoffrey Prentice
Regent's Park Holdings Limited
62 Avenue Road
St John's Road
London
NW8 6HT

Application Ref: **2012/6103/P**
Please ask for: **Christopher Heather**
Telephone: 020 7974 **1344**

15 August 2013

Dear Sir/Madam

DECISION

Town and Country Planning Act 1990 (as amended)
Town and Country Planning (Development Management Procedure) Order 2010
Town and Country Planning (Applications) Regulations 1988

Variation or Removal of Condition(s) Granted Subject to a Section 106 Legal Agreement

Address:
**62 Avenue Road
London
NW8 6HT**

Proposal:

Variation of condition 2 (approved drawings) of planning permission dated 14/05/12 (ref 2011/5539/P) for erection of building comprising sub-basement, basement, two storeys and roof level to provide a single-family dwellinghouse (Class C3) (following demolition of the existing building), including elevational changes to materials, doors and windows; removing the lightwell to the side elevation and altering the front lightwell; an increase in roof height; and extension of basement, and associated works.

Drawing Nos: Site Location Plan; 13826_02_ES; 13826_03_ES; 13826_01_T; 06.909.32 Rev. A; 06.909.33 Rev. A; 06.909.34 Rev. A; 06.909.35 Rev. A; 06.909.36 Rev. A; 06.909.37 Rev. B; 06.909.38 Rev. A; 06.909.39 Rev. A; 06.909.40 Rev. A; 06.909.41 Rev. A; 06.909.42 Rev. A; 06.909.43; Design and Access Statement by GJP Architects; Noise assessment by Acoustic Design and Control dated 20th January 2012; Structural and Civil Engineering Report by Alan Baxter dated December 2011; Lifetime Homes Standards dated 4th November 2011; Planning Energy Statement by Leema Technologies Ltd dated 6th December 2011 - Revision A 14th March 2012; Arboricultural Impact Assessment by Dr



Frank Hope dated 13th July 2011; Sustainability report received 14th November 2011.

The Council has considered your application and decided to grant permission subject to the following condition(s):

Condition(s) and Reason(s):

- 1 The development hereby permitted must be begun not later than the end of three years from the date of this permission.

Reason: In order to comply with the provisions of Section 91 of the Town and Country Planning Act 1990 (as amended).

- 2 The development hereby permitted shall be carried out in accordance with the following approved plans:

Site Location Plan; 13826_02_ES; 13826_03_ES; 13826_01_T; 06.909.32 Rev. A; 06.909.33 Rev. A; 06.909.34 Rev. A; 06.909.35 Rev. A; 06.909.36 Rev. A; 06.909.37 Rev. B; 06.909.38 Rev. A; 06.909.39 Rev. A; 06.909.40 Rev. A; 06.909.41 Rev. A; 06.909.42 Rev. A; 06.909.43; Design and Access Statement by GJP Architects; Noise assessment by Acoustic Design and Control dated 20th January 2012; Structural and Civil Engineering Report by Alan Baxter dated December 2011; Lifetime Homes Standards dated 4th November 2011; Planning Energy Statement by Leema Technologies Ltd dated 6th December 2011 - Revision A 14th March 2012; Arboricultural Impact Assessment by Dr Frank Hope dated 13th July 2011; Sustainability report received 14th November 2011.

Reason: For the avoidance of doubt and in the interest of proper planning.

- 3 Detailed drawings, and/or samples of materials as appropriate, in respect of the following, shall be submitted to and approved in writing by the Council before the relevant part of the work is begun:

a) Samples and manufacturer's details of new facing materials including brickwork (colour, texture, face-bond and pointing), windows and door frames, glazing, balconies, balustrades, roof tiles, and stone. A sample panel of all facing materials should be erected on-site and retained until the works have been completed.

The relevant part of the works shall then be carried in accordance with the approved details.

Reason: In order to ensure a satisfactory standard of development that safeguards the character and appearance of the area in accordance with the requirements of policy CS14 of the London Borough of Camden Local Development Framework Core Strategy and policies DP24 of the London Borough of Camden Local Development Framework Development Policies.

- 4 The lifetime homes features and facilities, as indicated on the drawings and documents hereby approved shall be provided in their entirety prior to the first occupation of any of the new residential units and shall be permanently maintained

and retained thereafter.

Reason: To ensure that the internal layout of the building is acceptable with regards to accessibility by future occupiers and their changing needs over time, in accordance with the requirements of policy CS6 of the London Borough of Camden Local Development Framework Core Strategy and policy DP6 of the London Borough of Camden Local Development Framework Development Policies.

- 5 The development hereby approved shall not commence until such time as a suitably qualified chartered engineer with membership of the appropriate professional body has been appointed to inspect, approve and monitor the critical elements of both permanent and temporary basement construction works throughout their duration to ensure compliance with the design which has been checked and approved by a building control body. Details of the appointment and the appointee's responsibilities shall be submitted to and approved in writing by the Council prior to the commencement of development. Any subsequent change or reappointment shall be confirmed forthwith for the duration of the construction works.

Reason: To safeguard the appearance and structural stability of neighbouring buildings and the character of the immediate area in accordance with the requirements of policy CS14 of the London Borough of Camden Local Development Framework Development Policies and policy DP27 (Basements and Lightwells) of the London Borough of Camden Local Development Framework Development Policies.

- 6 No development shall take place until full details of hard and soft landscaping and means of enclosure of all un-built, open areas have been submitted to and approved by the Council. Such details shall include details of any proposed earthworks including grading, mounding and other changes in ground levels, and replacement trees for all those removed during the construction process. The relevant part of the works shall not be carried out otherwise than in accordance with the details thus approved.

Reason: To enable the Council to ensure a reasonable standard of visual amenity in the scheme in accordance with the requirements of policy CS14 if landscape details, CS15 of the London Borough of Camden Local Development Framework Core Strategy and policy DP24 of the London Borough of Camden Local Development Framework Development Policies.

- 7 All hard and soft landscaping works shall be carried out to a reasonable standard in accordance with the approved landscape details by not later than the end of the planting season following completion of the development or any phase of the development, prior to the occupation for the permitted use of the development or any phase of the development, whichever is the sooner. Any trees or areas of planting which, within a period of 5 years from the completion of the development,

die, are removed or become seriously damaged or diseased, shall be replaced as soon as is reasonably possible and, in any case, by not later than the end of the following planting season, with others of similar size and species, unless the Council gives written consent to any variation.

Reason: To ensure that the landscaping is carried out within a reasonable period and to maintain a satisfactory standard of visual amenity in the scheme in accordance with the requirements of policy CS14 of the London Borough of Camden Local Development Framework Core Strategy and policy DP24 of the London Borough of Camden Local Development Framework Development Policies.

- 8 Noise levels at a point 1 metre external to sensitive facades shall be at least 5dB(A) less than the existing background measurement (LA90), expressed in dB(A) when all plant/equipment (or any part of it) is in operation unless the plant/equipment hereby permitted will have a noise that has a distinguishable, discrete continuous note (whine, hiss, screech, hum) and/or if there are distinct impulses (bangs, clicks, clatters, thumps), then the noise levels from that piece of plant/equipment at any sensitive facade shall be at least 10dB(A) below the LA90, expressed in dB(A).

Reason: To safeguard the amenities of the adjoining premises and the area generally in accordance with the requirements of policy CS5 of the London Borough of Camden Local Development Framework Core Strategy and policies DP26 and DP28 of the London Borough of Camden Local Development Framework Development Policies.

- 9 Prior to commencement on the relevant part of the development full details of the car lift (including relevant acoustic information) to demonstrate compliance with condition 8 shall be submitted to and approved in writing by the local planning authority. The car lift shall be installed and maintained in accordance with any such approved details.

Reason: To safeguard the amenities of the adjoining premises and the area generally in accordance with the requirements of policies CS5 of the London Borough of Camden Local Development Framework Core Strategy and policy DP26 and DP28 of the London Borough of Camden Local Development Framework Development Policies.

- 10 Prior to commencement of development, evidence in the form of a report and photographs demonstrating that tree protection measures have been implemented in accordance with the Arboricultural Method Statement hereby approved, shall be submitted to and approved in writing by the Local Planning Authority. The tree protection measures shall be retained in accordance with the details approved until such time as the works have been completed in their entirety.

Reason: To ensure that the Council may be satisfied that the development will not have an adverse effect on existing trees and in order to maintain the character and amenities of the area in accordance with the requirements of policy CS15 of the London Borough of Camden Local Development Framework Core Strategy.

- 11 Prior to the commencement of any part of the development, a comprehensive energy strategy for the development including the feasibility for appropriate renewable or low carbon sustainable energy sources with the aim of reducing the development's carbon emission by at least 20% shall have been submitted to and approved by the local planning authority. The development shall thereafter not proceed other than in complete accordance with all the measures as recommended in the approved strategy, which shall be permanently retained and utilised as the main power sources for the development. The measures shall include the installation of a meter to monitor the energy output from the approved systems.

Reason: In order to secure the optimum energy and resource efficiency measures and on-site renewable energy generation in accordance policies CS13 and CS16 of the London Borough of Camden Local Development Framework Core Strategy and policies DP22, DP23 and DP32 of the London Borough of Camden Local Development Framework Development Policies.

- 12 Notwithstanding the provisions of Article 3 of the Town and Country Planning (General Permitted Development) Order 1995 as amended by the (No. 2) (England) Order 2008 or any Order revoking and re-enacting that Order, no development within Part 2 (Classes A-E) of Schedule 2 of that Order shall be carried out without the grant of planning permission having first been obtained from the Council.

Reason: To safeguard the visual amenities of the area and to prevent over development of the site by controlling proposed extensions and alterations in order to ensure compliance with the requirements of policies CS14 and CS5 of the London Borough of Camden Local Development Framework Core Strategy and policies DP24 and DP26 of the London Borough of Camden Local Development Framework Development Policies..

- 13 Prior to commencement of development details of a sustainable urban drainage system shall be submitted to and approved by the local planning authority and such system shall be implemented as part of the development and thereafter retained and maintained .

Reason: To reduce the rate of surface water run-off from the buildings and limit the impact on the storm-water drainage system in accordance with policies CS13 and CS16 of the London Borough of Camden Local Development Framework Core Strategy and policies DP22, DP23 and DP32 of the London Borough of Camden Local Development Framework Development Policies.

Informative(s):

- 1 The Mayor of London introduced a Community Infrastructure Levy (CIL) to help pay for Crossrail on 1st April 2012. Any permission granted after this time which adds more than 100sqm of new floorspace or a new dwelling will need to pay this CIL. It will be collected by Camden on behalf of the Mayor of London. Camden will

be sending out liability notices setting out how much CIL will need to be paid if an affected planning application is implemented and who will be liable.

The proposed charge in Camden will be £50 per sqm on all uses except affordable housing, education, healthcare, and development by charities for their charitable purposes. You will be expected to advise us when planning permissions are implemented. Please use the forms at the link below to advise who will be paying the CIL and when the development is to commence. You can also access forms to allow you to provide us with more information which can be taken into account in your CIL calculation and to apply for relief from CIL.

<http://www.planningportal.gov.uk/planning/applications/howtoapply/whattosubmit/cil>

We will then issue a CIL demand notice setting out what monies needs to paid when and how to pay. Failure to notify Camden of the commencement of development will result in a surcharge of £2500 or 20% being added to the CIL payment. Other surcharges may also apply for failure to assume liability and late payment. Payments will also be subject to indexation in line with the construction costs index.

Please send CIL related documents or correspondence to CIL@Camden.gov.uk

- 2 Your proposals may be subject to control under the Building Regulations and/or the London Buildings Acts which cover aspects including fire and emergency escape, access and facilities for people with disabilities and sound insulation between dwellings. You are advised to consult the Council's Building Control Service, Camden Town Hall, Argyle Street WC1H 8EQ, (tel: 020-7974 6941).

- 3 Reasons for granting permission

The proposed development is in general accordance with the London Borough of Camden Local Development Framework Core Strategy, with particular regard to policies CS1 (Distribution of growth), CS4 (Areas of more limited change), CS5 (Managing the impact of growth and development), CS6 (Providing quality homes), CS11 (Promoting sustainable and efficient travel), CS13 (Tackling climate change through promoting higher environmental standards), CS14 (Promoting high quality places and conserving our heritage), CS17 (Making Camden a safer place), CS18 (Dealing with our waste and encouraging recycling), CS19 (Delivering and monitoring the Core Strategy) and the London Borough of Camden Local Development Framework Development Policies, with particular regard to policies DP2 (Making full use of Camden's capacity for housing), DP5 (Homes of different sizes), DP6 (Lifetime homes and wheelchair homes), DP16 (The transport implications of development), DP17 (Walking, cycling and public transport), DP18 (Parking standards and limiting the availability of car parking), DP19 (Managing the impact of parking), DP21 (Development connecting to the highway network), DP22 (Promoting sustainable design and construction), DP23 (Water), DP24 (Securing high quality design), DP25 (Conserving Camden's heritage), DP26 (Managing the impact of development on occupiers and neighbours), DP27 (Basements and lightwells), DP28 (Noise and vibration), DP29 (Improving access). For a more detailed understanding of the reasons for the granting of this planning permission,


please refer to the officer report.

- 4 You are advised that the Transport Strategy Team should be consulted regarding the construction of the crossover on the public highway and any other work to, under, or over, the public highway, including vaults and thresholds. tel: 020-7974 5543 for further advice and information.
- 5 Your attention is drawn to the fact that there is a separate legal agreement with the Council which relates to the development for which this permission is granted. Information/drawings relating to the discharge of matters covered by the Heads of Terms of the legal agreement should be marked for the attention of the Planning Obligations Officer, Sites Team, Camden Town Hall, Argyle Street, WC1H 8EQ.
- 6 Noise from demolition and construction works is subject to control under the Control of Pollution Act 1974. You must carry out any building works that can be heard at the boundary of the site only between 08.00 and 18.00 hours Monday to Friday and 08.00 to 13.00 on Saturday and not at all on Sundays and Public Holidays. You are advised to consult the Council's Compliance and Enforcement team [Regulatory Services], Camden Town Hall, Argyle Street, WC1H 8EQ (Tel. No. 020 7974 4444 or on the website <http://www.camden.gov.uk/ccm/content/contacts/council-contacts/environment/contact-the-environmental-health-team.en> or seek prior approval under Section 61 of the Act if you anticipate any difficulty in carrying out construction other than within the hours stated above.

In dealing with the application, the Council has sought to work with the applicant in a positive and proactive way in accordance with paragraphs 186 and 187 of the National Planning Policy Framework.

Your attention is drawn to the notes attached to this notice which tell you about your Rights of Appeal and other information.

Yours faithfully



Rachel Stopard
Director of Culture & Environment

It's easy to make, pay for, track and comment on planning applications on line. Just go to www.camden.gov.uk/planning.

It is important to us to find out what our customers think about the service we provide. To help us in this respect, we would be very grateful if you could take a few moments to complete our online planning applicants' survey. We will use the information you give us to monitor and improve our services.