




Lloyds Roll-out Project



SIGN ELEVATIONS

SIGN 1

2955 OVERALL LENGTH

1388 LOGO LENGTH

LLOYDS BANK

150

245

SIGN 2

2955 OVERALL LENGTH

1388 LOGO LENGTH

LLOYDS BANK

150

245

SIGN 3

2955 OVERALL LENGTH

1388 LOGO LENGTH

LLOYDS BANK

150

245

SIGN 4

900

600

700

600

700

600

700

NEW BACKING PANELS ARE REQUIRED TO REPLACE EXISTING. PANELS WILL BE FABRICATED FROM FOLDED ALUMINIUM POWDERCOATED BLACK, WITH 22mm RETURNS. LETTERS WILL BE MOUNTED DIRECTLY TO PANELS.

GENERAL SPECIFICATION

INDIVIDUAL LETTERS - WHITE FACES

k



150 CAP HEIGHT

Non illuminated lettering. 15mm flat cut acrylic letters, coated 'Gold'.  
Letters will be bonded directly to backing panels.

EXTERNALLY ILLUMINATED 'HERITAGE' PROJECTING SIGN

Externally illuminated projecting sign. Logo section manufactured from folded aluminium powdercoated White with 'Bright Green' returns. 'Horse' logo is shoulder cut opal acrylic with digitally printed self adhesive vinyl applied to face. Logo section will sit in an aluminium frame powdercoated silver. Sign will illuminate via external trough lights.

Bright Green  
PMS ref: 375c



SIGN ELEVATIONS

**SIGN 5**

Folded aluminium name plate with pushed through stainless steel letters and vinyl graphic to face.

**SIGN 6**

Digitally printed self adhesive vinyl opening hours/statutory signage reverse applied to inside of glazing

**SIGN 7**

GENERAL SPECIFICATION

**ATM HEADER**

Clear acrylic face panel with reverse coated dark green (to match PMS 627c). Panel will have a 200mm square digitally printed logo which will illuminate.

Perimeter illumination onto back panel by means of LED through 'Apple Green' acrylic diffusers.

Back panel will be clear acrylic panel reverse coated 'Apple Green'.



