EXISTING BRICKWORK SHALL BE CORE DRILLED TO BE AS CLOSE TO THE SIZE OF THE OUTSIDE DIAMETER OF THE FLUE AS POSSIBLE. THE FLUES WILL TERMINATE ON THE OUTER FACE OF THE BRICKWORK. THE TERMINAL & ASSOCIATED COMPONENTS SHALL BE EITHER BLACK OR WHITE IN COLOUR, TO BE APPROVED BY PLANNING DEPARTMENT. THE OUTER CASING OF FLUE SHALL BE SEALED AGAINST THE BRICKWORK WITH A SILICON RUBBER SEALANT, COLOUR TO MATCH BRICKWORK. 1 - 5 BEAUMONT WALK PROPOSED GROUND FLOOR SCALE 1:100 1 - 5 BEAUMONT WALK PROPOSED ELEVATION C 1 - 5 BEAUMONT WALK EXISTING ELEVATION A \bigcirc - PROPOSED LOCATION OF BOILER 1 - 5 BEAUMONT WALK PROPOSED ELEVATION B 1 -5 BEAUMONT WALK PROPOSED FIRST FLOOR SCALE 1:100 1 - 5 BEAUMONT WALK PROPOSED ELEVATION D DO NOT SCALE FROM THIS DRAWING - PROPOSED LOCATION OF BOILER DRIILED TO BE AS CLOSE TO THE SIZE OF THE OUTSIDE DIAMETER OF THE FLUE AS POSSIBLE. THE FLUES WILL TERMINATE ON THE OUTER FACE OF THE BRICKWORK. THE TERMINAL & ASSOCIATED COMPONENTS SHALL BE EITHER BLACK OR WHITE IN COLOUR, TO BE APPROVED BY PLANNING DEPARTMENT. THE OUTER CASING OF FLUE SHALL BE SEALED AGAINST THE BRICKWORK WITH A SILICON RUBBER SEALANT, COLOUR TO MATCH BRICKWORK. 1 -5 BEAUMONT WALK PROPOSED SECOND FLOOR SCALE 1:100 • FITTED CUPBOARDS THE POSITION OF ALL EQUIPMENT INDICATED ON THIS DRAWING IS APPROXIMATE. THE EXACT POSITION OF ALL EQUIPMENT TO BE AGREED WITH THE ENGINEER PRIOR TO COMMENCING ERECTION. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH RELEVANT SPECIFICATION AND ALL OTHER RELEVANT DRAWINGS ISSUED BY THE ENGINEER. ALL DIMENSIONS AND LEVELS TO BE CHECKED ON SITE AND THE ENGINEER NOTIFIED OF ANY DISCREPANCIES PRIOR TO COMMENCEMENT OF WORK. - PROPOSED LOCATION OF BOILER NOTES BLOCK PLAN SCALE 1:1000 APPROVED CHECKED FTON ROAD ВҮ 1:100, APOLLO PROPERTY SERVICES GROUP LTD UNIT 3 CENTRIC CLOSE OFF OVAL ROAD, CAMDEN LONDON, NW1 7EP REPLACEMENT OF HEATING SERVICES 1:1000 @ A1 J.R. PROPOSED BLOCK 1 - 5 LAYOUT AND ELEVATIONS ADELAIDE ROAD ES HOUSE, SINDERLAND ROAD, BROADHEATH, ALTRINCHAM, CHESHIRE, WA14 5HQ TEL: 0161 928 5791 FAX: 0161 928 8718 CAD BY AMENDMENT DESCRIPTION 2334/P/003 DATE PLANNING J.R.

CHKD

DATE