

V5

Planning Drawing

Phase 1

External Signage

95669





local

EXTERNAL SIGNAGE

NEW OXFORD STREET

ashleighsigns.co.uk

Fonts	Sample Text
Susa Bold	<i>ABCDEFGH abcdefgh</i>
Serifa Black	ABCDEFGH abcdefgh
Serifa Roman	ABCDEFGH abcdefgh
FS Sammy	<i>ABCDEFGH abcdefgh</i>
Trade Gothic Bold	ABCDEFGH abcdefgh
Trade Gothic Bold Condensed 20	ABCDEFGH abcdefgh
Nothing You Could Say	<i>ABCDEFGH abcdefgh</i>
Just The Way You Are	<i>ABCDEFGH abcdefgh</i>
Morrisons Kievit Regular	ABCDEFGH abcdefgh
Morrisons Kievit Medium	ABCDEFGH abcdefgh
Morrisons Kievit XBold	ABCDEFGH abcdefgh

COLOUR REFERENCES		VUTEK PRINTER			
	Pantone 336c		Dark green texture to match pantone 336c		Pantone 336c
	Pantone 115c		Green texture to match Avery 5562QM Vinyl		Pantone 115c
	Pantone 369c to match Avery 5562QM Vinyl		Orange texture to match pantone 715c		Pantone 369c to match Avery 5562QM V
	Pantone 715c		Natural texture		Pantone 715c
	Pantone 7503c		Purple texture to match pantone 261c		Pantone 7503c
	Pantone 261c		Purple timber to match pantone 261c		Pantone 261c
	Pantone 7502c		Plain timber		Pantone 7502c
	Pantone Warm Gray 1c		Warm Gray texture to match pantone Warm Gray 1c		Pantone Warm Gray 1c
			New chalkboard texture		

EXTERNAL SIGNAGE

ITEM 01 (Qty 1)
A formed aluminium face panel finished in Morrisons M Local green.
Scale 1:50



ITEM 02 (Qty 1)
A formed aluminium face panel finished in Morrisons M Local green.
Complete with moulded 'M' logo.
Scale 1:50




ITEM 03 (Qty 1)
A formed aluminium face panel displaying individual 'Local' letters. Externally illuminated by trough light.
Maximum illumination - 250cd/m²
Scale 1:50




ITEM 04 (Qty 1)
A formed aluminium face panel displaying a moulded 'M' logo.
Externally illuminated by trough light.
Maximum illumination - 250cd/m²
Scale 1:50



ITEM 05 (Qty 1)
A formed aluminium face panel cut vinyl opening times.
Externally illuminated by trough light.
Maximum illumination - 250cd/m²
Scale 1:50



ITEM 06 (Qty 2)
Formed aluminium panels displaying a blown logo and 10 mm thick text
Complete with a mild steel gibbet.
Externally illuminated by a trough light fixed above - 250 cd/m².
Scale 1:20



Sign Colours

- Pantone 336C
- Pantone 369C
- Pantone 115M

EXTERNAL SIGNAGE - ELEVATIONS - SCALE 1:100 @ A3

