LDC (Proposed) Report	Application number	2013/2983/P
Officer	Expiry date	
Fergus Freeney	12/07/2013	
Application Address	Authorised Officer Signature	
58 B King Henrys Road		<b>5</b>
• •		3
58 B King Henrys Road		<b>3</b>
58 B King Henrys Road London	Article 4	

## Proposal

Installation of new front door at ground floor level and replacement of glass balaustrade to first floor level. Replacement windows and replacement spandrels between upper floor windows and parapet level to residential dwelling (Class C3).

Recommendation:

Grant

Class A The	enlargement, improvement or other alteration of a dwellinghouse	
If yes to any o	of the questions below the proposal is not permitted development	Yes/no
A.1 (a)	As a result of the works, will the total area of ground covered by buildings within the curtilage of the dwellinghouse (other than the original dwellinghouse) exceed 50% of the total area of the curtilage (excluding the ground area of the original dwellinghouse)?	No
A.1 (b)	Will the height of the part of the dwellinghouse enlarged, improved or altered would exceed the height of the highest part of the roof of the existing dwellinghouse?	No
A.1 (c)	Will the height of the eaves of the part of the dwellinghouse enlarged, improved or altered would exceed the height of the eaves of the existing dwellinghouse?	No
A.1 (d)	Will the enlarged part of the dwellinghouse extend beyond a wall which (i) fronts a highway, and (ii) forms either the principal elevation or a side elevation of the original dwellinghouse?	No
A.1 (e)	Will the enlarged part of the dwellinghouse have a single storey and (i) extend beyond the rear wall of the original dwellinghouse by more than 4 metres in the case of a detached dwellinghouse, or 3 metres in the case of any other dwellinghouse, or (ii) exceed 4 metres in height?	No
A.1 (f)	Will the enlarged part of the dwellinghouse have more than one storey and—  (i) extend beyond the rear wall of the original dwellinghouse by more than 3 metres, or	No

	(ii) be within 7 metres of any boundary of the curtilage of the dwellinghouse opposite the rear wall of the dwellinghouse?	
Λ 1 (α)	Will the enlarged part of the dwellinghouse be within 2 metres of the	No
A.1 (g)		INO
	boundary of the curtilage of the dwellinghouse, and the height of the	
	eaves of the enlarged part exceed 3 metres?	
A.1 (h)	Will the enlarged part of the dwellinghouse extend beyond a wall	No
	forming a side elevation of the original dwellinghouse, and either	
	(i) exceed 4 metres in height,	
	(ii) have more than one storey, or	
	(ii) have a width greater than half the width of the original	
	dwellinghouse?	
A.1(i)	Would it would consist of or include either	No
( )	(i) the construction or provision of a veranda, balcony or raised	
	platform,	
	(ii) the installation, alteration or replacement of a microwave antenna,	
	(iii) the installation, alteration or replacement of a chimney, flue or soil	
	and vent pipe, or	
	(iv) an alteration to any part of the roof of the dwellinghouse?	
	(1.7) sin sine satisfies to siny paint of the first to sine sine sine sine sine sine sine sine	
Conditions.	If no to any of the below then the proposal is not permitted development	
		Yes
	Would the materials used in any exterior work (other than materials	Yes
	Would the materials used in any exterior work (other than materials used in the construction of a conservatory) be of a similar appearance	Yes
	Would the materials used in any exterior work (other than materials used in the construction of a conservatory) be of a similar appearance to those used in the construction of the exterior of the existing	Yes
A.3(a)	Would the materials used in any exterior work (other than materials used in the construction of a conservatory) be of a similar appearance to those used in the construction of the exterior of the existing dwellinghouse?	
A.3(a)	Would the materials used in any exterior work (other than materials used in the construction of a conservatory) be of a similar appearance to those used in the construction of the exterior of the existing dwellinghouse?  Would any upper-floor window located in a wall or roof slope forming	Yes N/A
A.3(a)	Would the materials used in any exterior work (other than materials used in the construction of a conservatory) be of a similar appearance to those used in the construction of the exterior of the existing dwellinghouse?  Would any upper-floor window located in a wall or roof slope forming a side elevation of the dwellinghouse be—	
A.3(a)	Would the materials used in any exterior work (other than materials used in the construction of a conservatory) be of a similar appearance to those used in the construction of the exterior of the existing dwellinghouse?  Would any upper-floor window located in a wall or roof slope forming a side elevation of the dwellinghouse be—  (i) obscure-glazed, and	
A.3(a)	Would the materials used in any exterior work (other than materials used in the construction of a conservatory) be of a similar appearance to those used in the construction of the exterior of the existing dwellinghouse?  Would any upper-floor window located in a wall or roof slope forming a side elevation of the dwellinghouse be—  (i) obscure-glazed, and  (ii) non-opening unless the parts of the window which can be opened	
A.3(a)	Would the materials used in any exterior work (other than materials used in the construction of a conservatory) be of a similar appearance to those used in the construction of the exterior of the existing dwellinghouse?  Would any upper-floor window located in a wall or roof slope forming a side elevation of the dwellinghouse be—  (i) obscure-glazed, and (ii) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the	
A.3(a)	Would the materials used in any exterior work (other than materials used in the construction of a conservatory) be of a similar appearance to those used in the construction of the exterior of the existing dwellinghouse?  Would any upper-floor window located in a wall or roof slope forming a side elevation of the dwellinghouse be—  (i) obscure-glazed, and  (ii) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed?	
Conditions. A.3(a) A.3(b)	Would the materials used in any exterior work (other than materials used in the construction of a conservatory) be of a similar appearance to those used in the construction of the exterior of the existing dwellinghouse?  Would any upper-floor window located in a wall or roof slope forming a side elevation of the dwellinghouse be—  (i) obscure-glazed, and  (ii) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the window is installed?	
A.3(a) A.3(b)	Would the materials used in any exterior work (other than materials used in the construction of a conservatory) be of a similar appearance to those used in the construction of the exterior of the existing dwellinghouse?  Would any upper-floor window located in a wall or roof slope forming a side elevation of the dwellinghouse be—  (i) obscure-glazed, and (ii) non-opening unless the parts of the window which can be opened are more than 1.7 metres above the floor of the room in which the	N/A