



- Notes :**
1. This Drawing is to be read in conjunction with all relevant Architect's Engineer's and specialists' drawings and specifications. Any discrepancies from the information indicated on these drawings shall immediately be brought to the attention of the engineer.
 2. Do not scale from this drawing in either paper or digital form. Use written dimensions only. To check drawing has been printed to the intended scale this bar should be 50mm long @ A1 or 25mm long @ A3.
 3. Health & Safety : All specific drawing notes are to be read in conjunction with the project "Information Pack" and "Site Rules".
 4. For general notes refer to Drawing No. "20936-D21"
 3. All disused pipework within new building envelope to be demolished and removed and replaced with clean fill material.
 4. The location, size and depth of all existing drains/sewers and services shall be established by the contractor prior to the commencement of works on site. Any discrepancies from the information indicated on these drawings shall immediately be brought to the attention of the engineer.
 5. Details of existing and public sewers have been taken from Thames water Records, Waterflow Report and the site survey.
 6. All levels and dimensions shall be verified on site prior to the commencement of any works. Any discrepancies shall immediately be brought to the attention of the engineer.
 7. All FWP's and RWP's shown are indicative only, to be set out by others.
 8. Details of the landscape layout are taken from drawing "0903EB_401D" issued by Meadowcroft Griffin Architects.
 9. Contractor to refer to the arboricultural method statement for construction method.
 10. For drainage construction Details and Build ups refer to drawings 20936-D21 & 20936-D22
 11. All pipes to be 100Ø unless noted otherwise.
 12. For Landscape plan and details refer to drawings "0903EB_" issued by Meadow Croft Griffin architects.

DRAINAGE LEGEND	
New FW Sewer	
New SW Sewer	
Existing Sewer	
DRAINAGE KEY	
	RWP Rainwater Down Pipe
	FWP Foul Waste Pipe
	Combined Manhole Existing
	Gravel around trees
	CD Channel Drain
	RE Rodding Eye
ABBREVIATIONS	
FWP	- Foul Waste Pipe
RWP	- Rainwater pipe

C1	16/04/13	SG	SG	Issued for Construction
T4	23/10/12	SG	SG	Issued for Tender-Revised as clouded
T3	17/08/12	SG	SG	Issued for Tender-Revised Layout
T2	24/08/12	SG	SG	Issued for Tender-Revised Layout
Rev	Date	Drawn	Eng	Amendment

**CORAM CAMPUS
BLOOMSBURY
PHASE 1
DRAINAGE LAYOUT**

Drawn	SG	Eng	DL
Scales 1:100 at A1			
Drawing No	Rev		
20936-D01	C1		

THE CCTV SURVEY HIGHLIGHTS THAT DRAINAGE CLEANING AND SMALL REMEDIAL WORKS SHOULD BE PARTIALLY UNDERTAKEN IN ORDER TO ALLOW THE DRAINAGE NETWORK TO OPERATE WITH A CLEAR FREE FLOW THROUGH.

CONSTRUCTION ISSUE