

Revision	Date	Amendment	Notes	
P2	05.03.13	Updated to reflect planners comments. Large mansard removed Two reduced dormers added. Existing front window to be retained.		
	08.03.13	Issued for Planning		
				NO DRENKOR ARE TO RESCALED RIOM THE DRAWING. THE CONTRACTORMAN, FACTURER & REPONSIBLE FOR CHECKING ALL DRENKOM AND QUERING ANY DECREMOLES. THE DRAWING IS THE PROPERTY OF REAL ARCHTECTS LTD. COPRIGHT IS RESERVED BY THEM AND THE DRAWING IS SELED ON CONDITION THAT IT IS NOT CORED, REPORTIGE RETARED OR DBLORED TO MY UNUUTHORED RESCAL ETHER WHOLLY OR N PRAT, WITHOUT WRITTEN CONDUCT.

= Existing fabric to be retained = Proposed infill to match existing adjacent
= Proposed infill to match existing adjacent
= Elements to be removed

Existing roof slates to be removed and set aside. Existing structural timbers and sarking to be assessed and replaced as necessary. Insulation to be placed between joists. New breathable waterproofing membrane to be applied to sarking board. Roof to be double battened and existing roof slates to be reinstated. Any new slates to match original.

Existing non original flat roof area

__new low profile skylight

New lead/asphalt to existing parapet gutter to match existing









	Client University College London Project 31 Tavistock Square, London, WC1H 9EZ				
	Drawing Proposed Roof Plan		burwell deakins : architects		
ſ	Scale 1:50@A1 1:100@A3 Date OCT 2012		Status Drawn	PLANNING GN	t 020 8305 6010 f 020 8305 6020
	Project Nº 479	Drawing N° 479/PL/126		Revision P2	e info@burwellarchitects.com w www.burwellarchitects.com a unit 0.01 california building deals gateway london SE13 7SF