



DETAIL 2.02
PAVING PATTERN 6 INTERFACE WITH BUILDING FACADE
SCALE 1:10

BUILDING FACADE TO BE CO-ORDINATED WITH ARCHITECTS

10mm x 20mm POLYSULPHIDE MASTIC JOINT COLOURED TO MATCH THE SANDSTONE PAVING. PACK VOID BEHIND WITH KORKPAC TO MAKE A SECURE SEAT FOR THE MASTIC.

40mm TUFFBED BEDDING MORTAR WITH TUFFBOND PRIMING MORTAR BY STEINTEC OR EQUAL AND APPROVED

PAVING PATTERN 6
95mm LENGTH x 95mm WIDTH x 50mm DEPTH
SCOUTMOOR DIAMOND SAWN SANDSTONE
BY MILLER DRUCK OR EQUAL AND APPROVED

CONCRETE SCREED TO ENGINEER'S DETAIL AND SPECIFICATION

SUB BASE TO ENGINEERS DETAIL AND SPECIFICATION

6mm TUFFGROUT MORTAR JOINT COLOURED TO MATCH PAVING BY STEINTEC OR EQUAL AND APPROVED

MADE GROUND

BE SAFE

HEALTH AND SAFETY INFORMATION

IN ADDITION TO THE HAZARDS/RISKS NORMALLY ASSOCIATED WITH THE TYPES OF WORK DETAILED ON THIS DRAWING, NOTE THE FOLLOWING

CONSTRUCTION

CUTTING AND WORKING OF HARD MATERIALS
LIFT OF HEAVY PAVING SLABS

MAINTENANCE/CLEANING/OPERATION

LIFT OF HEAVY PAVING SLABS

DECOMMISSIONING/DEMOLITION

LIFT OF HEAVY PAVING SLABS

GENERAL NOTES

1. Do not scale drawing.
2. All setting out, levels and dimensions to be agreed on site.
3. The dimensions of all materials must be checked on site before being laid out.
4. This drawing must be read with the relevant specification clauses and detail drawings.
5. Order of construction and setting out to be agreed on site.

FOR TENDER

Project	Drawing Title	Revision	Date	Consultant	Project No.	Scale	Approved By	Drawing No.	Revision
K X C STATION SQUARE & KING'S BOULEVARD	DETAIL 2.02 PAVING PATTERN 6 INTERFACE WITH BUILDING FACADE	R00 First Issue	17.08.12	TOWNSHEND Landscape Architects	279.3	1:10	MA		R02
Client		R01 Paving updated	28.09.12	Unit 3A Zetland House	Date	Drawing Size	Drawn By		
KING'S CROSS CENTRAL		R02 ER Issue	30.11.12	London EC2A 4HJ	JULY 12	A3	LR		
GENERAL PARTNER LTD				Telephone: 020 7729 9333 Fax: 020 7729 3300					
				E-Mail tla@townshendla.com					