



KEY:

- ① DENSE MINERAL FIBRE INSULATION BOARD KINGSPAN K15 OR SIMILAR
- ② 250mm THICK R.C. SLAB TO ENG'S DETAIL
- ③ WATERPROOFING MEMBRANE (TBC BY WD)
- ④ 2 x 120 KINGSPAN STYROZONE ROOF INSULATION, CUT BACK TO SUIT ROOF FFL
- ⑤ 50mm PRECAST CONCRETE PAVING SLABS ON PROPRIETARY SUPPORT
- ⑥ 12mm LAMINATED GLASS PANEL BY SPECIALIST - TBC
- ⑦ STAINLESS STEEL BALUSTRADE
- ⑧ +/- 20mm MOVEMENT GAP BETWEEN WALL AND BALUSTRADE
- ⑨ APPROVED VAPOUR BARRIER BY SPECIALIST
- ⑩ ENGINEERING BRICKS
- ⑪ P.P.C FINISHED M.S. GALV. BALUSTRADE (MATCH TO WINDOWS)
- ⑫ STAINLESS STEEL FIXING BY SPECIALIST
- ⑬ APPROVED GREEN ROOF SYSTEM BY SPECIALIST

NOTE:

DRAWING TO BE READ IN CONJUNCTION WITH 12387_41_07

REV BY DATE CHK DESCRIPTION

STATUS

FOR CONSTRUCTION

CONTRACTOR

PROJECT

TWYMAN HOUSE

CLIENT

TAYLOR WIMPEY
CENTRAL LONDON

DRAWING TITLE

TERRACE EXT. WALL / BALUSTRADE
DETAIL AT SIXTH FLOOR - BLOCK C

DATE CREATED

22.02.13

DATE AMENDED

22.02.13

SCALE

1:10@A3

DRAWN BY

NA

AMENDED BY

MBRZEZINSKA

CHECKED

MB

DRAWING NO & REVISION

12387_41_06-D1

The Quadrangle,
180 Wardour Street,
London W1F 8FY
T +44 (0)20 7287 1153
F +44 (0)20 7287 3675
www.sprunt.net

sprunt.

ver 2.2

20_04

TERRACE WALL & BALUSTRADE DETAIL

SCALE 1:10 @ A3