



KEY:

- ① STACK BOND BRICK ON EDGE TO TOP OF UPSTAND
- ② SOLDIER COURSE STACKED BOND FACING BRICKS - BRICK 'C'
- ③ DENSE MINERAL FIBRE INSULATION BOARD KINGSPAN K15 OR SIMILAR
- ④ 150mm THICK R.C. UPSATND TO SE DETAILS
- ⑤ 300mm GRAVEL AT EDGE OF PAVING
- ⑥ WATERPROOFING MEMBRANE (TBC BY WD)
- ⑦ 2 x 120 KINGSPAN STYROZONE ROOF INSULATION
- ⑧ 50mm PRECAST CONCRETE PAVING SLABS ON PROPRIETARY SUPPORT
- ⑨ GLAZED PANELS TO MANUFACTURES DETAIL
- ⑩ STAINLESS STEEL BALUSTRADE
- ⑪ P.P.C FINISHED M.S. GALV. BALUSTRADE (MATCH TO WINDOWS)
- ⑫ STAINLESS STEEL FIXING BY SPECIALIST
- ⑬ 12mm LAMINATED GLASS PANEL BY SPECIALIST - TBC
- ⑭ HYLOAD RUBEROID PERMABIT DPC WITH RUBEROID COPECLOSE LAYER OR SIMILAR APPROVED
- ⑮ ALL CEILINGS TO EXTERNAL WALLS JOINTS TO HAVE ACOUSTIC SEALANT TO COMPLY WITH PART 'E' OF BUILDING REGS. AND AIR PERMEABILITY

NOTE:

DRAWING TO BE READ IN CONJUNCTION WITH 12387_41_06

REV BY DATE CHK DESCRIPTION

STATUS

FOR CONSTRUCTION

CONTRACTOR

PROJECT

TWYMAN HOUSE

CLIENT

TAYLOR WIMPEY
CENTRAL LONDON

DRAWING TITLE

TERRACE PARAPET / BALUSTRADE
DETAIL AT SIXTH FLOOR - BLOCK C

DATE CREATED 22.02.13 DATE AMENDED 22.02.13 SCALE 1:10@A3

DRAWN BY NA AMENDED BY MBRZEZINSKA CHECKED MB

DRAWING NO & REVISION

12387_41_07-D1

The Quadrangle,
180 Wardour Street,
London W1F 8FY
T +44 (0)20 7287 1153
F +44 (0)20 7287 3675
www.sprunt.net

sprunt

ver 2.2

20_04

25_02

TERRACE PARAPET / BALUSTRADE DETAIL AT SIXTH FLOOR - BLOCK C

SCALE 1:10 @ A3