



ELEVATION FFL  
SCALE 1:20

	STANDARD WINDOW	STANDARD WINDOW	STANDARD WINDOW
WINDOW REF. TYPE:	EW - 01	EW - 02	EW - 03
STRUCTURAL OPENING SIZE:	3385mm x 975mm	1590mm x 975mm	3835mm x 975mm
LEAF SIZE :	1300mm x 975mm		1300mm x 975mm
LOUVRE SIZE:			
FINISH:	POWDER-COATED ALUMINIUM (COLOUR TBC)	POWDER-COATED ALUMINIUM (COLOUR TBC)	POWDER-COATED ALUMINIUM (COLOUR TBC)
GLAZING:	DOUBLE GLAZING AS PER SPECIFICATION	DOUBLE GLAZING AS PER SPECIFICATION	DOUBLE GLAZING AS PER SPECIFICATION
OBSCURE:	-	-	-
TRICKLE VENTS:	-	-	-
FIRE RATING (MINS):	-	-	-
SMOKE SEALS:	-	-	-
INTUMESCENT STRIP:	AS PER MANUFACTURER SPECIFICATION & DETAIL	AS PER MANUFACTURER SPECIFICATION & DETAIL	AS PER MANUFACTURER SPECIFICATION & DETAIL
HINGES (NO. PAIRS):			
TOTAL NO.:	3 + 1 HANDED = 4	1	1 + 1 HANDED = 2
NOTES:	OPENING SECTIONS TO HAVE RESTRICTORS; REFLECTIVE GLAZING 'P' = PERFORATED PANEL WITH INWARD OPENING SECTION BEYOND	REFLECTIVE GLAZING	OPENING SECTIONS TO HAVE RESTRICTORS; REFLECTIVE GLAZING 'P' = PERFORATED PANEL WITH INWARD OPENING SECTION BEYOND



ELEVATION FFL  
SCALE 1:20

	EXTERNAL DOOR / WINDOW	EXTERNAL WINDOW
WINDOW REF. TYPE:	EW - 04	EW - 05
STRUCTURAL OPENING SIZE:	3385mm x 2250mm	3835mm x 3300mm
LEAF SIZE :	1063m x 2250mm	1205mm x 3300mm
LOUVRE SIZE:		
FINISH:	POWDER-COATED ALUMINIUM (COLOUR TBC)	POWDER-COATED ALUMINIUM (COLOUR TBC)
GLAZING:	DOUBLE GLAZING AS PER SPECIFICATION	DOUBLE GLAZING AS PER SPECIFICATION
OBSCURE:	-	-
TRICKLE VENTS:	-	-
FIRE RATING (MINS):	-	-
SMOKE SEALS:	-	-
INTUMESCENT STRIP:	AS PER MANUFACTURER SPECIFICATION & DETAIL	AS PER MANUFACTURER SPECIFICATION & DETAIL
HINGES (NO. PAIRS):		
TOTAL NO.:	1	1
NOTES:	OPENING SECTIONS TO HAVE RESTRICTORS RECESSED, NO JULIETTE	'P' = PERFORATED PANEL WITH INWARD OPENING SECTION BEYOND RECESSED

DWG Location : Z:\SA\_Projects\SA 1074 (Teyman House)\SO Series\_Door and Windows\SSU\12387\_50\_20-C3.dwg Printed By: Sprunt on 10/11/13 at 09:54

DO NOT SCALE DIMENSIONS OFF THIS DRAWING  
CHECK ALL DIMENSIONS ON SITE BEFORE FABRICATION  
REPORT ALL ERRORS OR OMISSIONS TO SPRUNT LIMITED  
THIS DRAWING IS PROTECTED UNDER COPYRIGHT AND  
SHALL NOT BE REPRODUCED IN PART OR WHOLE WITHOUT  
PRIOR EXPRESSED PERMISSION OF SPRUNT LIMITED

#### SERIES DEFINITION

- 05 - SITE PLANS
- 10 - BRICK & BLOCKWORK
- 11 - PENETRATIONS
- 12 - FLOOR FINISHES
- 15 - GENERAL ARRANGEMENTS
- 16 - DIMENSIONAL LAYOUT PLANS
- 17 - FIRE STRATEGY AND SIGNAGE
- 20 - SECTIONS
- 25 - HEIGHT RODS
- 30 - ELEVATIONS
- 40 - DETAILS
- 41 - BALCONY DETAILS
- 42 - STAIR DETAILS
- 43 - LIFT DETAILS
- 44 - ROOF DETAILS
- 45 - KITCHEN DETAILS
- 46 - THRESHOLD DETAILS
- 47 - INTERNAL WALL DETAILS
- 48 - EXTERNAL WALL DETAILS
- 50 - DOOR & WINDOW SCHEDULES
- 51 - CLEANING STRATEGY
- 70 - CONVEYANCE PLANS
- 90 - LANDSCAPING
- 95 - LANDSCAPING DETAILS

#### NOTE:

- DOOR / WINDOW TOTALS TO BE CHECKED BY SUB-CONTRACTOR
- TO BE READ IN CONJUNCTION WITH DRAWINGS: 12387\_10\_01 TO 12387\_10\_14 AND DRAWINGS: 12387\_30\_01 TO 12387\_30\_04
- ALL DOOR & WINDOW ELEVATIONS ARE EXTERNAL
- PERFORATED/VENTILATION PANELS: METAL PANEL/ LOUVER TO BE DESIGNED IN ACCORDANCE WITH BS 6399-1:1996 TABLE 4A TO WITHSTAND 0.5KN/M2 UNIFORMLY DISTRIBUTED LOAD, 0.25KN POINT LOAD AND 0.36KN/M HORIZONTAL LINE LOAD.
- ALL WINDOWS FACING CAMDEN ROAD & 10m ALONG REGENT'S CANAL ELEVATION NOISE ATTENUATION:
  - 44dB (BEFORE CHANGE OF CONDITION)
  - 37dB (AFTER CHANGE OF CONDITION)
  - ALL OTHER WINDOWS 32dB
- WINDOWS INDICATED TO HAVE HIGHER NOISE ATTENUATION 44dB MAY BE REDUCED TO 37dB AFTER THE LB CAMDEN APPROVAL FOR CHANGE OF PLANNING CONDITON NO. 12.

C3	SB	10.01.13	MB	GENERAL AMMENDMENTS
C2	KJ	12.12.12	MB	GENERAL AMMENDMENTS
C1	SB	30.11.12	MB	ISSUE FOR CONSTRUCTION
REV BY	DATE	CHK	DESCRIPTION	

STATUS

FOR CONSTRUCTION

CONTRACTOR

WILLMOTT DIXON

PROJECT

TWYMAN HOUSE

CLIENT

TAYLOR WIMPEY  
CENTRAL LONDON

DRAWING TITLE

EXTERNAL WINDOW SCHEDULE

DATE CREATED	DATE AMENDED	SCALE
10.01.13	10.01.13	1:20 @ A1
DRAWN BY	AMENDED BY	CHECKED
DD	SPRUNT5	MB

DRAWING NO & REVISION

12387\_50\_20-C3

The Quadrangle,  
180 Wardour Street,  
London W1F 8FY  
T +44 (0)20 7287 1153  
F +44 (0)20 7287 3675  
www.sprunt.net

sprunt.

ver 2.2