

DO NOT SCALE DIMENSIONS OFF THIS DRAWING CHECK ALL DIMENSIONS ON SITE BEFORE FABRICATION REPORT ALL ERRORS OR OMISSIONS TO SPRUNT LIMITED THIS DRAWING IS PROTECTED UNDER COPYRIGHT AND SHALL NOT BE REPRODUCED IN PART OR WHOLE WITHOUT PRIOR EXPRESSED PERMISSION OF SPRUNT LIMITED

### SERIES DEFINITION

05 - SITE PLANS 10 - BRICK & BLOCKWORK

11- PENETRATIONS

12 - FLOOR FINISHES 15 - GENERAL ARRANGEMENTS

16 - DIMENSIONAL LAYOUT PLANS 17 - FIRE STRATEGY AND SIGNAGE

20 - SECTIONS

25 - HEIGHT RODS 30 - ELEVATIONS

40 - DETAILS

41 - BALCONY DETAILS 42 - STAIR DETAILS

43 - LIFT DETAILS

44 - ROOF DETAILS

45 - KITCHEN DETAILS 46 - THRESHOLD DETAILS

47 - INTERNAL WALL DETAILS 48 - EXTERNAL WALL DETAILS

50 - DOOR & WINDOW SCHEDULES

51 - CLEANING STRATEGY 70 - CONVEYANCE PLANS

90 - LANDSCAPING 95 - LANDSCAPING DETAILS

## NOTE:

 DOOR / WINDOW TOTALS TO BE CHECKED BY SUB-CONTRACTOR

TO BE READ IN CONJUNCTION WITH DRAWINGS: 12387\_10\_01 TO 12387\_10\_14 AND DRAWINGS: 12387\_30\_01 TO 12387\_30\_04

ALL DOOR & WINDOW ELEVATIONS ARE EXTERNAL

PERFORATED/VENTILATION PANELS: METAL PANEL/ LOUVER TO BE DESIGNED IN ACCORDANCE WITH BS 6399-1:1996 TABLE 4A TO WITHSTAND 0.5KN/M2 UNIFORMLY DISTRIBUTED LOAD, 0.25KN POINT LOAD AND 0.36KN/M

ALL WINDOWS FACING CAMDEN ROAD & 10m ALONG REGENTS CANAL ELEVATION NOISE ATTENUATION:

•• 44dB (BEFORE CHANGE OF CONDITION) •• 37dB (AFTER CHANGE OF CONDITION)

HORIZONTAL LINE LOAD.

ALL OTHER WINDOWS 32dB

WINDOWS INDICATED TO HAVE HIGHER NOISE ATTENUATION 44dB MAY BE REDUCED TO 37dBAFTER THE LB CAMDEN APPROVAL FOR CHANGE OF PLANNING CONDITION NO. 12.

C3 MB 06.02.13 MB WINDOW ED-11 AMOUNT CORRECTED

C2 KJ 12.12.12 MB GENERAL AMMENDMENTS

C1 SB 30.11.12 MB ISSUE FOR CONSTRUCTION REV BY DATE CHK DESCRIPTION

## FOR CONSTRUCTION

CONTRACTOR

CLIENT

# **WILLMOTT DIXON**

PROJECT TWYMAN HOUSE

TAYLOR WIMPEY

CENTRAL LONDON

DRAWING TITLE

EXTERNAL WINDOW SCHEDULE

DATE CREATED 06.02.13

DATE AMENDED 06.02.13 1:20 @ A1

CHECKED DRAWN BY AMENDED BY MBRZEZINSKA MB

DD DRAWING NO & REVISION

12387\_50\_21-C3

The Quadrangle, 180 Wardour Street, London W1F 8FY T +44 (0)20 7287 1153 F +44 (0)20 7287 3675

www.sprunt.net

