



DO NOT SCALE DRAWING



HEIGHT SECTION THRO' GRILLE GATE



ELEVATION OF TYPICAL GRILLE GATE
HLOI DOOR OPENING IN AWAY FROM VIEWER

1No REQUIRED AS DRAWN HLOI FOR 1-15 STEADHAM CHAMBERS COPTIC ST. WC1A 1NL MANUFACTURE No 4404

IF IN DOUBT ASK

IRONMONGERY SUPPLIED & PREPARED FOR
BY MULTISTEEL PER GRILLE GATE.

3No HEAVY DUTY WELD ON HINGES
1No LCN 4010 SURFACE DOOR CLOSER
1No PULL HANDLE S/S 225 X 25

FREE ISSUE ITEMS SUPPLIED BY OTHERS BUT
PREPARED FOR BY MULTISTEEL PER DOOR.


1No PUSH TO EXIT BUTTON ON INSIDE AWAY FROM GATE
1No FIRE MANS SWITCH
1No ENTRY PANEL
1No ELECTRO MAGNETIC LOCKS REF. M32C SERIES
1No ELECTRO MAGNETIC LOCKS REF. M32 SERIES

50 X 10mm M. S. BAR

M. S. GRILLE GATE 14mm
SQ. M. S. ROD WITH
DIAMOND MESH WELDED
BEHIND

FINISH

ALL JANSEN SCREENS TO BE SHOT BLASTED
& ZINC SPRAYED AND PPC TEXTURED GLOSS
COLOUR REF. NO RAL ????



EXTERIOR

WIDTH SECTION THRO' GRILLE GATE

CONSULTANT		
THIS DRAWING IS THE PROPERTY OF MULTISTEEL LIMITED AND MUST NOT BE COPIED OR DISCLOSED TO A THIRD PARTY WITHOUT THE WRITTEN PERMISSION OF MULTISTEEL LIMITED.		
0	ORIGINAL ISSUE	11-4-12
REV	DETAILS	DATE
PROJECT CAMDEN YEAR 2		
ISD LIMITED		
DRAWN BY	DLP	DATE 11-4-2012
SCALE	NTS	APPROVED
JOB No	J12038	DRG No 08
MULTISTEEL LIMITED		
MULTISTEEL HOUSE 117-119 BENTLEY TERRACE LONDON, NW2 1LL		
TEL. 0208 208 8300		FAX. 0208 208 8209