PHOTO OF PRINCIPLE ELEVATION OF FREEMASONS HALL Indicating location of existing window to be altered



Existing window grill detail within store room at ground floor (Level 03) to be matched.

Existing window glass to be replaced with cast iron grill (to central window pane only). Detail is to match other window within same store room. This will provide alternative mechanical ventilation to electrical substation at lower ground floor (Level 02). Refer to drawing PL.051 for further details.

Indicative location of existing window proposed to provide ventilation electrical substation at lower ground floor (level 02)

EXISTING WINDOWS TO STORE ROOM AT GROUND FLOOR (Level 03)



EXISTING WINDOW GRILL TO BE REPLICATED

APPROVED WINDOW TO PROVIDE VENTILATION TO **ELECTRICAL SUBSTATION**





NB. For further details of new ventilation to the electrical substation at lower ground (level 02) please refer to MRDA drawing PL.051.

General Notes:-		Rev	Note	Date
1.	All drawings remain the copyright of MRDA, and cannot be reproduced without approval.	P1 P2	Planning Issue Previously approved drawings from application 2012/3548/P.	03.09.2012 06.02.2013
2.	This drawing must not be scaled.			
3.	Documents/drawings transferred by electronic mail are not to be altered without			

Dimensional/level accuracy only applies to the written notation.

The drawings/information issued by MRDA are to be cross referenced where necessary with other relevant Consultants information 6. If in doubt ask!!

PLANNING

Client / Organisation Freemasons

Freemasons Hall, Great Queen St, WC2B 5AZ

Details of alternative ventilation to substation

Architects and Conservation Consultants 3 King Street Cloisters, Clifton Walk Hammersmith, London, W60GY

T: 020 8748 3755 F: 020 8748 3756 www.mrda.co.uk office@mrda.co.uk

Job No. 1510.01 Dwg No. PL.070 Revision. P2 Scale. N/A @A3 Dr. CB Ch. RD Date.