



ALFRED MEWS

Rev.	Date	Description	Drawn	Checked
00	20.12.2012	Office Listed Building Consent Application	EG	JMP

-  Elements excluded from Refurbishment
 Proposed new fabric
 Existing fabric
 The red outline in these drawings indicates the office spaces that are applying for Listed Building Consent for. The areas are highlighted within the extent proposals for the Heath's building.
 120 min Wall: Unlikely to require full rebuild/upgrade.
 The stopping and doors will be required to be repaired further to detailed investigation.
 120 min Wall: Upgrade may be required for wall/dors.
 120 min partition: 2x12.5 British Gypsum Fireline either side 70mm stud. System Ref: A206A079
 120 min Wall: Upgrade required for wall and doors.
 120 min partition: 2x12.5 British Gypsum Fireline either side 70mm stud. System Ref: A206A079
 120 min wall: BASEMENT WALLS NOT YET SURVEYED
 ACCESS THROUGH LOCKED DOORS REQUIRED
 Upgrade lines show on basement plan based on Ground Fl survey only



JOHN MCASLAN + PARTNERS

7-9 William Road
London NW1 3ER
T +44 (0)20 7313 6000
F +44 (0)20 7313 6001
www.mcaslan.co.uk

▣ Architect
▣ Landscape



Heal's Tottenham Court Road			
Proposed Fourth Floor Plan			
Scale At A1:	1:200	Job Number:	1262
Date:	20.12.2012	Drawing:	IB
Drawing Status:	Office Listed Building Consent App	Checked:	JMP
Drawing Number:	1262-G200-P-04-200-LBC	Revision:	00